

DAFTAR PUSTAKA

1. Lisa Mustika Sari, Yaslina. Upaya Peningkatan Kesehatan Pekerja Dalam Kemampuan Deteksi Dini Tanda Gejala Stroke Di Nagari Penampuang Kecamatan Iv Angkat Candung. *J-ABDI J Pengabdian Kpd Masy.* 2022;1(5):953–60.
2. Imran, Faridah, Fithriany, Rahmadsyah, Sayed Ichwanus Shafa, Devi Yanti. Efektifitas New Bobath Concept Terhadap Peningkatan Fungsional Pasien Stroke Iskemik dengan Outcome Stroke Diukur Menggunakan Fungsional Independent Measurement (Fim) dan Glasgow Outcome Scale (GOS) Di RSUDZA 2018. *J Med Sci.* 2020;1(1):14–9.
3. Made N, Artini Y, Kadek L, Lestari T, Ngurah G, Setiawan Y, et al. Edukasi Penyakit Stroke Hemoragik Di RSUD Klungkung. *J Pengabdian Komunitas.* 2022;1(01):48–52.
4. Saraswati, D R, Khariri. Transisi Epidemiologi Stroke Sebagai Penyebab Kematian Pada Semua Kelompok Usia Di Indonesia. *J Kedok.* 2021;2(1):81–5.
5. Atha Muchril Hasan, Fidha Rahmayani WR. Pengaruh Kadar LDL Dan HDL Pada Stroke. *J Penelit Perawat Prof.* 2022;4(1):1–8.
6. Wandira RD, Amalia L, Fuadi I. Hubungan Antara Derajat Keparahan Stroke Dengan Kejadian Stroke-Associated Pneumonia. *Maj Kedokt Neurosains Perhimpun Dr Spes Saraf Indones.* 2019;35(2):3–7.
7. Fatni Muhafidzah N, Pranggono EH, Wibisono Y, Juli C, Gamayani U, Gunadharma S, et al. Faktor Faktor Risiko terjadinya Pneumonia pada Stroke Akut di RSUP Dr Hasan Sadikin Bandung. 2021.
8. Rasyid A. Peran Sistem Imun Terhadap Terjadinya Pneumonia Terkait Stroke. 2019;36.
9. Fatmawati. Hubungan Antara Neutrophil-Lymphocyte Ratio (NLR), Platelet-Lymphocyte Ratio (PLR) dan Status Nutrisi dengan Length of Stay Pada Pasien Stroke. 2021;
10. Nam KW, Kim TJ, Lee JS, Kwon HM, Lee YS, Ko SB, et al. High neutrophil-to-lymphocyte ratio predicts stroke-associated pneumonia. *Stroke.* 2018;49(8):1886–92.
11. Almeida CS de, Miccoli LS, Andhini NF, Aranha S, Oliveira LC de, Artigo CE, et al. Pedoman Nasional Pelayanan Kedokteran Tatalaksana Stroke. Vol. 5, *Revista Brasileira de Linguística Aplicada.* 2020. 1689– 1699 p.
12. Huzaifah Z, Dody D. Hubungan Antara Klasifikasi Stroke Dengan Gangguan Fungsi Motorik Pada Pasien Stroke. *J Nurs Invent E-ISSN 2828-481X.* 2021;2(2):94–7.
13. Kuriakose D, Xiao Z. Pathophysiology and treatment of stroke: Present status and future perspectives. *Int J Mol Sci.* 2020;21(20):1–24.
14. bidin A. Laporan Provinsi Aceh RISKESDAS 2018. Vol. 4, Lembaga Penerbit Badan Litbang Kesehatan. 2019. 9–15 p.
15. Budianto P, Prabaningtyas H, Putra SE, Mirawati diah K, Muhammad F, Hafizan M. Stroke Iskemik Akut : Dasar dan Klinis. Universitas Sebel Maret. 2021;(January):i–123.

16. Murphy SJ, Werring DJ. Stroke: causes and clinical features. *Med (United Kingdom)*. 2020;48(9):561–6.
17. GAMBARAN RADIOLOGIS PADA BIDANG NEUROLOGIS STROKE. GAMBARAN Radiol PADA Bid
18. Putra SE, Tyas FNI, Hafizhan M, Prabaningtyas RAHR, Mirawati DK. Hubungan Profil Lipid dan Kadar High-Sensitivity C-Reactive Protein dengan Outcome Pasien Stroke Iskemik Akut. *Smart Med J*. 2020;3(2):48.
19. Mardiana SS, Hidayah N, Asiyah N, Noviani R. The Correlation Of Stroke Frequency And Blood Pressure With Stroke Severity In Non Hemorrhagic Stroke Patients Hubungan Frekuensi Stroke Dan Tekanan Darah Dengan Keparahan Stroke Pada Pasien Stroke Non Hemoragik. *Proceeding 14th Univ Res Colloq Seri Kesehat*. 2021;960–78.
20. Malik A, Maulina M. Fungsi Kognitif Pasien Pasca Stroke. *J Pendidik dan Teknol Kesehat*. 2023;6:169–81.
21. Pratama AD. Pengaruh Pemberian Dual Task Training Terhadap Penurunan Risiko Jatuh Pada Kasus Stroke Iskemik. *J Sos Hum Terap*. 2021;3(2):32–40.
22. Sentosa LOJJ. Relationship between neutrophil-lymphocyte ratio (nlr), platelet-lymphocyte ratio (plr) and nutritional status on mortality in stroke patients. 2021;
23. National Stroke Association. Signs and Symptoms of Stroke. 2017;
24. Pinzon RT. *Awas Stroke*. Yogyakarta: Betha Grafika Yogyakarta; 2016.
25. Mardjono M, Sidharta P. *Neurologi Klinis Dasar*. 2009.
26. Akbarzadeh MA, Sanaie S, Kuchaki Rafsanjani M, Hosseini MS. Role of imaging in early diagnosis of acute ischemic stroke: a literature review. *Egypt J Neurol Psychiatry Neurosurg*. 2021;57(1).
27. Sutcliffe L, Lumley H, Shaw L, Francis R, Price CI. Surface electroencephalography (EEG) during the acute phase of stroke to assist with diagnosis and prediction of prognosis: a scoping review. *BMC Emerg Med*. 2022;22(1):1–30.
28. Antipova D, Eadie L, MacAden A, Wilson P. Diagnostic accuracy of clinical tools for assessment of acute stroke: A systematic review. *BMC Emerg Med*. 2019;19(1):1–11.
29. Setiawan et al. Diagnosis Dan Tatalaksana Stroke Hemoragik. *J Med Utama*. 2021;02(01):402–6.
30. SUYUTI H. PNPk Tatalaksana Stroke. 2019;5–10.
31. Rasyid A. Mekanisme Imunodepresi Pascastroke. *Maj Kedokt Neurosains Perhimpun Dr Spes Saraf Indones*. 2019;36(3).
32. Cheng W, Chen L, Yu H, Lu D, Yu R, Chen J. Value of combining of the nlr and the fibrinogen level for predicting stroke-associated Pneumonia. *Neuropsychiatr Dis Treat*. 2021;17:1697–705.
33. Warganegara E. Pneumonia Nosokomial: Hospital-Acquired, Ventilator-

- Associated, dan Health Care-Associated. *J Kedokt Unila*. 2017;1(3):612–8.
34. Annashr NN, Nopianto. *Penyakit di Indonesia*. 2022.
 35. Julianti DA, Ristyaning P, Sangging A, Pardilawati CY. Aspek Pemeriksaan Laboratorium pada Pasien Pneumonia. *Med Prof J Lampung*. 2023;13(2):147–52.
 36. Gutiérrez JMM, Borromeo AR, Dueño AL, Paragas ED, Ellasus RO, Abalos-Fabia RS, et al. Clinical epidemiology and outcomes of ventilator-associated pneumonia in critically ill adult patients: Protocol for a large-scale systematic review and planned meta-analysis. *Syst Rev*. 2019;8(1):1–12.
 37. Subanada IB, Purniti NPS. Faktor-Faktor yang Berhubungan dengan Pneumonia Bakteri pada Anak. *Sari Pediatr*. 2016;12(3):184.
 38. Warlem N, Abdullah D, Morawati S, Yasa YF, Tri Yuspitasari J, Yudistira R. PROFIL PNEUMONIA PADA PASIEN RAWAT INAP PARU RSUP M. DJAMIL Pneumonia Profile in Pulmonary in Patients M. Djamil Hospital. *Nusant Hasana J*. 2024;3(11):14–22.
 39. Kim MS, Heo MY, Joo HJ, Shim GY, Chon J, Chung SJ, et al. Neutro1. Kim MS, Heo MY, Joo HJ, Shim GY, Chon J, Chung SJ, et al. Neutrophil-to-Lymphocyte Ratio as a Predictor of Short-Term Functional Outcomes in Acute Ischemic Stroke Patients. *Int J Environ Res Public Health*. 2023;20(2). phil-to-Lymphocyte Ratio as . *Int J Environ Res Public Health*. 2023;20(2).
 40. Wulandari T. Rasio Neutrofil Limfosit Sebagai Prediktor Tingkat Keparahan Stroke Iskemik. *J Ilm Kesehat Sandi Husada*. 2019;10(2):217–21.
 41. Song SY, Zhao XX, Rajah G, Hua C, Kang RJ, Han YP, et al. Clinical Significance of Baseline Neutrophil-to-Lymphocyte Ratio in Patients With Ischemic Stroke or Hemorrhagic Stroke: An Updated Meta-Analysis. *Front Neurol*. 2019;10(October).
 42. Dwi Puji Lestari. Perbandingan Neutrophil Lymphocyte Ratio (Nlr) Pada Wanita Hamil Dan Tidak Hamil Dengan Diagnosis Covid 19 Di Rs Universitas Mataram. *Lomb Med J*. 2022;1(1):44–8.
 43. Lubis B, Hasby AY, Putra AO, Yanni GN, Amelia P. Hubungan Neutrophil – Lymphocyte Ratio (NLR) Terhadap Mortalitas Pasien Sepsis di Unit Perawatan Intensif RSUP Haji Adam Malik Pada Tahun 2018. *Maj Anest Crit Care*. 2021;39(1):12–8.
 44. Nasrani L. Hubungan neutrophil-lymphocyte ratio, absolute lymphocyte count, dan platelet lymphocyte ratio terhadap derajat keparahan COVID-19. *Intisari Sains Medis*. 2022;13(1):127–30.
 45. WHO. Indonesia: Gender dan Kesehatan. *World Heal Organ South-East Asia*. 2020;1–8.
 46. Ying Y, Yu F, Luo Y, Feng X, Liao D, Wei M, et al. Neutrophil-to-Lymphocyte Ratio as a Predictive Biomarker for Stroke Severity and Short-Term Prognosis in Acute Ischemic Stroke With Intracranial Atherosclerotic Stenosis. *Front Neurol*. 2021;12(July):1–12.
 47. He L, Wang J, Wang F, Zhang L, Zhang L, Zhao W. Increased neutrophil-

- to-lymphocyte ratio predicts the development of post-stroke infections in patients with acute ischemic stroke. *BMC Neurol.* 2020;20(1):1–7.
48. Wang RH, Wen WX, Jiang ZP, Du ZP, Ma ZH, Lu AL, et al. The clinical value of neutrophil-to-lymphocyte ratio (NLR), systemic immune-inflammation index (SII), platelet-to-lymphocyte ratio (PLR) and systemic inflammation response index (SIRI) for predicting the occurrence and severity of pneumonia in patients wi. *Front Immunol.* 2023;14(February):1–10.
 49. Li W, Hou M, Ding Z, Liu X, Shao Y, Li X. Prognostic Value of Neutrophil-to-Lymphocyte Ratio in Stroke: A Systematic Review and Meta-Analysis. *Front Neurol.* 2021;12(September).
 50. Abdu H, Seyoum G. Sex Differences in Stroke Risk Factors, Clinical Profiles, and In-Hospital Outcomes Among Stroke Patients Admitted to the Medical Ward of Dessie Comprehensive Specialized Hospital, Northeast Ethiopia. *Degener Neurol Neuromuscul Dis.* 2022;Volume 12(October):133–44.
 51. Gens R, Ourtani A, De Vos A, De Keyser J, De Raedt S. Usefulness of the Neutrophil-to-Lymphocyte Ratio as a Predictor of Pneumonia and Urinary Tract Infection Within the First Week After Acute Ischemic Stroke. *Front Neurol.* 2021;12(May):1–8.
 52. Lan Y, Sun W, Chen Y, Miao J, Li G, Qiu X, et al. Nomogram Including Neutrophil-to-Lymphocyte Ratio for the Prediction of Stroke-Associated Infections. *Front Neurol.* 2020;11(November):1–9.