

DAFTAR PUSTAKA

- Anggara, A. W. dan Sudarmaji. 2009. *Hama pasca panen padi dan pengendaliannya*. Balai Besar Penelitian Tanaman Padi. Yogyakarta: Universitas Gadjah Mada.
- Alfaruq, F. A. 2009. Efektifitas minyak atsiri daun kayu putih (*Melaleuca leucadendra* L.) sebagai insektisida nabati pada ulat grayak (*Spodoptera litura* F.). (Disertasi Online). Universitas Islam Negeri Maulana Malik Ibrahim.
- Atungulu, G.G., Kolb, R.E., Karcher, J. and Shad, Z.M. 2019. Postharvest technology: rice storage and cooling conservation. In: Rice: Chemistry & Technology (*Fourth Edition*). Hangzhou: ACC International Press.
- Campbell, J.F. 2002. Influence of seed size on exploitation by rice weevil, *Sitophilus zeamais*. *Journal of Insect Behavior*, 15(3), 429-445.
- Davidson, R. H., & Lyon, W. F. 1979. Insect pests: of farm, garden, & orchard. Canada: Wiley.
- Devi, B. M. & N. V. Devi. 2015. *Biology of rust-red flour beetle, T. castaneum* (Herbst.) (Coleoptera: Tenebrionidae). *J. Biological*, 7(1), 12-15.
- Effendy. 2010. Uji toksisitas bioinsektisida cendawan *Metarhizium* sp. berbahan pembawa bentuk tepung untuk mengendalikan *nilaparvata lugens* (Stal.) (Homoptera: Delphacidae). *Jurnal Prosiding Seminar Nasional Unsri*, 20 (21), 84-93.
- FAO. 1988. *Guidelines for the registration of biological pest control agents*. Rome: Food & Agriculture Organization of the United Nations.
- Good, N. E. 1936. *The flour beetles of the genus Tribolium*. Washington D. C: U. S. Dept. Agric. Tech.
- Gopalakrishnan, C. 2001. *Fungal pathogens as components in integrated pest management of horticultural crops*. integrated pest management in horticultural ecosystems. New Delhi: Capital Publishing Company.
- Haines, C. P. 1991. *Insects and arachnids of tropical stored products : their biology and identification*. a training manual. Second Edition Revised. UK: Natural Resources Institute.
- Hasyim, A., Nuraida & Trizelia. 2009. Patogenisitas cendawan entomopatogen terhadap stadia telur dan imago hama kubis *Crociodolomia pavonana* Fabricius. *Jurnal Hortikultura*, 19(3), 334-343.

- Hendrival & R. Meutia. 2016. Pengaruh periode penyimpanan beras terhadap pertumbuhan populasi *S. oryzae* (L.) dan kerusakan beras. *Biogenesis*, 4(2), 95-101.
- Herdiana, B.G. 2010. Pembuatan dan Pengujian Formula *Metarhizium* majus UICC 295 dengan media pembawa substat beras (*Oryza sativa*) terhadap imago *Orytes rhinoceros*. (*Skripsi Online*). Universitas Indonesia.
- Hodges, RJ, R Robinson, & DR Hall. 1996. Quinone contamination of dehusked rice by *T. castaneum* (Herbs) (Coleoptera: Tenebrionidae). *Journal of Stored Product Research*, 32(1), 31-37.
- Hong K.J. Lee W. Park Y.J. & Yang J.O. 8. First confirmation of the distribution of rice weevil *S. oryzae* in South integrated cotton insect pest management. *Journal of Cotton Research*, 3(1), 1-21.
- Sitepu, S. F., Zulnayati, dan Yuswani, P. 2004. *Patologi benih dan hama pasca panen*. Medan: Universitas Sumatera Utara.
- Indriyanti, D. R., Bintari, S. H., Setiati, N., Maulana, J., & Alfiyan, Z. 2021. *The density and viability of M. anisopliae conidia on several growth media*. Biosaintifika, 13(2), 237-242.
- Kavallieratos, N.G., Athanassiou, C.G., Aountala, M.M., & Kontodimas, D.C. 2014. Evaluation of the entomopathogenic fungi *Beauveria bassiana*, *M. anisopliae*, and *Isaria fumosorosea* for control of *S. oryzae*. *Journal of Food Protection*, 77(1), 4-17.
- Keller, S, Kessler, P & Schweizer, C. 2003. Distribution of insect pathogenic soil fungi in Switzerland with special reference to *Beauveria brongniartii* and *Metharhizium anisopliae*. *Biocontrol*, 48(1), 307-319.
- Khan, K., Khan, G.D., Din, S., Khan, S.A., & Ullah, W. 2014. Evaluation of different wheat genotypes against rice weevil (*S. oryzae* (L.)) (Coleopteran: Curculionidae). *Journal of Biology, Agriculture and Healthcare*, 4(8), 85–89.
- Kumar, R. 2017. *Insect pests of stored grain: biology, behavior, and management strategies*. Oakville: Apple Academic Press Inc.
- Lacey, L.A., R. Frutos, H.K. Kaya., & P. Vail. 2001. *Insect patogen as biological agents: do they have a future*. *Biological Control*, 21(3), 230-248.
- Laksana, R.N., T. Himawan and F.A. Choliq, 2022. Kombinasi cendawan entomopatogen Combination *Beauveria bassiana* (Balsamo) Vuillemin dengan ekstrak daun pepaya untuk pengendalian *Plutella xylostella* Linnaeus (*Lepidoptera: Plutellidae*). *Jurnal HPT*, 10(2), 60-72.

- Li, D., S. Zhang, K. Liu and J. Lu. 2004. Purification and partial characterization of a chitinase from the mycoparasitic fungus *Trichothecium roseum*. *Journal of General Applied Microbiology*. 50(1), 35-39.
- Liu, B. L., & Tzeng, Y. M. 2012. *Development and applications of destruxins: a review*. *Biotechnology Advances*, 30(6), 1242-1254.
- Mangoendihardjo, S. 2003. *Peluang dan tantangan dalam produksi massal serta pemasaran agens pengendalian hayati serangga hama*. Prosiding Simposium: Pengendalian Hayati Serangga, 14-15 Maret 2001, Sukamandi, Indonesia: Balai Penelitian Tanaman Padi, hal. 27-38.
- Manueke, J., Tulung, M., & Mamahi, J.M.E. 2015. Biologi *S. oryzae* dan *Sitophilus zeamais* (Coleoptera: Curculionidae) pada beras dan jagung pipilan. *Eugenia*, 2(1), 20-31.
- Mulyono. 2007. Kajian patogenisitas cendawan *M. anisopliae* terhadap hama *Oryctes rhinoceros* L. tanaman kelapa pada berbagai waktu aplikasi. (Tesis Online). Universitas Sebelas Maret.
- Nasution, L., Corah, R., Nuraida., Siregar, A.Z. 2018. Effectiveness *Trichoderma* and *Beauveria bassiana* on imago *Oryctes rhinoceros* on palm oil plant (*Elaeis guineensis* Jacq.) in vitro. *International Journal Of Environment, Agriculture & Biotechnology*, 3(1), 158-169.
- Ngatimin, S.N.A., Salam, R., Rizwaldy, A., Jamal, F., Ridhawati, dan Putri, D.N. 2020. *Rintihan benih dalam dekapan lumbung penyimpanan*. Yogyakarta: Leutika Pro.
- Nik, N., Rusae, A., dan Atini, B. 2017. Identifikasi hama dan aplikasi bioinsektisida pada belalang kembara (*Locusta migratoria* L.) sebagai model pengendalian hama terpadu pada tanaman sorgum. *Jurnal Savana Cendana*, 2(3), 46-47.
- Permadi, M. A. 2016. Pemanfaatan cendawan entomopatogen *Lecanicillium lecanii*, *Beauveria bassiana* dan *Metarhizium anisopliae* sebagai mikoinsektisida terhadap kutu loncat jeruk, *Diaphorina citri* Kuwayama (Hemiptera: Liviidae). (Skripsi Online). Institut Pertanian Bogor.
- Phillips, T.W. & Throne, J.E. 2010. Biorational approaches to managing stored product. *Annual Review of Entomology*, 55(1), 375–397.
- Pracaya. 2004. Hama dan penyakit tanaman. Bogor: Penebar Swadaya.
- Pracaya, 1991. Hama dan penyakit tanaman. Jakarta: Penyebar Swadaya.
- Purnomo, H. 2010. Pengantar pengendalian hayati. Yogyakarta: C.V. Andi Offset.
- Rees, D. 2004. Insect of stored products. Collingwood: CSIRO Publishing.

- Saenong, M.S. & J.B. Alfons. 2009. Pengendalian hayati hama penggerek batang jagung *Ostrinia furnacalis* Guenee (Lepidoptera: Pyralidae). *Jurnal Budidaya Pertanian*, 5(1), 1-10.
- Samson, P.R., R.J. Milner, G.K. Ballard, & D.M. Hogorth. 1999. Development of *Metarhizium* as biopesticides for sugarcane pest management, current progress and future prospects. In Proceedings of the 1999: Conference of the Australian Society of Sugarcane Pest Technologist, Town Ville Queensland, Australia. 156-163.
- Sharma N, Bhandari A, editors. Bio-management of postharvest diseases and Mycotoxigenic fungi. CRC Press; 2020. <https://doi.org/10.1201/9781003089223>
- Soesanto, L. 2008. Pengantar pengendalian hayati penyakit tanaman: suplemen ke gulma dan nematoda. Jakarta: PT. Raja Grafindo Persada.
- Sreeramoju, P., M. S. K. Prasad, dan V. Lakshmipathi. 2016. Complete study of life cycle of *T. castaneum* and its weight variations in the developing stages. *International Journal of Plant and Animal Environmental Sciences*, 6(2), 95-100.
- Suryadi Y, Hendarsih S. 1991. Efektivitas campuran jamur patogen serangga *M. Anisopliae* dengan insektisida terhadap wereng coklat. Kumpulan Makalah Kongres IV PEI. Yogyakarta.
- Tampubolon, D.Y., Y. Pangestiniingsih, F. Zahra, dan F. Manik. 2013. Uji patogenisitas *Bacillus thuringiensis* dan *M. anisopliae* terhadap mortalitas *Spodoptera litura* Fabr (Lepidoptera: Noctuidae) di laboratorium. *Jurnal Online Agroekoteknologi*, 1(3), 784-791.
- Tanada, Y. and Kaya, H.K. 1993. Insect pathology. San Diego: Academic Press.
- Toledo AV, Lenicov R & Lastra L. 2010. Histopathology caused by entomopathogenic fungi, *Beauveria bassiana* and *M. anisopliae*, in the adult planthopper, *Peregrinus maidis*, a maize virus vector. *Journal of Insect Science*, 10(35), 1-10.
- Trematerra, P. 2004. Spatio-temporal analysis of insect pests infesting a paddy rice storage facility. *Neotropical Entomology*, 33(4), 469-479.
- Utami, S.R., Isnawati, Ambarwati, R. 2014. Eksplorasi dan karakterisasi cendawan entomopatogen *Beauveria Bassiana* dari Kabupaten Malang dan Magetan. *Lentera Bio*, 3(1), 59-66.
- Wagiman, F.X. 2016. Hama pasca panen dan pengelolaannya. Yogyakarta: Universitas Gadjah Mada Press.
- Wamiti, L.G., F.M. Khamis, A.M.M. Abd-alla, F.L.O. Ombura & K.S. Akutse. 2018. *M. anisopliae* infection reduces *Trypanosoma congolense*

reproduction in *Glossina fuscipes fuscipes* and its ability to acquire or transmit the parasite. *BMC Microbiology*, 18(1), 272-292.