

DAFTAR PUSTAKA

- Aksamija, A. (2013). Building simulations and high-performance buildings research: Use of Building Information Modeling (BIM) for Integrated Design and Analysis. *Perkins+Will Research Journal*, 05(1), 21–24. https://works.bepress.com/ajla_aksamija/9/
- Ali, R. A., Megahed, N. A., Shahda, M. M., & Hassan, A. M. (2023). Natural ventilation as a passive cooling strategy for multi-story buildings: analytic vertical skycourt formations. *City, Territory and Architecture*, 10(1). <https://doi.org/10.1186/s40410-023-00212-6>
- Anisa Septiana Putri, Imbardi, W. M. (2023). Analisis Kenyamanan Termal Perancangan Ruang Kelas Berbasis Buka-an Jendela Pada Sekolah Islam Terpadu di Rupert Utara. *Jurnal Arsitektur: Arsitektur Melayu Dan Lingkungan*, 10(1), 13–25. <http://journal.unilak.ac.id/index.php/arsitektur/article/view/12250%0A>
- ASHRAE, ANSI. 2010. Standard 55-2020. “Thermal Environmental Conditions for Human Occupancy”.ASHRAE, Atlanta USA.
- Ayuningtyas, N. V., Suryabrata, J. A., & Sarwadi, D. A. (2019). Pengaruh Window To Wall Ratio (WWR) Untuk Kenyamanan Termal Pada Bangunan Kantor Hemat Energi. *Seminar Karya & Pameran Arsitektur Indonesia*, 3(5), 158–168. https://dspace.iii.ac.id/bitstream/handle/123456789/42872/PROSIDING_SAKAPARI_3_14.pdf?sequence=1
- Bardhan, R., Debnath, R., Jana, A., & Norford, L. K. (2018). Investigating the association of healthcare-seeking behavior with the freshness of indoor spaces in low-income tenement housing in Mumbai. *Habitat International*, 71(September 2017), 156–168. <https://doi.org/10.1016/j.habitatint.2017.12.007>
- Budhiyanto, A. (2017). the Effect of the Window-To-Wall Ratio on Cooling Energy Usage and Comfort Temperature. *DIMENSI (Journal of Architecture and*

- Built Environment), 44(2), 189–194. <https://doi.org/10.9744/dimensi.44.2.189-194>
- Chan, H. Y., Riffat, S. B., & Zhu, J. (2010). Review of passive solar heating and cooling technologies. *Renewable and Sustainable Energy Reviews*, 14(2), 781–789. <https://doi.org/10.1016/j.rser.2009.10.030>
- Choi, Y., Cho, W., Ozaki, A., & Lee, H. (2021). Influence of the moisture driving force of moisture adsorption and desorption on indoor hygrothermal environment and building thermal load. *Energy and Buildings*, 253, 111501. <https://doi.org/10.1016/j.enbuild.2021.111501>.
- Choi, Y., Song, D., Ozaki, A., Lee, H., & Park, S. (2022). Do energy subsidies affect the indoor temperature and heating energy consumption in low-income households? *Energy and Buildings*, 256, 111678. <https://doi.org/10.1016/j.enbuild.2021.111678>
- Dwiyan Delyuzir, R., Erwin, Pratama, R., & Tanri Abeng, U. (2019). Kenyamanan Termal Ruang Kelas Mahasiswa (Studi Kasus: Ruang Kelas 303 Universitas Tanri Abeng). *Arsitekta : Jurnal Arsitektur Dan Kota Berkelanjutan*, 1(1), 1–6. <https://www.jurnal.tau.ac.id/index.php/arsitekta/article/view/134>
- Fang, Z., Wang, W., Chen, Y., Fan, H., Dong, R., Pang, D., & Song, J. (2023). Numerical Analysis of Natural Ventilation on One Side of a Room with Two Different Opening Configurations. *Sustainability (Switzerland)*, 15(14). <https://doi.org/10.3390/su151411456>
- Feng, G., Chi, D., Xu, X., Dou, B., Sun, Y., & Fu, Y. (2017). Study on the Influence of Window-wall Ratio on the Energy Consumption of Nearly Zero Energy Buildings. *Procedia Engineering*, 205, 730–737. <https://doi.org/10.1016/j.proeng.2017.10.003>
- Gunawan, B., Budihardjo, Juwana, J. S., Jimmy Priatman, Sulistiyanto, W., & Totok. (2012). Energy Efficiency and Conservation Clearing House Indonesia. In *Buku Pedoman Energi Efisiensi Untuk Desain Bangunan Gedung Di Indonesia: Vol. I*. https://simebtke.esdm.go.id/sinergi/assets/content/20210705200020_EEG2INFOR_WEB.pdf

- Grey, C. N. B., Schmieder-Gaite, T., Jiang, S., Nascimento, C., & Poortinga, W. (2017). Cold homes, fuel poverty and energy efficiency improvements: A longitudinal focus group approach. *Indoor and Built Environment*, 26(7), 902–913. <https://doi.org/10.1177/1420326X17703450>
- Hakim, F. N., Muhamadinah, Y., Atthaillah, Mangkuto, R. A., & Sudarsono, A. S. (2021). Building Envelope Design Optimization of a Hypothetical Classroom Considering Energy Consumption, Daylight, and Thermal Comfort: Case Study in Lhokseumawe, Indonesia. *International Journal of Technology*, 12(6), 1217–1227. <https://doi.org/10.14716/IJTECH.V12I6.5203>
- Hanggara, A. B., Purnomo, A. B., & Walaretina, R. (2021). Penerapan Ventilasi Silang Pada Ruang Unit Kegiatan Mahasiswa Di Gedung Pusgiwa, Universitas Indonesia. *Prosiding Seminar Intelektual Muda*, 3(1), 153–159. <https://doi.org/10.25105/psia.v3i1.13035>
- Hendrik, M. L., & Rahmayanti, R. (2023). Review Penerapan Shading Device Pada Double Skin Façade Untuk Kenyamanan Termal Dan Effisiensi Energi Bangunan. *JAMBURA Journal of Architecture*, 5(1), 97–103. <https://doi.org/10.37905/jjjoa.v5i1.19709>
- Hermawan, Fiantoro, D., & Arrizqi, A. N. (2023). Ventilasi Alami sebagai Bagian dari Perwujudan Kenyamanan Termal. *Journal of Engineering and Informatic*, 1(2), 35–41. <https://ejurnal.bangunharapanbangsa.id/index.php/JEI/article/view/58%0A>
- Ichwania, C., Djunaedy, E., Sujatmiko, W., Riu, E. A., & Si, M. (2019). Pemodelan Kenyamanan Termal Pada Bangunan Ber ventilasi Alami. 6(2), 5183–5186. <https://openlibrarypublications.telkomuniversity.ac.id/index.php/engineering/article/view/9688>
- Iqbal, M., Atthaillah, A., Safyan, A., Indriani, L., & Sina, A. M. (2024). Kenyamanan Termal pada Bangunan Ber ventilasi Alami di Iklim Tropis. <https://doi.org/https://doi.org/10.24252/nature.v11i2a3>
- Iqbal, M., Dastur, M., & Fikry, M. (2022). Indoor Thermal Comfort Improvement of the Naturally Ventilated House in Tropical Climate, Indonesia.

- Proceedings of Malikussaleh International Conference on Multidisciplinary Studies (MICoMS), 3, 00007. <https://doi.org/10.29103/micoms.v3i.48>
- Iqbal, M., Ozaki, A., Choi, Y., & Arima, Y. (2023). Performance Improvement Plan towards Energy-Efficient Naturally Ventilated Houses in Tropical Climate Regions. *Sustainability (Switzerland)*, 15(16). <https://doi.org/10.3390/su151612173>
- Jia, Y., & Betz, F. (2020). Using Simplified Geometry Model To Improve Energy Modeling Efficiency and Reduce Cost. 77–84. https://publications.ibpsa.org/proceedings/simbuild/2020/papers/simbuild2020_C010.pdf
- Jiang, Z., Kobayashi, T., Sandberg, M., Yamanaka, T., Kobayashi, N., Choi, N., Sano, K., & Toyosawa, K. (2023). Analysis of single-sided ventilation flows of a generic isolated building using particle tracking method in LES simulation. *Building and Environment*, 235. <https://doi.org/10.1016/j.buildenv.2023.110230>
- Kahfi, M., Falgenti, K., Rizqi, L. D., Megawulan, D., Iqbal, M., & Furqon, F. (2023). Analisis pengaruh suhu udara rata-rata terhadap kelembaban di wilayah DKI Jakarta menggunakan Regresi Linear. 3(1), 1–010. http://dataonline.bmkg.go.id/data_iklim
- Kusumo, T. (2018). Efektivitas Strategi Hybrid pada Hunian di Lingkungan Perumahan Perkotaan Padat Jakarta. *Nal Sustainability in Architecture*. https://dspace.uui.ac.id/bitstream/handle/123456789/45670/SIA_9.pdf?sequence=1&isAllowed=y
- Latif. (2020). Sistem Ventilasi Alami Satu Sisi Pada Kamar Kos Dengan Metode Computational Fluid Dynamics (CFD) Single-sided Natural Ventilation Systems on Boarding Room with Computational Fluid Dynamics Method. February. <https://doi.org/https://doi.org/10.31815/jp.2020.15.95-106>
- Latifah, N. L., Perdana, H., Prasetya, A., & Jurusan, O. P. M. S. (2013). Kajian kenyamanan termal pada bangunan student center ITENAS Bandung. *Jurnal Teknik Arsitektur*, 1(1), 1–12. <https://doi.org/https://doi.org/10.26760/rekakarsa.v1i1.43>

- Lestari, Muazir, S., Nurhamsyah, M., & Alhamdani, M. R. (2022). Penggunaan Shading Device Pada Fasade Sekolah Di Kota Pontianak. 2877, 119–126. <http://ejournal.undip.ac.id/index.php/modul> ISSN
- Liaison, S., Cooper, K. W., Turner, S. C., Paliaga, G., Lynch, B. M., Arens, E. A., Aynsley, R. M., Brager, G. S., Deringer, J. J., Ferguson, J. M., Filler, J. M., Hogeling, J. J., Int-hout, D., Kwok, A. G., Levy, H. F., Sterling, E. M., Stoops, J. L., Sun, B. P., Taylor, S. T., ... Peterson, J. C. (2010). Thermal environmental conditions for human occupancy. ASHRAE Standard, 2010(STANDARD 55), 1–44. [https://lorisweb.com/LEEDv4/graphics/ASHRAE Standards/ASHRAE-D-86150 55-2010.pdf](https://lorisweb.com/LEEDv4/graphics/ASHRAE%20Standards/ASHRAE-D-86150%2055-2010.pdf)
- Moey, L. K., Sing, Y. H., Tai, V. C., Go, T. F., & Ng, J. Y. (2022). Numerical investigation of inlet opening size on wind-driven cross ventilation. *Journal of Mechanical Engineering and Sciences*, 16(1), 8662–8672. <https://doi.org/10.15282/jmes.16.1.2022.02.0685>
- Muchsin. M., Hadisoesilo, D. (2024). Pengaruh Desain Jendela Dan Orientasi Bangunan Terhadap Kenyamanan Termal Ruang Menggunakan Cbe Thermal Comfort Tool. 3(2), 69–75. <https://journal.unika.ac.id/index.php/joda/article/viewFile/12673/pdf>
- Najafi Ziarani, N., Cook, M. J., & O’Sullivan, P. D. (2023). Experimental evaluation of airflow guiding components for wind-driven single-sided natural ventilation: A comparative study in a test chamber. *Energy and Buildings*, 300(October), 113627. <https://doi.org/10.1016/j.enbuild.2023.113627>
- Najafi Ziarani, N., Cook, M. J., Freidooni, F., & O’Sullivan, P. D. (2023). The role of near-façade flow in wind-dominant single-sided natural ventilation for an isolated three-storey building: An LES study. *Building and Environment*, 235(November 2022), 110210.
- Nasution, A. M., & Rambe, Y. S. (2023). Pengaruh Desain Overhang Terhadap Efisiensi Energi Dan Kenyamanan Termal Pada Bangunan Seni Di Kota Medan. *Jurnal Arsitektur TERRACOTTA*, 4(3), 237. <https://doi.org/10.26760/terracotta.v4i3.8783>

- Oreszczyn, T., Hong, S. H., Ridley, I., & Wilkinson, P. (2006). Determinants of winter indoor temperatures in low income households in England. *Energy and Buildings*, 38(3), 245–252. <https://doi.org/10.1016/j.enbuild.2005.06.006>
- Ozaki, A., & Tsujimaru, T. (2005). Prediction of hygrothermal environment of buildings based upon combined simulation of heat and moisture transfer and airflow. *IBPSA 2005 - International Building Performance Simulation Association 2005*, 899–906.
- P. N. Zatibayani, A. M. Nugroho, & H. Santosa. (2015). Pengaruh Shading Devices terhadap Penerimaan Radiasi Matahari Langsung pada Fasad Gedung Fakultas Peternakan Universitas Brawijaya. *Jurnal Mahasiswa Arsitektur Universitas Brawijaya*. http://id.wikipedia.org/wiki/Pemanasan_global
- Pacheco, R., Ordóñez, J., & Martínez, G. (2012). Energy efficient design of building: A review. *Renewable and Sustainable Energy Reviews*, 16(6), 3559–3573. <https://doi.org/10.1016/j.rser.2012.03.045>
- Paravantis, J. A., & Santamouris, M. (2016). An analysis of indoor temperature measurements in low- and very-low-income housing in Athens, Greece. *Advances in Building Energy Research*, 10(1), 20–45. <https://doi.org/10.1080/17512549.2015.1014842>
- Prihatanti, N. A., Ekasiwi, S. N. N., & Defiana, I. (2021). Effects of Pivot Windows and Wing Walls on Single Sided Natural Ventilation in Rumah Susun (Walk Up Flat). *IPTEK Journal of Proceedings Series*, 0(6), 411.
- Purnama, S. (2020). Analisis Bentuk Peneduh Terhadap Perolehan Radiasi Sinar Matahari Pada Bangunan Tinggi. *Lakar: Jurnal Arsitektur*, 3(01), 45–49. <https://doi.org/10.30998/lja.v3i01.5914>
- Purwoko, G. H. (2022). Pengaruh Window-To-Wall Ratio (Wwr) Dalam Meningkatkan Efisiensi Energi Bangunan. 133–140.
- Purwoko, G. H., Studi, P., Interior, A., Kreatif, F. I., & Ciputra, U. (2020). Penggunaan Overhang Dan Sirip Terhadap Konsumsi Energi Bangunan Bertingkat Tinggi. 24–32. <https://www.ciputra.ac.id/envisi/wp-content/uploads/publikasina/ENVISI-2020-p024-Gervasius> Herry

Purwoko-Penggunaan Overhang dan Sirip terhadap Konsumsi Energi Bangunan Bertingkat Tinggi.pdf

- Puspitasari, M., & Syamsiyah, N. R. (2015). Optimasi Shading Devices Rumah Tinggal (Studi Kasus : Perumahan Loh Agung Vi Jaten Karanganyar). *Sinektika: Jurnal Arsitektur*, 1(1), 158–164. <https://doi.org/10.23917/sinektika.v1i1.1134>
- Rahmat, A., Cahyanudin, I., & Ramadhan, T. (2020). Pengaruh Bukaannya Pada Ruang Rumah Tinggal Type 70 Terhadap Kenyamanan Termal. *Jurnal Ilmiah Arsitektur*, 10(2), 35–45. <https://doi.org/10.32699/jiars.v10i2.1617>
- Rahmawati Rahmawati, Arif Kamaludin Firdaus Akbar, F. K. A. (2016). Penghawaan Alami Terkait Sistem Ventilasi Terhadap Kenyamanan Termal Rumah Susun Industri Dalam Rahmawati, Arif Kamaludin Firdaus Akbar, Fathia Khairunnisa Agustin. *Jurnal Reka Karsa © Jurusan Teknik Arsitektur Itenas | No.1 |*, 4(1), 1–12. <https://ejurnal.itenas.ac.id/index.php/rekakarsa/article/view/1377/1543#>
- Rizani, M. D. (2013). Penghawaan Alami dengan Sistem Cross-Ventilation pada Rumah Tinggal. *Teknik - Unisfat*, 3(1), 10–17.
- Rudge, J., & Gilchrist, R. (2007). Measuring the health impact of temperatures in dwellings: Investigating excess winter morbidity and cold homes in the London Borough of Newham. *Energy and Buildings*, 39(7), 847–858. <https://doi.org/10.1016/j.enbuild.2007.02.007>
- S, E. C. P., Thojib, J., & Martiningrum, I. (2015). Resort Batu Ampar Bali Dengan Konsep Ventilasi Silang Melalui Rasio Bukaannya Ragam Hias Erick Christ P.S, Jusuf Thojib, Indyah Martiningrum. *Jurnal Mahasiswa Departemen Arsitektur*, 3(2). <https://www.neliti.com/publications/111235/resort-batu-ampar-bali-dengan-konsep-ventilasi-silang-melalui-rasio-bukaan-ragam>
- Sadineni, S. B., Madala, S., & Boehm, R. F. (2011). Passive building energy savings: A review of building envelope components. *Renewable and Sustainable Energy Reviews*, 15(8), 3617–3631. <https://doi.org/10.1016/j.rser.2011.07.014>

- Saleh, M. F. (2025). Shading Device Pada Jendela Bangunan Tinggi Untuk Menciptakan Penghematan Energi Menciptakan Penghematan Energi. 15(1), 69–75.
- Sambodo, M. T., & Novandra, R. (2019). The state of energy poverty in Indonesia and its impact on welfare. *Energy Policy*, 132(October 2018), 113–121. <https://doi.org/10.1016/j.enpol.2019.05.029>
- Santamouris, M., Alevizos, S. M., Aslanoglou, L., Mantzios, D., Milonas, P., Sarelli, I., Karatasou, S., Cartalis, K., & Paravantis, J. A. (2014). Freezing the poor - Indoor environmental quality in low and very low income households during the winter period in Athens. *Energy and Buildings*, 70, 61–70. <https://doi.org/10.1016/j.enbuild.2013.11.074>
- Santoso, E. I. (2012). Indonesian Green Technology Journal Kenyamanan Termal Indoor Pada Bangunan Di Daerah Beriklim Tropis Lembab.
- Seputra, J. A. P. (2017). Evaluasi Performa Ventilasi Alami Pada Desain Buka-an Ruang Kelas Universitas Atma Jaya Yogyakarta. *Jurnal Arsitektur KOMPOSISI*, 10(3), 149. <https://doi.org/10.24002/jars.v10i3.1111>
- Standar Nasional Indonesia. (2001). Tata Cara Perancangan Sistem Ventilasi dan Pengkondisian Udara pada Bangunan Gedung. Sni 03 - 6572 - 2001, 1–55.
- Sujannah, H., Munir, A., Sawab, H., Arsitektur, M. J., & Perencanaan, D. (2019). Evaluasi Kenyamanan Termal Hana Cafe Darussalam, Banda Aceh. *Jurnal Ilmiah Mahasiswa Arsitektur Dan Perencanaan*, 3(2), 17–22. [https://download.garuda.kemdikbud.go.id/article.php?article=3590156&val=31169&title=Evaluasi Kenyamanan Termal Hana Cafe Darussalam Banda Aceh](https://download.garuda.kemdikbud.go.id/article.php?article=3590156&val=31169&title=Evaluasi%20Kenyamanan%20Termal%20Hana%20Cafe%20Darussalam%20Banda%20Aceh)
- Susanto, C., Suryanti, N., Arsitektur, J., Indonesia, U. I., & Belakang, L. (2023). Analisis Window To Wall Ratio (Wwr) Dan Orientasi Bangunan Terhadap Kinerja Termal Pada Bangunan Reter. *Universitas Islam Indonesia*, 6(2), 235–247. <https://dspace.uui.ac.id/handle/123456789/46975>
- Syahrullah, M. R. (2012). Pengaruh integrasi pencahayaan alami pada sistem pencahayaan terhadap efisiensi energi bangunan tinggi. 18(2), 30–36. <https://doi.org/10.22487/ruang.v18i2>

- Talarosha, B. (2005). Menciptakan Kenyamanan Thermal dalam Bangunan. *Jurnal Sistem Teknik Industri*, 6(3), 148–158.
- Tong, S., Wen, J., Wong, N. H., & Tan, E. (2021). Impact of façade design on indoor air temperatures and cooling loads in residential buildings in the tropical climate. *Energy and Buildings*, 243, 110972. <https://doi.org/10.1016/j.enbuild.2021.110972>
- Venkiteswaran, V. K., Liman, J., & Alkaff, S. A. (2017). Comparative Study of Passive Methods for Reducing Cooling Load. *Energy Procedia*, 142, 2689–2697. <https://doi.org/10.1016/j.egypro.2017.12.212>
- Wardhana, P. P. M., & Iyati, W. (2018). Kenyamanan Termal dan Kinerja Ventilasi Alami pada Ruang Kuliah Jurusan Teknik Pengairan Universitas Brawijaya. *Jurnal*.[http://download.garuda.kemdikbud.go.id/article.php?article=718566&val=6478&title=Kenyamanan Termal dan Kinerja Ventilasi Alami pada Ruang Kuliah Jurusan Teknik Pengairan Universitas Brawijaya](http://download.garuda.kemdikbud.go.id/article.php?article=718566&val=6478&title=Kenyamanan%20Termal%20dan%20Kinerja%20Ventilasi%20Alami%20pada%20Ruang%20Kuliah%20Jurusan%20Teknik%20Pengairan%20Universitas%20Brawijaya)
- Webb, E., Blane, D., & De Vries, R. (2013). Housing and respiratory health at older ages. *Journal of Epidemiology and Community Health*, 67(3), 280–285. <https://doi.org/10.1136/jech-2012-201458>
- Wellun, Z., Yusoff, W. F. M., Mohamed, M. F., Sulaiman, M. K. A. M., & Rasani, M. R. M. (2022). Effects of Single-Sided and Cross- Ventilated Sliding Window Openings on the Indoor Environment. *Jurnal Teknologi (Sciences & Engineering)*, 6, 107–114. <https://doi.org/https://doi.org/10.1113/jurnalteknologi.v84.18479>
- Wykes, M. S. D., Chahour, E., & Linden, P. F. (2020). The effect of an indoor-outdoor temperature difference on transient cross-ventilation. *Environmental Science Building and Environment*. <https://doi.org/10.1016/j.buildenv.2019.106447>
- Xing, Y., Hewitt, N., & Griffiths, P. (2011). Zero carbon buildings refurbishment - A Hierarchical pathway. *Renewable and Sustainable Energy Reviews*, 15(6), 3229–3236. <https://doi.org/10.1016/j.rser.2011.04.020>

- Yusoff, W. F. M. (2020). The effects of various opening sizes and configurations to air flow dispersion and velocity in cross-ventilated building. *Jurnal Teknologi*, 82(4), 17–28. <https://doi.org/10.11113/jt.v82.14537>
- Yuwono, A. B. (2017). Pengaruh orientasi bangunan terhadap kemampuan menahan panas pada rumah tinggal di Perumahan Wonorejo Surakarta. *Journal of Chemical Information and Modeling*, 110(9), 1689–1699. <https://core.ac.uk/download/pdf/11715962.pdf>
- Zero, N., Building, H., Zero, N., Building, H., Net, G., & Healthy, Z. (2021). “Implementasi Strategi Passive Architecture Untuk Menuju Terciptanya Net Zero and Healthy Building” Overview.
- Zhou, J., Hua, Y., Xiao, Y., Ye, C., & Yang, W. (2021). Analysis of ventilation efficiency and effective ventilation flow rate for wind-driven single-sided ventilation buildings. *Aerosol and Air Quality Research*, 21(5), 1–21. <https://doi.org/10.4209/aaqr.200383>
- Zulkarnain Marzuki, L. M. F. P. (2024). Fasad Menggunakan Software Ecotect Gedung Fakultas Teknik Universitas Krisnadwipayana : Sebuah Pendekatan Eksperimental Increasing Building Energy Efficiency Through Facade Modification Using Ecotect at The Faculty of Engineering Building , Krisnadwipayan. 6(01), 30–45.