

DAFTAR PUSTAKA

- [1] R. Fernandes Sihotang And R. Maulana, “Rancang Bangun Sistem Pengisian Air Galon Otomatis Menggunakan Sensor Proximity Dan Flowmeter Berbasis Arduino Uno,” *Jurnal Informatika Dan Teknik Elektro Terapan*, Vol. 12, No. 3, Pp. 2830–7062, Doi: 10.23960/Jitet.V12i3s1.5115.
- [2] “(Pdf) Rancang Bangun Sistem Pengisian Dan Penutup Botol Otomatis Berdasarkan Tinggi Botol Berbasis Programmable Logic Controller.” Accessed: Feb.17,2025.[Online].Available: https://www.researchgate.net/publication/365191867_Rancang_Bangun_Sistem_Pengisian_Dan_Penutup_Botol_Otomatis_Berdasarkan_Tinggi_Botol_Berbasis_Programmable_Logic_Controller
- [3] “View Of Implementasi Sistem Monitoring Penampung Air Berbasis Telegram Dan Nodemcu Di Sektor Industri Umkm.” Accessed: Feb. 16, 2025. [Online]. Available: <https://www.jurnal.stie-aas.ac.id/index.php/jaim/article/view/6583/4490>
- [4] I. Arif, Junaidi, And Yulfira, “Perancangan Unit Pengisian Pada Mesin Pengisian Botol Otomatis Berbasis Plc,” *Jurnal Mesil (Mesin Elektro Sipil)*, Vol. 3, No. 2, Pp. 37–44, Feb. 2023, Doi: 10.53695/Jm.V3i2.818.
- [5] “Otomasi Industri Dengan Arduino Outseal Plc - Risfendra, Herlin Setyawan - Google Books.” Accessed: Feb. 17, 2025. [Online]. Available: https://books.google.co.id/books?hl=en&lr=&id=Khaqeaaqbaj&oi=fnd&pg=pp1&dq=plc+outseal&ots=Ei4ihwryj1&sig=T1kg2hxx4jsui82u7b-A4ywbk&redir_esc=y#v=onepage&q=plc%20outseal&f=false
- [6] A. Susanto And I. Kurniawan, “Prototype Dan Desain Alat Mesin Conveyor Penghitung Barang Berbasis Plc Dan Aplikasi Hmi Android,” *Jurnal Teknik Elektro*, Vol. 5, No. 2, Oct. 2021, Doi: 10.31000/Jte.V5i2.7002.
- [7] “(Pdf) Simulasi Filling Machine Dengan Plc (Programmable Logic Controller) Pada Pabrik Daur Ulang Sampah Plastik Menjadi Keramik.” Accessed: Jun. 26, 2025. [Online]. Available: https://www.researchgate.net/publication/366542584_Simulasi_Filling_Machine_Dengan_Plc_Programmable_Logic_Controller_Pada_Pabrik_Daur_Ulang_Sampah_Plastik_Menjadi_Keramik
- [8] D. U. Suwarno, “Modbus Hmi Bluetooth For Outseal Plc,” *Aip Conf Proc*, Vol. 2217, Apr. 2020, Doi: 10.1063/5.0000583.
- [9] K. Sartono, M. Djamin, And S. Suryadi, “Design And Construction Of Automatic Railway Crossing Gate Control Using Proximity And Infrared Sensors Based On Omron Cp1e E30-Sdra Plc,” *West Science Interdisciplinary Studies*, Vol. 2, No. 09, Pp. 1732–1739, Sep. 2024, Doi: 10.58812/Wsis.V2i09.1271.

- [10] F. Y. Dwi *Et Al.*, “Rancang Bangun Sistem Smart Lab Menggunakan Outseal Plc Dan Hmi Dengan Media Komunikasi Modbus,” *Seminar Nasional Teknik Elektro Dan Informatika (Sntei)*, Vol. 8, No. 1, Pp. 56–60, 2022, Accessed: Jun. 26, 2025. [Online]. Available: <https://jurnal.poliupg.ac.id/index.php/sntei/article/view/3581>
- [11] R. Purnomo And D. U. S. Djoko Untoro Suwarno, “Pengendalian Sistem Parkir Mobil Putar Vertikal Otomatis Menggunakan Plc Outseal Dan Hmi Android,” 2021.
- [12] R. Fitria, A. Aswandi, And A. Amri, “Pembuatan Prototipe Pengisian Minuman Berbasis Internet Of Things,” *Journal Of Tik*, Vol. 2, No. 2, Pp. 93–97, 2022, Accessed: Jun. 26, 2025. [Online]. Available: <https://ejournal.pnl.ac.id/eprotik/article/view/4559>
- [13] I. Imnadir And I. D. Zai, “Penerapan Plc Hmi (Human Machine Interface) Untuk Monitoring Objek Pada Sistem Pengisian Minuman Ke Dalam Botol,” *Buletin Utama Teknik*, Vol. 18, No. 1, Pp. 47–53, Aug. 2022, Doi: 10.30743/But.V18i1.5851.
- [14] “Tampilan Manajemen Pengelolaan Peralatan Air Minum Dalam Kemasan Botol 330 ML/600 ML Di Pt.Ubb.” Accessed: Jun. 27, 2025. [Online]. Available: <https://journal.um-surabaya.ac.id/cyclotron/article/view/16412/6069>
- [15] A. B. Dewantara And M. Kholil, “Sistem Otomasi Sebagai Upaya Perbaikan Kualitas Dengan Metode Spc Pada Line Finishing (Studi Kasus: Pt. X),” *Jurnal Ilmiah Teknik Industri*, Vol. 3, No. 3, Pp. 141–149, 2017, Doi: 10.24912/Jitiuntar.V3i3.465.
- [16] I. Sukoco, R. Setiadi, R. Ambar, K. Ursit Gendroyono, And S. Artikel, “Journal Of Mechanical Engineering Learning Rancang Bangun Media Sistem Otomasi Berbasis Plc I N F O Artikel,” *Jmel 1*, Vol. 2, No. 2, 2023.
- [17] S. Kendali Pengisian Jus Otomatis Menggunakan Sensor Infrared Dan *Et Al.*, “Sistem Kendali Pengisian Jus Otomatis Menggunakan Sensor Infrared Dan Waterflow Berbasis Plc,” *Journal Of Applied Smart Electrical Network And Systems*, Vol. 1, No. 01, Pp. 1–5, Jun. 2020, Doi: 10.52158/Jasens.V1i01.26.
- [18] S. Pambudi, T. R. K. Lestari, And A. Prasetyo, “Rekayasa Leak Test Machine Berbasis Plc (Programmable Logic Controller),” *Teknika*, Vol. 9, No. 2, Pp. 115–123, Oct. 2024, Doi: 10.52561/Teknika.V9i2.256.
- [19] P. A. Rosyady And B. Indriyanto, “Perancangan Sistem Pengisian Pada Alat Pembuat Kopi Otomatis Menggunakan Plc Omron Cplc,” *Jurnal Teknologi Elektro*, Vol. 13, No. 1, P. 41, Feb. 2022, Doi: 10.22441/Jte.2022.V13i1.008.
- [20] D. Derman, B. Destyningtias, And A. Suprasetyo, “Rancang Bangun Pakan Ikan Otomatis Tenaga Surya Berbasis Programmable Logic Controller,” *Jurnal Pengembangan Rekayasa Dan Teknologi*, Vol. 14, No. 2, P. 55, Jan. 2019, Doi: 10.26623/Jprt.V14i2.1228.

- [21] D. Yuhendri, "Penggunaan Plc Sebagai Pengontrol Peralatan Building Automatis," *Jet (Journal Of Electrical Technology)*, Vol. 3, No. 3, Pp. 121–127, 2018, [Online]. Available: <https://jurnal.uisu.ac.id/index.php/jet/article/view/952>
- [22] M. R. Sufandi, V. L. Kevin, M. I. Hadikusuma, And A. Bakar, "Purwarupa Proses Pemantauan Dan Pengisian Botol Kemasan Berbasis Modul Plc Outseal Dan Hmi Haiwell," *Jurnal Elit*, Vol. 4, No. 2, Pp. 26–35, 2023.
- [23] B. Gemilang, L. Nurpulaela, And Y. Saragih, "Implementasi Outseal Plc Pada Automatic Duck Egg Washing Machine," *Multinetics*, Vol. 6, No. 2, Pp. 117–127, 2020, Doi: 10.32722/Multinetics.V6i2.3054.
- [24] "View Of Pelatihan Programmable Logic Controller Menggunakan Outseal Plc." Accessed: Feb. 18, 2025. [Online]. Available: <https://e-journal.poltekbangplg.ac.id/index.php/darmabakti/article/view/38/30>
- [25] "OutsealPlc." Accessed: Feb. 18, 2025. [Online]. Available: <https://www.outseal.com/>
- [26] D. A. F. B, A. Prasetyo, And E. Wibowo, "Design And Development Of Digital Gentanik System Based On Plc Outseal," Pp. 275–284, 2023.
- [27] "Panduan Dasar Outseal Plc Draft Revisi 2 Pdf | Pdf." Accessed: Jun. 18, 2025. [Online]. Available: <https://www.scribd.com/document/471728620/Panduan-Dasar-Outseal-Plc-Draft-Revisi-2-Pdf>
- [28] Muh. Farhan, N. Rahmah, A. Hafid, And Ridwang, "Simulasi Pengontrolan Dan Pengukuran Jumlah Debit Air Berbasis Programmable Logic Controller," *Kohesi: Jurnal Multidisiplin Saintek*, Vol. 1, No. 3, Pp. 1–13, 2023, [Online]. Available: <https://ejournal.warunayama.org/kohesi>
- [29] S. Suryady, E. A. Nugroho, A. A. Kharisma, W. Dwiparaswati, And W. Sukoharjo, "Pengabdian Masyarakat Pengenalan Human Machine Interface (Hmi) Terhadap Otomasi Industri," *Jurnal Abdi Masyarakat Multidisiplin*, Vol. 3, No. 1, Pp. 11–15, Apr. 2024, Doi: 10.56127/Jammu.V3i1.1546.
- [30] S. Hutaeruk, Sylvia Lourenzaa, And Jogi, "Miniatur Sistem Pemindahan Barang Pada Konveyor Dengan Penggerak Motor Stepper," *Jurnal Elpotecs*, Vol. 4, No. 2, Pp. 1–9, 2021, Doi: 10.51622/Elpotecs.V4i2.429.
- [31] S. D. Syahputra, A. Azanuddin, And T. Tugiono, "Konveyor Pengantar Makanan Dan Minuman Direstaurant Berbasis Mikrokontroller dengan Teknik Pwm (Pulse Width Modulation)," *Journal Of Science And Social Research*, Vol. 3, No. 2, Pp. 116–121, Aug. 2020, Accessed: Oct. 13, 2024. [Online]. Available: <https://www.jurnal.goretanpena.com/index.php/jssr/article/view/476>
- [32] "(Pdf) Perancangan Kontroler Pada Konveyor Pendeteksi Berat Menggunakan Load Cell Berbasis Plc." Accessed: Oct. 13, 2024. [Online]. Available: https://www.researchgate.net/publication/375748041_Perancangan_Kontroler_Pada_Konveyor_Pendeteksi_Berat_Menggunakan_Load_Cell_Berbasis_Plc

- [33] “Uji Kinerja Pompa Air Tenaga Surya Untuk Irigasi | Hoetama | Jurnal Ilmiah Mahasiswa Pertanian.” Accessed: Oct. 15, 2024. [Online]. Available: <https://jim.usk.ac.id/jfp/article/view/11492>
- [34] B. Wang, Y. Lv, X. Chu, D. Wang, And S. Shang, “Design And Experimental Testing Of Extended-Range Power Supply System For 15 Horsepower Electric Tractor,” *Agriculture* 2024, Vol. 14, Page 1551, Vol. 14, No. 9, P. 1551, Sep. 2024, Doi: 10.3390/Agriculture14091551.
- [35] A. A. Kurniawan And S. Rahmawati, “Jurnal Komtekinfo Smart Tong Sampah Pendeteksi Otomatis Sampah Organik &,” Vol. 11, No. 3, Pp. 163–172, 2024, Doi: 10.35134/Komtekinfo.V11i3.564.163.
- [36] A. Azis, N. Nurdiana, And J. Saputra, “Perancangan Prototipe Pengendali Pintu Pagar Otomatis Menggunakan Sensor Sidik Jari Dan Sensor Proximity Infrared Berbasis Arduino Uno,” *Elektrika*, Vol. 16, No. 1, P. 35, Apr. 2024, Doi: 10.26623/Elektrika.V16i1.8252.
- [37] F. A. Suzuki Syofian, Aji Setiawan, Rolan Siregar, “Deteksi Dan Monitoring Gas Beracun Carbon Monoksida (Co) Pada Kabin Kendaraan Tua (Odometer > 300k Km) Dan Hubungannya Terhadap Kepadatan Kendaraan Dengan Metode Fuzzy Suzuki Syofian , Aji Setiawan , Rolan Siregar , Fathan Abstrak,” Vol. Viii, No. 1, 2021.
- [38] M. Y. Irawan, “Perancangan Kendali Motor Listrik Berbasis Smart Relay (Zelio),” *Jurnal Teknik Elektro Dan Komputer Triac*, Vol. 8, No. 2, Pp. 44–46, 2021, Doi: 10.21107/Triac.V8i2.10510.
- [39] T. W. O. Putri And M. I. Mowaviq, “Prototipe Sistem Konveyor Otomatis Dengan Kendali Kecepatan Berbasis Programmable Logic Controller,” *Barometer*, Vol. 6, No. 1, Pp. 289–294, 2021, Doi: 10.35261/Barometer.V6i01.4505.
- [40] P. Studi And T. Elektro, “Rancang Bangun Alat Pembersih Panel Surya Menggunakan Outseal Plc Dan Sensor Ir Proximity Yang Terkoneksi Dengan Android Melalui Modul Wifi Dt-06 Dan Modul Bluetooth Hc-05,” *Jurnal Teknik Elektro*, Vol. 6, No. 1, Pp. 37–41, Oct. 2022, Doi: 10.31000/Jte.V6i1.7049.
- [41] “View Of Kontrol Tegangan Menggunakan Dc To Dc Converter Tipe Boost Untuk Elektrolisis Air Laut.” Accessed: Jun. 18, 2025. [Online]. Available: <https://openlibrarypublications.telkomuniversity.ac.id/index.php/engineering/article/view/8103/7999>