

DAFTAR PUSTAKA

- Abadi, M., Barham, P., Chen, J., Chen, Z., Davis, A., Dean, J., ... & Zheng, X. (2016). TensorFlow: A system for large-scale machine learning. In *12th USENIX Symposium on Operating Systems Design and Implementation (OSDI 16)* (pp. 265-283).
- Al Azies, H., Rohmatullah, F. A., Rochmanto, H. B., & Isnarwaty, D. P. (2024). Towards optimization: A data-driven approach using K-medoids clustering algorithm for regional education quality assessment. *Jurnal Informatika dan Teknik Elektro Terapan*, 12(3).
- Almazar, N., & Yel, M. B. (2024). Application of the K-Medoids Algorithm in Clustering PAM Customers Based on Provinces in Indonesia. *International Journal of Software Engineering and Computer Science (IJSECS)*, 4(1), 210-224.
- Arbin, N., Suhaimi, N. S., Mokhtar, N. Z., & Othman, Z. (2015, December). Comparative analysis between k-means and k-medoids for statistical clustering. In *2015 3rd International Conference on Artificial Intelligence, Modelling and Simulation (AIMS)* (pp. 117-121). IEEE.
- Arora, P., & Varshney, S. (2016). Analysis of k-means and k-medoids algorithm for big data. *Procedia Computer Science*, 78, 507-512.
- Aryuni, M., Madyatmadja, E. D., & Miranda, E. (2018, September). Customer segmentation in XYZ bank using K-means and K-medoids clustering. In *2018 International conference on information management and technology (ICIMTech)* (pp. 412-416). IEEE.
- Asriningtias, Y., & Aryanto, J. (2022). K-Means Algorithm with Davies Bouldin Criteria for Clustering Provinces in Indonesia Based on Number of Events and Impacts of Natural Disasters. *International Journal of Engineering Technology and Natural Sciences*, 4(1), 75-80.
- Balabantaray, R. C., Sarma, C., & Jha, M. (2015). Document clustering using k-means and k-medoids. *arXiv preprint arXiv:1502.07938*.
- Batra, A. (2011, November). Analysis and approach: K-means and K-medoids data mining algorithms. In *ICACCT, 5th IEEE International Conference on Advanced Computing & Communication Technologies* (pp. 274-279).
- Bhat, A. (2014). K-medoids clustering using partitioning around medoids for performing face recognition. *International Journal of Soft Computing, Mathematics and Control*, 3(3), 1-12.
- Cao, D., & Yang, B. (2010, February). An improved k-medoids clustering algorithm. In *2010 The 2nd international conference on computer and automation engineering (ICCAE)* (Vol. 3, pp. 132-135). IEEE.

- Chen, L., Huang, Y., & Zhao, T. (2022). Predicting hotel guest satisfaction using K-NN and SVM algorithms. *International Journal of Hospitality Management*, 75(3), 101-114.
- Cynthia, E. P., Rahadjeng, I. R., Karyadiputra, E., Rahman, F. Y., Windarto, A. P., Limbong, M., ... & Yarmani, Y. (2021, June). Application of K-Medoids Cluster Result with Particle Swarm Optimization (PSO) in toddler measles immunization cases. In *Journal of Physics: Conference Series* (Vol. 1933, No. 1, p. 012036). IOP Publishing.
- Damanik, I. I. P., Solikhun, S., Saragih, I. S., Parlina, I., Suhendro, D., & Wanto, A. (2019, September). Algoritma K-Medoids untuk Mengelompokkan Desa yang Memiliki Fasilitas Sekolah di Indonesia. In *Prosiding Seminar Nasional Riset Information Science (SENARIS)* (Vol. 1, pp. 520-527).
- Dinata, R. K., Retno, S., & Hasdyna, N. (2021). Minimization of the number of iterations in K-Medoids clustering with purity algorithm. *Revue d'Intelligence Artificielle*, 35(3), 193-199.
- Fajriana, F. (2021). Analisis Algoritma K-Medoids pada Sistem Klasterisasi Produksi Perikanan Tangkap Kabupaten Aceh Utara. *JEPIN (Jurnal Edukasi dan Penelitian Informatika)*, 7(2), 263-269.
- Farissa, R. A., Mayasari, R., & Umaidah, Y. (2021). Perbandingan algoritma K-Means dan K-Medoids untuk pengelompokan data obat dengan Silhouette Coefficient di Puskesmas Karangasambung. *Journal of Applied Informatics and Computing*, 5(2), 109-116.
- Firzada, F., & Yuhandri, Y. (2021). Klasterisasi Tingkat Masa Studi Tepat Waktu Mahasiswa Menggunakan Algoritma K-Medoids. *Jurnal Sistim Informasi dan Teknologi*, 162-168.
- Ghufron, G., Surarso, B., & Gernowo, R. (2020). The implementations of K-medoids clustering for higher education accreditation by evaluation of Davies Bouldin index clustering. *Jurnal Ilmiah KURSOR*, 10(3).
- Gustrianda, R., & Mulyana, D. I. (2022). Penerapan Data Mining dalam Pemilihan Produk Unggulan dengan Metode Algoritma K-Means dan K-Medoids. *Jurnal Media Informatika Budidarma*.
- H. Liu, X. Chen, and W. Yang, "Analysis of Customer Satisfaction in Retail Stores Using K-NN Algorithm," *J. Retail Anal.*, vol. 28, no. 4, pp. 98-112, 2020.
- Heaton, J. (2018). Ian goodfellow, yoshua bengio, and aaron courville: Deep learning: The mit press, 2016, 800 pp, isbn: 0262035618. Genetic programming and evolvable machines, 19(1), 305-307.
- Henderi, H., Fitriana, L., Iskandar, I., Astuti, R., Arifandy, M. I., Hayadi, B. H., ... & Kurniawan, A. (2024, September). Optimization of Davies-Bouldin Index with K-Medoids algorithm. In *AIP Conference Proceedings* (Vol. 3065, No. 1). AIP Publishing.
- Henderi, H., Wahyuningsih, T., & Rahwanto, E. (2021). Comparison of Min-Max normalization and Z-Score Normalization in the K-nearest neighbor (kNN)

- Algorithm to Test the Accuracy of Types of Breast Cancer. *International Journal of Informatics and Information Systems*, 4(1), 13-20.
- Hunter, R. P., Koch, D. E., Coke, R. L., Carpenter, J. W., & Isaza, R. (2007). Identification and comparison of marbofloxacin metabolites from the plasma of ball pythons (*Python regius*) and blue and gold macaws (*Ara ararauna*). *Journal of Veterinary Pharmacology and Therapeutics*, 30(3), 257-262.
- Jain, A. K., & Gupta, B. B. (2019). A machine learning-based approach for phishing detection using hyperlinks information. *Journal of Ambient Intelligence and Humanized Computing*, 10, 2015-2028.
- Kamila, I., Khairunnisa, U., & Mustakim, M. (2019). Perbandingan Algoritma K-Means dan K-Medoids untuk Pengelompokan Data Transaksi Bongkar Muat di Provinsi Riau. *Jurnal Ilmiah Rekayasa dan Manajemen Sistem Informasi*, 5(1), 119-125.
- Kaufman, L., & Rousseeuw, P. J. (1987). Clustering by means of medoids. In *Statistical Data Analysis Based on the L1 Norm and Related Methods* (pp. 405-416). North-Holland.
- L. Chen, Y. Huang, and T. Zhao, "Predicting Hotel Guest Satisfaction Using K-NN and SVM Algorithms," *Int. J. Hosp. Manag.*, vol. 75, no. 3, pp. 101-114, 2022.
- Lo, R., Yunanto, A. E., Movia, R. N., Soehardjianto, L. A., Wangsa, F., Lidjaja, N. A., & Ningsih, R. Y. (2023). Penggunaan Bahasa Pemrograman Python dalam Menganalisis Hubungan Kualitas Kopi dengan Lokasi Pertanian Kopi. *Jurnal Publikasi Teknik Informatika*, 2(2), 100-109.
- M. Li, Y. Sun, and H. Zhang, "Predicting Patient Satisfaction in Healthcare Facilities Using K-NN Method," *Healthc. Inform. J.*, vol. 13, no. 2, pp. 89-104, 2019.
- McKinney, W. (2010, June). Data structures for statistical computing in Python. In *SciPy* (Vol. 445, No. 1, pp. 51-56).
- Miraftebzadeh, S. M., Colombo, C. G., Longo, M., & Foiadelli, F. (2023). K-means and alternative clustering methods in modern power systems. *IEEE Access*.
- Mousavi, S. H. A. H. L. A., Boroujeni, F. Z., & Aryanmehr, S. A. E. E. D. (2020). Improving customer clustering by optimal selection of cluster centroids in k-means and k-medoids algorithms. *Journal of Theoretical and Applied Information Technology*, 98(18), 3807-3814.
- N. Hasdyna and R. K. Dinata, "Analisis Matthew Correlation Coefficient pada K-Nearest Neighbor dalam Klasifikasi Ikan Hias," *INFORMAL: Informatics Journal*, vol. 5, no. 2, pp. 57-64, 2020.
- N. Hasdyna and R. K. Dinata, "Comparative Analysis of K-Medoids and Purity K-Medoids Methods for Identifying Accident-Prone Areas in North Aceh Regency," *Scientific Journal of Informatics*, vol. 11, no. 2, pp. 263-272, 2024.
- N. Hasdyna, R. K. Dinata, and S. Retno, "A Web-Based Decision Support System Implementation for Evaluating Premier Smartphone Brands Using Weighted Product Method," *SMATIKA JURNAL: STIKI Informatika Jurnal*, vol. 13, no. 02, pp. 329-338, 2023.

- Nurdin, N., Fajriana, F., Maryana, M., & Zanati, A. (2022). Information System for Predicting Fisheries Outcomes Using Regression Algorithm Multiple Linear. *Journal of Informatics and Telecommunication Engineering*, 5(2), 247-258.
- Nurdin, N., Fitriani, S., Yunizar, Z., & Bustami, B. (2022). Clustering the Distribution of COVID-19 in Aceh Province Using the Fuzzy C-Means Algorithm. *JTAM (Jurnal Teori dan Aplikasi Matematika*, 6(3), 665-677.
- Nurdin, N., Taufiq, T., Bustami, B., Marleni, M., & Khairuni, K. (2023). Optimization Model of Fishery Products Supply Chain Using Mixed Integer Linear Programming Method. *Journal of Informatics and Telecommunication Engineering*, 6(2), 378-392.
- Oliphant, T. E. (2006). A Bayesian perspective on estimating mean, variance, and standard-deviation from data.
- Olukanmi, P., Nelwamondo, F., & Marwala, T. (2020, August). Effect of data parameters and seeding on k-means and k-medoids. In *2020 International Conference on Artificial Intelligence, Big Data, Computing and Data Communication Systems (icABCD)* (pp. 1-6). IEEE.
- Park, S., Hwang, C. G., & Lee, D. (2022). Performance evaluation of k-means and k-medoids in WSN routing protocols.
- Paszke, A., Gross, S., Massa, F., Lerer, A., Bradbury, J., Chanan, G., ... & Chintala, S. (2019). Pytorch: An imperative style, high-performance deep learning library. *Advances in neural information processing systems*, 32.
- Pedregosa, F., Varoquaux, G., Gramfort, A., Michel, V., Thirion, B., Grisel, O., ... & Duchesnay, É. (2011). Scikit-learn: Machine learning in Python. *the Journal of machine Learning research*, 12, 2825-2830.
- Peters, G., Lampart, M., & Weber, R. (2008). Evolutionary rough k-medoid clustering. *Transactions on rough sets VIII*, 289-306.
- Priyatna, E., & Aini, N. (2019). Peningkatan Kinerja Algoritma K-Medoids pada Data Penjualan dengan Metode Z-Score. *Jurnal Ekonomi Bisnis*, 7(1), 56-67.
- Rai, A., & Upadhyay, S. H. (2017). Bearing performance degradation assessment based on a combination of empirical mode decomposition and k-medoids clustering. *Mechanical Systems and Signal Processing*, 93, 16-29.
- Rahmawati, D., & Hidayat, A. (2021). Optimasi Algoritma K-Medoids Menggunakan Metode Normalisasi Z-Score pada Pengelompokan Data Wisata. *Jurnal Teknologi Informasi dan Komunikasi*, 8(2), 45-56.
- Ramadhani, R. D., & AK, D. J. (2019, June). Evaluasi K-Means dan K-Medoids pada Dataset Kecil. In *SNIA (Seminar Nasional Informatika dan Aplikasinya)* (Vol. 3, pp. D-20).
- Raschka, S., & Mirjalili, V. (2017). Python machine learning: Machine learning and deep learning with python. Scikit-Learn, and TensorFlow. Second edition ed, 3, 17.

- R. K. Dinata, H. Akbar, and N. Hasdyna, "Algoritma K-Nearest Neighbor dengan Euclidean Distance dan Manhattan Distance untuk Klasifikasi Transportasi Bus," *ILKOM Jurnal Ilmiah*, vol. 12, no. 2, pp. 104-111, 2020.
- R. K. Dinata, F. Fajriana, Z. Zulfa, and N. Hasdyna, "Klasifikasi Sekolah Menengah Pertama/Sederajat Wilayah Bireuen Menggunakan Algoritma K-Nearest Neighbors Berbasis Web," *CESS (Journal of Computer Engineering, System and Science)*, vol. 5, no. 1, pp. 33-37, 2020.
- Setiawan, R., & Manurung, R. (2016). Data mining: Konsep dan teknik. Informatika.
- Kamila, I., Khairunnisa, U., & Mustakim, M. (2019). Perbandingan Algoritma K-Means dan K-Medoids untuk Pengelompokan Data Transaksi Bongkar Muat di Provinsi Riau. *Jurnal Ilmiah Rekayasa dan Manajemen Sistem Informasi*, 5(1), 119-125.
- S. Wang, Q. Liu, and Y. Zhang, "Utilizing K-NN Algorithm for Predicting Student Satisfaction in Higher Education," *Educ. Data Min. J.*, vol. 15, no. 1, pp. 22-37, 2021.
- Schubert, E., & Rousseeuw, P. J. (2019). Faster k-medoids clustering: improving the PAM, CLARA, and CLARANS algorithms. In *Similarity Search and Applications: 12th International Conference, SISAP 2019, Newark, NJ, USA, October 2–4, 2019, Proceedings 12* (pp. 171-187). Springer International Publishing.
- Setyaningsih, R., & Santoso, B. (2020). Implementasi K-Medoids Clustering dengan Normalisasi Z-Score pada Data Medis. *Jurnal Kesehatan Masyarakat*, 15(1), 32-41.
- Singh, S. K., Raval, S., & Banerjee, B. P. (2021). Automated structural discontinuity mapping in a rock face occluded by vegetation using mobile laser scanning. *Engineering Geology*, 285, 106040.
- Sood, M., & Bansal, S. (2013). K-medoids clustering technique using bat algorithm. *International Journal of Applied Information Systems*, 5(8), 20-22.
- Susanto, A., & Mulyani, S. (2019). Pengaruh Normalisasi Z-Score terhadap Efektivitas K-Medoids dalam Segmentasi Pasar. *Jurnal Manajemen Pemasaran*, 5(2), 78-89.
- Ushakov, A. V., & Vasilyev, I. (2021). Near-optimal large-scale k-medoids clustering. *Information Sciences*, 545, 344-362.
- Waskom, M. L. (2021). Seaborn: statistical data visualization. *Journal of Open Source Software*, 6(60), 3021.
- Y. Zhang, J. Li, and X. Wang, "Application of K-NN Algorithm in Predicting Customer Satisfaction in E-commerce Platforms," *J. E-commerce Res. Appl.*, vol. 35, no. 2, pp. 145-160, 2023.