

DAFTAR PUSTAKA

- [1] K. Lawal and H. N. Rafsanjani, "Trends, benefits, risks, and challenges of IoT implementation in residential and commercial buildings," *Energy Built Environ.*, vol. 3, no. 3, pp. 251–266, 2022, doi: 10.1016/j.enbenv.2021.01.009.
- [2] H. Liu, Z. Wei, W. He, and J. Zhao, "Thermal issues about Li-ion batteries and recent progress in battery thermal management systems: A review," *Energy Convers. Manag.*, vol. 150, no. May, pp. 304–330, 2017, doi: 10.1016/j.enconman.2017.08.016.
- [3] W. S. Pambudi, R. A. Firmansyah, R. R. Issany, R. Y. Adhitya, and M. Syai'in, "The application of Sugeno fuzzy to control active power load and remaining battery usage time modelling," *Indones. J. Electr. Eng. Comput. Sci.*, vol. 26, no. 3, pp. 1266–1273, 2022, doi: 10.11591/ijeecs.v26.i3.pp1266-1273.
- [4] J. Wieczynski, G. Lucca, E. Borges, and G. Dimuro, "Application of the Sugeno Integral in Fuzzy Rule-Based Classification," *Lect. Notes Comput. Sci. (including Subser. Lect. Notes Artif. Intell. Lect. Notes Bioinformatics)*, vol. 13653 LNAI, no. PA, pp. 209–220, 2022, doi: 10.1007/978-3-031-21686-2_15.
- [5] M. Umair, M. A. Cheema, B. Afzal, and G. Shah, "Energy management of smart homes over fog-based IoT architecture," *Sustain. Comput. Informatics Syst.*, vol. 39, no. May 2022, p. 100898, 2023, doi: 10.1016/j.suscom.2023.100898.
- [6] M. Zouheir, M. Zniber, S. Qudsia, and T. P. Huynh, "Real-time humidity sensing by integration of copper sulfide nanocomposite with low-cost and wireless Arduino platform," *Sensors Actuators, A Phys.*, vol. 319, p. 112541, 2021, doi: 10.1016/j.sna.2021.112541.
- [7] A. Setiawan and A. I. Purnamasari, "Pengembangan Smart Home Dengan Microcontrollers ESP32 Dan MC-38 Door Magnetic Switch Sensor Berbasis Internet of Things (IoT) Untuk Meningkatkan Deteksi Dini Keamanan Perumahan," *J. RESTI (Rekayasa Sist. dan Teknol. Informasi)*, vol. 3, no. 3, pp. 451–457, 2019, doi: 10.29207/resti.v3i3.1238.
- [8] A. F. Ulva, Nurdin, R. Putra Fhonna, D. Yulisda, M. Nur, and R. Setiawan, "Aplikasi IoT Pemantauan Detak Jantung Pasien Lansia Beresiko Tinggi di RSCM Cut Mutia Lhokseumawe Berbasis Mobile," *G-Tech J. Teknol. Terap.*, vol. 7, no. 1, pp. 237–246, Jan. 2023, doi: 10.33379/gtech.v7i1.1979.
- [9] R. Mirza, T. Taufiq, and N. Nurdin, "Pemantau pH Air Tambak Udang

Vaname Berbasis Internet of Things dengan Antarmuka Bot Telegram,” *Med. Tek. J. Tek. Elektromedik Indones.*, vol. 4, no. 1, pp. 63–71, 2022, doi: 10.18196/mt.v4i1.15720.

- [10] Z. Fasya, G. Ramadhan, and T. Taufiq, “Monitoring Kualitas Air Pertanian dengan Konsep Internet of Things,” *J. Sains dan Teknol. 4.0*, vol. 1, no. 1 SE-Artikel, pp. 61–66, Dec. 2023, [Online]. Available: <https://jurnal.komputasi.org/index.php/jst/article/view/16>
- [11] T. Taufik, N. Nurdin, and T. Taufiq, “Penerapan Smart Wastafel Berbasis Internet of Things dengan Menggunakan Aplikasi Blynk dan Cloud,” *Med. Tek. J. Tek. Elektromedik Indones.*, vol. 5, no. 1, pp. 67–78, Oct. 2023, doi: 10.18196/mt.v5i1.19576.
- [12] A. K. Abdul Jawwad, N. Turab, G. Al-Mahadin, H. A. Owida, and J. Al-Nabulsi, “A perspective on smart universities as being downsized smart cities: a technological view of internet of thing and big data,” *Indones. J. Electr. Eng. Comput. Sci.*, vol. 35, no. 2, p. 1162, Aug. 2024, doi: 10.11591/ijeecs.v35.i2.pp1162-1170.
- [13] M. Wu and X. Chen, “Application of Internet of Things and embedded technology in electronic communication,” *Meas. Sensors*, vol. 34, no. March, p. 101246, 2024, doi: 10.1016/j.measen.2024.101246.
- [14] P. Pendriadi, S. Meliala, M. A. Muthalib, and A. BIntoro, “Studi Kadar Gas Amonia Menggunakan Sensor Amonia Mq135 Menggunakan Spreadsheet Berbasis Internet of Thing (Iot),” *Transm. J. Ilm. Tek. Elektro*, vol. 25, no. 2, pp. 75–84, 2023, doi: 10.14710/transmisi.25.2.75-84.
- [15] G. Albertengo, F. G. Debele, W. Hassan, and D. Stramandino, “On the performance of web services, google cloud messaging and firebase cloud messaging,” *Digit. Commun. Networks*, vol. 6, no. 1, pp. 31–37, 2020, doi: 10.1016/j.dcan.2019.02.002.
- [16] H. J. El-Khozondar *et al.*, “A smart energy monitoring system using ESP32 microcontroller,” *e-Prime - Adv. Electr. Eng. Electron. Energy*, vol. 9, no. March, 2024, doi: 10.1016/j.prime.2024.100666.
- [17] A. Mulyo Widodo, K. Trinanda Putra, and C. Darmarjati, “Design of IoT-Based Control System Using Fuzzy Inference System,” *Desiminating Inf. Res. Mech. Eng. Polimesin*, vol. 20, no. 2, pp. 93–98, 2022, [Online]. Available: <http://e-jurnal.pnl.ac.id/polimesin>
- [18] I. Raihan, M. Daud, A. Hasibuan, A. Mardhiah, and G. Kerimzade, “Implementation of Fuzzy Logic to Automatic Flower Irrigation Device Using Matlab,” *Andalasian Int. J. Appl. Sci. Eng. Technol.*, vol. 4, no. 2, pp. 137–142, 2024, doi: 10.25077/aijaset.v4i2.117.

- [19] H. Benyezza, M. Bouhedda, and S. Rebouh, "Zoning irrigation smart system based on fuzzy control technology and IoT for water and energy saving," *J. Clean. Prod.*, vol. 302, p. 127001, 2021, doi: 10.1016/j.jclepro.2021.127001.
- [20] K. Pujaru, S. Adak, T. K. Kar, S. Patra, and S. Jana, "A Mamdani fuzzy inference system with trapezoidal membership functions for investigating fishery production," *Decis. Anal. J.*, vol. 11, no. May, 2024, doi: 10.1016/j.dajour.2024.100481.
- [21] M. S. Aslam and H. Bilal, "Modeling a Takagi-Sugeno (T-S) fuzzy for unmanned aircraft vehicle using fuzzy controller," *Ain Shams Eng. J.*, vol. 15, no. 10, p. 102984, 2024, doi: 10.1016/j.asej.2024.102984.
- [22] A. Blažič, I. Škrjanc, and V. Logar, "Soft sensor of bath temperature in an electric arc furnace based on a data-driven Takagi–Sugeno fuzzy model," *Appl. Soft Comput.*, vol. 113, p. 107949, 2021, doi: 10.1016/j.asoc.2021.107949.
- [23] R. Jayaratne, X. Liu, P. Thai, M. Dunbabin, and L. Morawska, "The influence of humidity on the performance of a low-cost air particle mass sensor and the effect of atmospheric fog," *Atmos. Meas. Tech.*, vol. 11, no. 8, pp. 4883–4890, 2018, doi: 10.5194/amt-11-4883-2018.
- [24] BSN, "Tata Cara Perancangan Sistem Ventilasi dan Pengkondisian Udara pada Bangunan Gedung," *Sni 03-6572-2001*, pp. 1–55, 2001, [Online]. Available: https://pdfdokumen.com/download/sni-03-6572-2001-tata-cara-perencanaan-sistem-ventilasi-dan-pengkondisian-udara-pada-bangunan-gedung_5a38b43d1723dda9dc05a37e_pdf
- [25] I. M. Astina and M. Y. Nugraha, "Numerical simulation of earth-air heat exchanger application for Indonesian simple house air conditioning system," *Case Stud. Therm. Eng.*, vol. 28, no. April, 2021, doi: 10.1016/j.csite.2021.101371.
- [26] M. F. Alkadri, M. R. Cahyadi Agung, and F. De Luca, "An integrated computational method for calculating dynamic thermal bridges of building facades in tropical countries," *Front. Archit. Res.*, vol. 13, no. 1, pp. 201–218, 2024, doi: 10.1016/j.foar.2023.11.003.
- [27] O. Mörtz, M. Eder, L. Holzegger, and C. Ramsauer, "IoT-based monitoring of environmental conditions to improve the production performance," *Procedia Manuf.*, vol. 45, no. 2019, pp. 283–288, 2020, doi: 10.1016/j.promfg.2020.04.018.
- [28] R. Tabarés, "HTML5 and the evolution of HTML; tracing the origins of digital platforms," *Technol. Soc.*, vol. 65, no. February, 2021, doi:

10.1016/j.techsoc.2021.101529.

- [29] F. Tartarini, S. Schiavon, T. Cheung, and T. Hoyt, "CBE Thermal Comfort Tool: Online tool for thermal comfort calculations and visualizations," *SoftwareX*, vol. 12, 2020, doi: 10.1016/j.softx.2020.100563.
- [30] S. Okyere-Gyamfi *et al.*, "Deployment of mobile application using a novel CNN model for the detection of COVID-19 thoracic disease," *Sci. African*, vol. 26, 2024, doi: 10.1016/j.sciaf.2024.e02432.
- [31] P. Martins, A. Ramos, E. Pina, P. Vaz, J. Silva, and M. Abbasi, "Smart Building Control: An Android Application for Enhanced Monitoring and Management in the Internet of Things Era," *Procedia Comput. Sci.*, vol. 238, no. 2019, pp. 594–601, 2024, doi: 10.1016/j.procs.2024.06.066.
- [32] W. Robson, I. Ernawati, and C. Nugrahaeni, "Design of multisensor automatic fan control system using sugeno fuzzy method," *J. Robot. Control*, vol. 2, no. 4, pp. 302–306, 2021, doi: 10.18196/jrc.2496.
- [33] S. Wahjuni, W. Wulandari, and M. Kholili, "Development of Fuzzy-Based Smart Drip Irrigation System for Chili Cultivation," *JUITA J. Inform.*, vol. 10, no. 1, p. 115, 2022, doi: 10.30595/juita.v10i1.12998.
- [34] M. R. Al Mamun, M. Ashik-E-Rabbani, M. M. Haque, and S. M. Upoma, "IoT-based real-time biofloc monitoring and controlling system," *Smart Agric. Technol.*, vol. 9, no. September, 2024, doi: 10.1016/j.atech.2024.100598.
- [35] S. K. Lau and J. Subbiah, "HumidOSH: A self-contained environmental chamber with controls for relative humidity and fan speed," *HardwareX*, vol. 8, p. e00141, 2020, doi: 10.1016/j.ohx.2020.e00141.
- [36] I. B. Gunawan and U. Y. Oktiawati, "Sistem Pemantau dan Pengendali Suhu Ruang Server Menggunakan Fuzzy berbasis Mikrokontroler Robotdyn," *J. Rekayasa Sist. dan Teknol. Inf.*, vol. 4, no. 1, pp. 1–9, 2020.
- [37] H. Fakhurroja, E. T. Nuryatno, A. Munandar, M. Fahmi, and N. A. Mahardiono, "Water quality assessment monitoring system using fuzzy logic and the internet of things," *J. Mechatronics, Electr. Power, Veh. Technol.*, vol. 14, no. 2, pp. 198–207, 2023, doi: 10.14203/j.mev.2023.v14.198-207.
- [38] V. Thomopoulos, F. Tolis, T. F. Blounas, D. Tsipianitis, and A. Kavga, "Application of Fuzzy logic and IoT in a small-scale Smart Greenhouse System," *Smart Agric. Technol.*, vol. 8, no. February, p. 100446, 2024, doi: 10.1016/j.atech.2024.100446.
- [39] Izhangghani, I. Hikmah, and Slamet Indriyanto, "Prototype of Body

Temperature and Oxygen Saturation Monitoring System Using DS18B20 and MAX30100 Sensors based on IOT,” *J. RESTI (Rekayasa Sist. dan Teknol. Informasi)*, vol. 6, no. 5, pp. 810–817, 2022, doi: 10.29207/resti.v6i5.4385.

- [40] L. Suryani *et al.*, “Implementation of Maggot Cage Temperature and Humidity Control Using ESP8266 Based On the Internet of Things,” *J. RESTI (Rekayasa Sist. dan Teknol. Informasi)*, vol. 6, no. 5, pp. 877–882, 2022, doi: 10.29207/resti.v6i5.4502.
- [41] A. Syahri, A. Asri, B. Badriana, M. Daud, and T. Taufiq, “Audit Energi dan Analisis Penghematannya pada Gedung Jurusan Teknik Elektro Universitas Malikussaleh,” *J. Janitra Inform. dan Sist. Inf.*, vol. 4, no. 2, pp. 92–109, Dec. 2024, doi: 10.59395/r8swk423.
- [42] F. Roid, R. Aulia, and M. A. Muthalib, “Perancangan Alat Perekam Data Penggunaan Energi Listrik Pada KWH Meter Untuk Rumah Tinggal 4 Ampere Berbasis Arduino Uno,” *J. Tek. Elektro dan Komputasi*, vol. 5, no. 1, pp. 85–94, 2023, [Online]. Available: <http://jurnal.unmuhjember.ac.id/index.php/ELKOM/article/view/9170>