

DAFTAR PUSTAKA

- [1] F. F. Adedoyin, N. Erum, D. Taşkin, and D. Chebab, “Energy policy simulation in times of crisis: Revisiting the impact of renewable and non-renewable energy production on environmental quality in Germany,” *Energy Reports*, vol. 9, pp. 4749–4762, 2023, doi: 10.1016/j.egyr.2023.03.120.
- [2] L. Shichang and M. Zia, “The Nexus between Green Finance and Environmental Quality in China,” pp. 92–102, 2022.
- [3] M. Gorbounov, B. Petrovic, S. Ozmen, P. Clough, and S. Masoudi Soltani, “Activated carbon derived from Biomass combustion bottom ash as solid sorbent for CO₂ adsorption,” *Chem. Eng. Res. Des.*, vol. 194, pp. 325–343, 2023, doi: 10.1016/j.cherd.2023.04.057.
- [4] H. Uthman and A. Jimoh, “The Production and Characterization of Ethanol Fuel from Agricultural Products as an Alternative Fuel for Gasoline,” *Energy Sources, Part A Recover. Util. Environ. Eff.*, vol. 34, no. 22, pp. 2041–2047, Nov. 2012, doi: 10.1080/15567036.2010.494095.
- [5] R. Pahlevi, “Cadangan Minyak Indonesia Terus Menipis dalam 10 Tahun Terakhir,” 22 Juli 2022, p. 1, 2022, [Online]. Available: <https://databoks.katadata.co.id/datapublish/2022/07/22/cadangan-minyak-indonesia-terus-menipis-dalam-10-tahun-terakhir>
- [6] V. Produksi, K. Minyak, and B. Indonesia, “Produksi Minyak Bumi Indonesia Terus Berkurang , tapi Konsumsinya Naik Volume Produksi dan Konsumsi Minyak Bumi Indonesia per Tahun,” pp. 2022–2023, 2023.
- [7] O. Y. Edelenbosch *et al.*, “Transport fuel demand responses to fuel price and income projections: Comparison of integrated assessment models,” *Transp. Res. Part D Transp. Environ.*, vol. 55, pp. 310–321, 2017, doi: <https://doi.org/10.1016/j.trd.2017.03.005>.
- [8] X. Zhen, Y. Wang, and D. Liu, “Bio-butanol as a new generation of clean alternative fuel for SI (spark ignition) and CI (compression ignition) engines,” *Renew. Energy*, vol. 147, pp. 2494–2521, 2020, doi:

<https://doi.org/10.1016/j.renene.2019.10.119>.

- [9] N. Makul *et al.*, “Utilization of Biomass to Ash: An Overview of the Potential Resources for Alternative Energy,” *Mater. (Basel, Switzerland)*, vol. 14, no. 21, Oct. 2021, doi: 10.3390/ma14216482.
- [10] H. A. Ajimotokan, S. E. Ibitoye, J. K. Odusote, O. A. Adesoye, and P. O. Omoniyi, “Physico-mechanical Properties of Composite Briquettes from Corncob and Rice Husk,” *J. Bioresour. Bioprod.*, vol. 4, no. 3, pp. 159–165, 2019, doi: 10.12162/jbb.v4i3.004.
- [11] J. Ben-Iwo, V. Manovic, and P. Longhurst, “Biomass resources and biofuels potential for the production of transportation fuels in Nigeria,” *Renew. Sustain. Energy Rev.*, vol. 63, pp. 172–192, 2016, doi: 10.1016/j.rser.2016.05.050.
- [12] A. Faizal, A. A. Sembada, and N. Priharto, “Production of bioethanol from four species of duckweeds (*Landoltia punctata*, *Lemna aquinoctialis*, *Spirodela polyrrhiza*, and *Wolffia arrhiza*) through optimization of saccharification process and fermentation with *Saccharomyces cerevisiae*,” *Saudi J. Biol. Sci.*, vol. 28, no. 1, pp. 294–301, 2021, doi: 10.1016/j.sjbs.2020.10.002.
- [13] S. Ge *et al.*, “Blending and emission characteristics of biogasoline produced using CaO/SBA-15 catalyst by cracking used cooking oil,” *Fuel*, vol. 307, no. 41, p. 121861, 2022, doi: 10.1016/j.fuel.2021.121861.
- [14] M. Su, W. Li, Q. Ma, and B. Zhu, “Production of jet fuel intermediates from biomass platform compounds via aldol condensation reaction over iron-modified MCM-41 lewis acid zeolite,” *J. Bioresour. Bioprod.*, vol. 5, no. 4, pp. 256–265, 2020, doi: 10.1016/j.jobab.2020.10.004.
- [15] S. Shanmugam, A. Hari, A. Pandey, T. Mathimani, L. Felix, and A. Pugazhendhi, “Comprehensive review on the application of inorganic and organic nanoparticles for enhancing biohydrogen production,” *Fuel*, vol. 270, p. 117453, 2020, doi: <https://doi.org/10.1016/j.fuel.2020.117453>.
- [16] A. A. Altalhi, E. A. Mohammed, S. S. M. Morsy, N. A. Negm, and A. A. Farag, “Catalyzed production of different grade biofuels using metal ions

- modified activated carbon of cellulosic wastes,” *Fuel*, vol. 295, no. February, p. 120646, 2021, doi: 10.1016/j.fuel.2021.120646.
- [17] A. Akah, “Application of rare earths in fluid catalytic cracking: A review,” *J. Rare Earths*, vol. 35, no. 10, pp. 941–956, 2017, doi: [https://doi.org/10.1016/S1002-0721\(17\)60998-0](https://doi.org/10.1016/S1002-0721(17)60998-0).
- [18] M. Clough, J. C. Pope, L. T. Xin Lin, V. Komvokis, S. S. Pan, and B. Yilmaz, “Nanoporous materials forge a path forward to enable sustainable growth: Technology advancements in fluid catalytic cracking,” *Microporous Mesoporous Mater.*, vol. 254, pp. 45–58, 2017, doi: 10.1016/j.micromeso.2017.03.063.
- [19] M. Di Serio, R. Tesser, M. Dimiccoli, F. Cammarota, M. Nastasi, and E. Santacesaria, “Synthesis of biodiesel via homogeneous Lewis acid catalyst,” *J. Mol. Catal. A. Chem.*, vol. 239, no. 1–2, pp. 111–115, 2005, doi: 10.1016/j.molcata.2005.05.041.
- [20] A. Kiss, A. Dimian, and G. Rothenberg, “Solid Acid Catalysts for Biodiesel Production –Towards Sustainable Energy,” *Adv. Synth. Catal.*, vol. 348, pp. 75–81, 2006, doi: 10.1002/adsc.200505160.
- [21] G. Vicente, M. Martínez, and J. Aracil, “Integrated biodiesel production: a comparison of different homogeneous catalysts systems,” *Bioresour. Technol.*, vol. 92, no. 3, pp. 297–305, May 2004, doi: 10.1016/j.biortech.2003.08.014.
- [22] M. Afraz *et al.*, “Production of value added products from biomass waste by pyrolysis: An updated review,” *Waste Manag. Bull.*, vol. 1, no. 4, pp. 30–40, 2024, doi: 10.1016/j.wmb.2023.08.004.
- [23] Y. S. Pradana, Daniyanto, M. Hartono, L. Prasakti, and A. Budiman, “Effect of calcium and magnesium catalyst on pyrolysis kinetic of Indonesian sugarcane bagasse for biofuel production,” *Energy Procedia*, vol. 158, pp. 431–439, 2019, doi: 10.1016/j.egypro.2019.01.128.
- [24] C. Samaniego-Sánchez, G. Marín-García, and J. J. Quesada-Granados, “A new fermented beverage from sugarcane (*Saccharum officinarum* L.) molasses: Analysis of physicochemical properties and antioxidant capacity,

and comparison with other industrial alcohol products,” *Lwt*, vol. 128, no. April, p. 109505, 2020, doi: 10.1016/j.lwt.2020.109505.

- [25] F. Güzel and I. Uzun, “Determination of the micropore structures of activated carbons by adsorption of various dyestuffs from aqueous solution,” *Turkish J. Chem.*, vol. 26, no. 3, pp. 369–377, 2002.
- [26] M. Armandi, B. Bonelli, E. I. Karaindrou, C. O. Areán, and E. Garrone, “Post-synthesis modifications of SBA-15 carbon replicas: Improving hydrogen storage by increasing microporous volume,” *Catal. Today*, vol. 138, no. 3–4, pp. 244–248, 2008, doi: 10.1016/j.cattod.2008.05.002.
- [27] Z. Geng *et al.*, “Spillover enhanced hydrogen uptake of Pt/Pd doped corncob-derived activated carbon with ultra-high surface area at high pressure,” *Int. J. Hydrogen Energy*, vol. 39, pp. 13643–13649, 2014, doi: 10.1016/j.ijhydene.2014.02.065.
- [28] B. Viswanathan, I. Pulidindi, and T. Varadarajan, *Methods of Activation and Specific Applications of Carbon Materials*. 2009.
- [29] A. H. El-Naggar *et al.*, “Conocarpus as adsorbent,” *BioResources*, vol. 11, no. 1, pp. 1092–1107, 2016.
- [30] I. C. Acta, S. Wullur, H. Natsir, and H. Soekamto, “Study of compounds from extract of,” vol. 8, no. 1, 2015.
- [31] J. Sreńscek- Nazzal, W. Kamińska, B. Michalkiewicz, and Z. Koren, “Production, characterization and methane storage potential of KOH-activated carbon from sugarcane molasses,” *Ind. Crops Prod.*, vol. 47, pp. 153–159, 2013, doi: 10.1016/j.indcrop.2013.03.004.
- [32] S. Norouzi *et al.*, “Preparation, characterization and Cr(VI) adsorption evaluation of NaOH-activated carbon produced from Date Press Cake; an agro-industrial waste,” *Bioresour. Technol.*, vol. 258, pp. 48–56, 2018, doi: <https://doi.org/10.1016/j.biortech.2018.02.106>.
- [33] D. Yu, L. Wang, and M. Wu, “Simultaneous removal of dye and heavy metal by banana peels derived hierarchically porous carbons,” *J. Taiwan Inst. Chem. Eng.*, vol. 93, pp. 543–553, 2018, doi: <https://doi.org/10.1016/j.jtice.2018.08.038>.

- [34] L. Mouni, D. Merabet, A. Bouzaza, and L. Belkhiri, "Adsorption of Pb(II) from aqueous solutions using activated carbon developed from Apricot stone," *Desalination*, vol. 276, no. 1, pp. 148–153, 2011, doi: <https://doi.org/10.1016/j.desal.2011.03.038>.
- [35] M. F. A. Leite *et al.*, "Rearranging the sugarcane holobiont via plant growth-promoting bacteria and nitrogen input," *Sci. Total Environ.*, vol. 800, p. 149493, 2021, doi: 10.1016/j.scitotenv.2021.149493.
- [36] J. Maurício Duarte-Almeida, A. V. Novoa, A. F. Linares, F. M. Lajolo, and M. Inés Genovese, "Antioxidant activity of phenolics compounds from sugar cane (*Saccharum officinarum* L.) juice.," *Plant Foods Hum. Nutr.*, vol. 61, no. 4, pp. 187–192, Dec. 2006, doi: 10.1007/s11130-006-0032-6.
- [37] D. E. C. Na and C. Hipertensiva, "Indonesian Sugar Cane Statistics," *Badan Pus. Stat.*, vol. 5504004, 2021.
- [38] B. G. Ergün, K. Laçın, B. Çaloğlu, and B. Binay, "Second generation *Pichia pastoris* strain and bioprocess designs," *Biotechnol. Biofuels Bioprod.*, vol. 15, no. 1, p. 150, 2022, doi: 10.1186/s13068-022-02234-7.
- [39] S. D. Anitasari, D. N. R. Sari, I. A. Astarini, and M. R. Defiani, *Teknologi Kultur Mikrospora Tebu Propek dan Pengembangan di Indonesia*. 2018. [Online]. Available: www.canva.com
- [40] J. S. Kingsly *et al.*, "Utilization of sugarcane molasses as the main carbon source for the production of polyhydroxyalkanoates from *Enterobacter cloacae*," *Energy Nexus*, vol. 6, no. April, p. 100071, 2022, doi: 10.1016/j.nexus.2022.100071.
- [41] V. Valli, A. M. Gómez-Caravaca, M. Di Nunzio, F. Danesi, M. F. Caboni, and A. Bordoni, "Sugar Cane and Sugar Beet Molasses, Antioxidant-rich Alternatives to Refined Sugar," *J. Agric. Food Chem.*, vol. 60, no. 51, pp. 12508–12515, 2012, doi: 10.1021/jf304416d.
- [42] Q. Li, Y. Zhou, C. Ke, Y. Bai, X. Liu, and S. Li, "Production of welan gum from cane molasses by *Sphingomonas* sp. FM01," *Carbohydr. Polym.*, vol. 244, no. May, p. 116485, 2020, doi: 10.1016/j.carbpol.2020.116485.
- [43] L. C. A. Oliveira, R. V. R. A. Rios, J. D. Fabris, V. Garg, K. Sapag, and R.

- M. Lago, "Activated carbon/iron oxide magnetic composites for the adsorption of contaminants in water," *Carbon N. Y.*, vol. 40, no. 12, pp. 2177–2183, 2002, doi: 10.1016/S0008-6223(02)00076-3.
- [44] R. Raihan, A. Setiawan, ... L. H.-... R. K. &, and U. 2020, "Preparation and Characterization of Active Charcoal Made from Robusta Coffee Skin (*Coffea Canephora*)," *E-Repository.Unsyiah.Ac.Id*, vol. 15, no. 2, pp. 104–110, 2020.
- [45] V. Mandava, J. P. Fernandez, H. Deng, C. J. Janzen, S. B. Hake, and G. A. M. Cross, "Histone modifications in *Trypanosoma brucei*," *Mol. Biochem. Parasitol.*, vol. 156, no. 1, pp. 41–50, Nov. 2007, doi: 10.1016/j.molbiopara.2007.07.005.
- [46] A. T. Muhammad, "Penyisihan Polutan Pada Limbah Cair Penatu Menggunakan Adsorben Arang Aktif Berasal Dari Bambu," *J. Phi J. Pendidik. Fis. dan Fis. Terap.*, vol. 3, no. 1, p. 6, 2022, doi: 10.22373/p-jpft.v3i1.12409.
- [47] F. Cecen and Ö. Aktaş, *Ferhan Çeçen, Özgür Aktaş (2011) Activated Carbon for Water and Wastewater Treatment: Integration of Adsorption and Biological Treatment, 388 pages, ISBN: 978-3-527-32471-2, Wiley-VCH. 2011.*
- [48] A. Méndez, M. L. Álvarez, J. M. Fidalgo, C. Di Stasi, J. J. Manyà, and G. Gascó, "Biomass-derived activated carbon as catalyst in the leaching of metals from a copper sulfide concentrate," *Miner. Eng.*, vol. 183, no. May, 2022, doi: 10.1016/j.mineng.2022.107594.
- [49] T. D. Larasati, T. Prakoso, and J. Rizkiana, "Karbonisasi Limbah Kelapa Sawit Dengan Proses Hidrotermal Sebagai Bahan Baku Elektroda Superkapasitor," *J. Chemurg.*, vol. 5, no. 1, p. 22, 2021, doi: 10.30872/cmg.v5i1.5916.
- [50] M. Muhammad, M. Mulyawan, M. R. F. Rahman, and S. Suryati, "Characterization of Activated Carbon from Granulated Sugar," *Int. J. Eng. Sci. Inf. Technol.*, vol. 2, no. 2, pp. 35–40, 2022, doi: 10.52088/ijesty.v2i2.246.

- [51] Z. G. , S. V. , N. Z. Syamsul Bahri1, “Jurnal Teknologi Kimia Unimal,” *J. Teknol. Kim. Unimal*, vol. 2, no. Nopember, pp. 12–22, 2021.
- [52] A. S. Redjeki and N. H. Fithriyah, “Pengaruh Kadar Katalis Nikel Dari Limbah Industri Elektroplating Pada Besarnya Bilangan Oksiran Dan Bilangan Iod Dari Reaksi Epoksidasi Metil Oleat,” *J. Fak. Tek.*, vol. 1, no. 1, pp. 1–4, 2015.
- [53] Wahidmurni, “Nikel Laterit Konawe,” pp. 2588–2593, 2017.
- [54] Wahyu Baskoro, “BAB II Tinjauan Pustaka BAB II TINJAUAN PUSTAKA 2.1. 1–64,” *Gastron. ecuatoriana y Tur. local.*, vol. 1, no. 69, pp. 5–24, 2018.
- [55] C. H. Pimentel, L. Díaz-Fernández, D. Gómez-Díaz, M. S. Freire, and J. González-Álvarez, “Separation of CO₂ using biochar and KOH and ZnCl₂ activated carbons derived from pine sawdust,” *J. Environ. Chem. Eng.*, vol. 11, no. 6, 2023, doi: 10.1016/j.jece.2023.111378.
- [56] M. Manurung, O. Ratnayani, and R. A. Prawira, “Sintesis dan karakterisasi arang dari limbah bambu dengan aktivator ZnCl₂,” *Cakra Kim.*, vol. 7, no. 1, pp. 69–77, 2019.
- [57] H. Kristianto, “Review: Sintesis Karbon Aktif Dengan Menggunakan Aktivasi Kimia Zncl₂,” *J. Integr. Proses*, vol. 6, no. 3, pp. 104–111, 2017, doi: 10.36055/jip.v6i3.1031.
- [58] F. Aryani, “Aplikasi Metode Aktivasi Fisika dan Aktivasi Kimia pada Pembuatan Arang Aktif dari Tempurung Kelapa (*Cocos nucifera* L.),” *Indones. J. Lab.*, vol. 1, no. 2, p. 16, 2019, doi: 10.22146/ijl.v1i2.44743.
- [59] S. Dey and N. S. Mehta, “Oxidation of carbon monoxide over various nickel oxide catalysts in different conditions: A review,” *Chem. Eng. J. Adv.*, vol. 1, p. 100008, 2020, doi: 10.1016/j.ceja.2020.100008.
- [60] N. Haryani, H. Harahap, Taslim, and Irvan, “Biogasoline production via catalytic cracking process using zeolite and zeolite catalyst modified with metals: A review,” *IOP Conf. Ser. Mater. Sci. Eng.*, vol. 801, no. 1, 2020, doi: 10.1088/1757-899X/801/1/012051.
- [61] A. Demirbas, “Competitive liquid biofuels from biomass,” *Appl. Energy*,

- vol. 88, no. 1, pp. 17–28, 2011, doi: <https://doi.org/10.1016/j.apenergy.2010.07.016>.
- [62] G. W. Huber and A. Corma, “Synergies between Bio- and Oil Refineries for the Production of Fuels from Biomass,” *Angew. Chemie Int. Ed.*, vol. 46, no. 38, pp. 7184–7201, 2007, doi: <https://doi.org/10.1002/anie.200604504>.
- [63] Y. Han *et al.*, “Hydrotreatment of pyrolysis bio-oil: A review,” *Fuel Process. Technol.*, vol. 195, p. 106140, Dec. 2019, doi: [10.1016/j.fuproc.2019.106140](https://doi.org/10.1016/j.fuproc.2019.106140).
- [64] S. Biswas and D. K. Sharma, “Studies on cracking of Jatropha oil,” *J. Anal. Appl. Pyrolysis*, vol. 99, pp. 122–129, 2013, doi: [10.1016/j.jaap.2012.10.013](https://doi.org/10.1016/j.jaap.2012.10.013).
- [65] R. Fréty, M. R. Santos, R. F. Sales, A. O. S. Silva, C. B. M. Barbosa, and J. G. A. Pacheco, “Flash pyrolysis of oleic acid as a model compound adsorbed on supported nickel catalysts for biofuel production,” *J. Braz. Chem. Soc.*, vol. 25, no. 12, pp. 2433–2443, 2014, doi: [10.5935/0103-5053.20140270](https://doi.org/10.5935/0103-5053.20140270).
- [66] Y. Fam and T. Imae, “Catalytic oxidation of formaldehyde in water by calcium phosphate-based Pt composites,” *RSC Adv.*, vol. 5, pp. 15944–15953, 2015, doi: [10.1039/C5RA00353A](https://doi.org/10.1039/C5RA00353A).
- [67] X. Zhao, L. Wei, S. Cheng, and J. Julson, “Optimization of catalytic cracking process for upgrading camelina oil to hydrocarbon biofuel,” *Ind. Crops Prod.*, vol. 77, pp. 516–526, 2015, doi: [10.1016/j.indcrop.2015.09.019](https://doi.org/10.1016/j.indcrop.2015.09.019).
- [68] E. Kurniasih, “Penggunaan Katalis Heterogen Untuk Produksi Biodisel,” *J. Sains dan Teknol. Reaksi*, vol. 15, no. 1, pp. 30–34, 2018, doi: [10.30811/jstr.v15i1.522](https://doi.org/10.30811/jstr.v15i1.522).
- [69] D. Duan, Y. Zhang, H. Lei, E. Villota, and R. Ruan, “Renewable jet-fuel range hydrocarbons production from co-pyrolysis of lignin and soapstock with the activated carbon catalyst,” *Waste Manag.*, vol. 88, pp. 1–9, 2019, doi: [10.1016/j.wasman.2019.03.030](https://doi.org/10.1016/j.wasman.2019.03.030).

- [70] B. J. Alvarez-Chavez, S. Godbout, J. H. Palacios-Rios, É. Le Roux, and V. Raghavan, "Physical, chemical, thermal and biological pre-treatment technologies in fast pyrolysis to maximize bio-oil quality: A critical review," *Biomass and Bioenergy*, vol. 128, no. January, p. 105333, 2019, doi: 10.1016/j.biombioe.2019.105333.
- [71] S. Kadarwati and S. Wahyuni, "Characterization and performance test of palm oil based bio-fuel produced via ni/zeolite-catalyzed cracking process," *Int. J. Renew. Energy Dev.*, vol. 4, no. 1, pp. 32–38, 2015, doi: 10.14710/ijred.4.1.32-38.
- [72] V. Shanmugam *et al.*, "A review on combustion and mechanical behaviour of pyrolysis biochar," *Mater. Today Commun.*, vol. 31, p. 103629, 2022, doi: <https://doi.org/10.1016/j.mtcomm.2022.103629>.
- [73] T. Kandaramath Hari, Z. Yaakob, and N. N. Binitha, "Aviation biofuel from renewable resources: Routes, opportunities and challenges," *Renew. Sustain. Energy Rev.*, vol. 42, pp. 1234–1244, 2015, doi: <https://doi.org/10.1016/j.rser.2014.10.095>.
- [74] B. Maleki, Y. Kalanakoppal Venkatesh, S. Siamak Ashraf Talesh, H. Esmaeili, S. Mohan, and G. R. Balakrishna, "A novel biomass derived activated carbon mediated AC@ZnO/NiO bifunctional nanocatalyst to produce high-quality biodiesel from dairy industry waste oil: CI engine performance and emission," *Chem. Eng. J.*, vol. 467, no. February, p. 143399, 2023, doi: 10.1016/j.cej.2023.143399.
- [75] N. Hongloi, P. Prapainainar, A. Seubsai, K. Sudsakorn, and C. Prapainainar, "Nickel catalyst with different supports for green diesel production," *Energy*, vol. 182, pp. 306–320, 2019, doi: 10.1016/j.energy.2019.06.020.
- [76] F. Bibi *et al.*, "Chemical activation and magnetization of onion waste derived carbon for arsenic removal," *Arab. J. Chem.*, vol. 16, no. 10, p. 105118, 2023, doi: 10.1016/j.arabjc.2023.105118.
- [77] R. Boamah *et al.*, "Activated cashew carbon-manganese oxide based electrodes for supercapacitor applications," *Sci. African*, vol. 20, 2023, doi:

10.1016/j.sciaf.2023.e01647.

- [78] P. Nume, T. Sangtawesin, M. Yilmaz, and K. Kanjana, "Activated carbon derived from radiation-processed durian shell for energy storage application," *Carbon Resour. Convers.*, 2023, doi: 10.1016/j.crcon.2023.07.001.
- [79] A. Kumar, S. V. P. Mylapilli, and S. N. Reddy, "Thermogravimetric and kinetic studies of metal (Ru/Fe) impregnated banana pseudo-stem (*Musa acuminata*)," *Bioresour. Technol.*, vol. 285, p. 121318, 2019, doi: 10.1016/j.biortech.2019.121318.
- [80] O. D. Caicedo-Salcedo, D. P. Vargas-Delgadillo, L. Giraldo, and J. C. Moreno-Piraján, "Data of preparation and characterization of activated carbon using two activant agents and mango seed as precursor material," *Data Br.*, vol. 27, 2019, doi: 10.1016/j.dib.2019.104769.
- [81] A. M. Syam, I. Ibrahim, R. Mulyawan, L. Fazira, T. Tirani, and H. Vebyca, "Biodiesel Production From Waste Cooking Oil With Blood Clam (*Anadara Granosa*) Shell Based Heterogeneous Catalyst," No. 1.
- [82] A. K. Prajapati, S. Das, and M. K. Mondal, "Exhaustive studies on toxic Cr(VI) removal mechanism from aqueous solution using activated carbon of Aloe vera waste leaves," *J. Mol. Liq.*, vol. 307, p. 112956, 2020, doi: <https://doi.org/10.1016/j.molliq.2020.112956>.
- [83] S. Jaiswal and Y. C. Sharma, "Ni modified distillation waste derived heterogeneous catalyst utilized for the production of glycerol carbonate from a biodiesel by-product glycerol: Optimization and green metric studies," *Waste Manag.*, vol. 156, no. May 2022, pp. 148–158, 2023, doi: 10.1016/j.wasman.2022.11.003.
- [84] S. Dampang, E. Purwanti, F. Destyorini, S. B. Kurniawan, S. R. S. Abdullah, and M. F. Imron, "Analysis of Optimum Temperature and Calcination Time in the Production of CaO Using Seashells Waste as CaCO₃ Source," *J. Ecol. Eng.*, vol. 22, no. 5, pp. 221–228, 2021, doi: 10.12911/22998993/135316.
- [85] E. M. Mistar, T. Alfatah, and M. D. Supardan, "Synthesis and

characterization of activated carbon from *Bambusa vulgaris striata* using two-step KOH activation,” *J. Mater. Res. Technol.*, vol. 9, no. 3, pp. 6278–6286, 2020, doi: <https://doi.org/10.1016/j.jmrt.2020.03.041>.

- [86] I. Aziz, S. Nurbayti, and B. Ulum, “Pembuatan produk biodiesel dari Minyak Goreng Bekas dengan Cara Esterifikasi dan Transesterifikasi,” *J. Kim. Val.*, vol. 2, no. 3, pp. 443–448, 2012, doi: 10.15408/jkv.v2i3.115.
- [87] E. Setiawati and F. Edwar, “178872-ID-teknologi-pengolahan-biodiesel-dari-miny jelantah.pdf,” *Jurnal Riset Industri*, vol. 6, no. 2, pp. 1–11, 2012.
- [88] I. T. Sulistiana, “Uji Kalor Bakar Bahan Bakar Campuran Bioetanol Dan Minyak Goreng Bekas,” *J. Neutrino*, vol. 3, no. 2, pp. 163–174, 2012, doi: 10.18860/neu.v0i0.1653.
- [89] J. S. Martinez-Espin *et al.*, “Benzene co-reaction with methanol and dimethyl ether over zeolite and zeotype catalysts: Evidence of parallel reaction paths to toluene and diphenylmethane,” *J. Catal.*, vol. 349, pp. 136–148, 2017, doi: 10.1016/j.jcat.2017.03.007.
- [90] N. Hillier, S. Yong, and S. Beeby, “The good, the bad and the porous: A review of carbonaceous materials for flexible supercapacitor applications,” *Energy Reports*, vol. 6, pp. 148–156, 2020, doi: 10.1016/j.egyr.2020.03.019.
- [91] I. Neme, G. Gonfa, and C. Masi, “Preparation and characterization of activated carbon from castor seed hull by chemical activation with H₃PO₄,” *Results Mater.*, vol. 15, no. May, p. 100304, 2022, doi: 10.1016/j.rinma.2022.100304.
- [92] M. Frisillia, “FTIR, SEM dan XRD Analisis dari Karbon Aktif dari Limbah Sagu Menggunakan Modifikasi Asam,” *Univ. Negeri Gorontalo Tahun 2020*, no. 5, pp. 1–34, 2020.
- [93] F. Aghabeigi, H. Nikkhah, H. Zilouei, and M. Bazarganipour, “Immobilization of lipase on the graphene oxides magnetized with NiFe₂O₄ nanoparticles for biodiesel production from microalgae lipids,” *Process Biochem.*, vol. 126, no. July 2022, pp. 171–185, 2023, doi: 10.1016/j.procbio.2023.01.012.

- [94] P. J. Wibawa, M. Nur, M. Asy'ari, and H. Nur, "SEM, XRD and FTIR analyses of both ultrasonic and heat generated activated carbon black microstructures," *Heliyon*, vol. 6, no. 3, p. e03546, 2020, doi: 10.1016/j.heliyon.2020.e03546.
- [95] G. Byatarayappa *et al.*, "A comparative study on electrochemical performance of KOH activated carbons derived from different biomass sources - Musa acuminata stem, Pongamia pinnata seed oil extract cake, cajanus cajan stem and Asclepias syriaca floss," *Heliyon*, vol. 9, no. 4, p. e15399, 2023, doi: 10.1016/j.heliyon.2023.e15399.
- [96] G. Byatarayappa, V. Guna, K. Venkatesh, N. Reddy, N. Nagaraju., and K. Nagaraju, "Superior cycle stability performance of a symmetric coin cell fabricated using KOH activated bio-char derived from agricultural waste – Cajanus cajan stems," *J. Environ. Chem. Eng.*, vol. 9, no. 6, p. 106525, 2021, doi: <https://doi.org/10.1016/j.jece.2021.106525>.
- [97] S. M. Lee, S. H. Lee, and J. S. Roh, "Analysis of activation process of carbon black based on structural parameters obtained by XRD analysis," *Crystals*, vol. 11, no. 2, pp. 1–11, 2021, doi: 10.3390/cryst11020153.
- [98] K. Sreenivasan, "Thermal stability studies of some chitosanmetal ion complexes using differential scanning calorimetry," *Polym. Degrad. Stab.*, vol. 52, no. 1, pp. 85–87, 1996, doi: [https://doi.org/10.1016/0141-3910\(95\)00220-0](https://doi.org/10.1016/0141-3910(95)00220-0).
- [99] I. R. Hamdani, A. Ahmad, H. M. Chulliyil, C. Srinivasakannan, A. A. Shoaibi, and M. M. Hossain, "Thermocatalytic Decomposition of Methane: A Review on Carbon-Based Catalysts," *ACS Omega*, vol. 8, no. 32, pp. 28945–28967, Aug. 2023, doi: 10.1021/acsomega.3c01936.
- [100] M. González-Castaño *et al.*, "Are Ni/ and Ni5Fe1/biochar catalysts suitable for synthetic natural gas production? A comparison with γ -Al₂O₃ supported catalysts," *Green Energy Environ.*, vol. 8, no. 3, pp. 744–756, 2023, doi: 10.1016/j.gee.2021.05.007.
- [101] I. Neme, G. Gonfa, and C. Masi, "Activated carbon from biomass precursors using phosphoric acid: A review," *Heliyon*, vol. 8, no. 12, p.

e11940, 2022, doi: 10.1016/j.heliyon.2022.e11940.

- [102] D. Lozano-Castelló, M. A. Lillo-Ródenas, D. Cazorla-Amorós, and A. Linares-Solano, "Preparation of activated carbons from Spanish anthracite - I. Activation by KOH," *Carbon N. Y.*, vol. 39, no. 5, pp. 741–749, 2001, doi: 10.1016/S0008-6223(00)00185-8.
- [103] S. E. Reviews, "Activated carbon from lignocellulosics precursors : A review of the synthesis methods , characterization techniques and applications," *Renew. Sustain. Energy Rev.*, vol. 82, no. August 2017, pp. 1393–1414, 2018, doi: 10.1016/j.rser.2017.04.117.
- [104] B. Tiryaki, E. Yagmur, A. Banford, and Z. Aktas, "Comparison of activated carbon produced from natural biomass and equivalent chemical compositions," *J. Anal. Appl. Pyrolysis*, vol. 105, 2013, doi: 10.1016/j.jaap.2013.11.014.
- [105] L. L. Zhi and M. A. A. Zaini, "Adsorption properties of cationic rhodamine B dye onto metals chloride-activated castor bean residue carbons.," *Water Sci. Technol. a J. Int. Assoc. Water Pollut. Res.*, vol. 75, no. 3–4, pp. 864–880, Feb. 2017, doi: 10.2166/wst.2016.568.
- [106] M. B. Ahmed *et al.*, "Activated carbon preparation from biomass feedstock: Clean production and carbon dioxide adsorption," *J. Clean. Prod.*, vol. 225, pp. 405–413, 2019, doi: 10.1016/j.jclepro.2019.03.342.
- [107] L. S. Queiroz *et al.*, "Activated carbon obtained from amazonian biomass tailings (acai seed): Modification, characterization, and use for removal of metal ions from water.," *J. Environ. Manage.*, vol. 270, p. 110868, Sep. 2020, doi: 10.1016/j.jenvman.2020.110868.
- [108] A. GRANA, "Alcuni aspetti della sierologia della sifilide congenita.," *Soc. Ital. Dermatol. Sifilogr. Sezioni Interprov. Soc. Ital. Dermatol. Sifilogr.*, vol. 6, no. 4, pp. 710–713, 1955.
- [109] X. Cao *et al.*, "Catalytic conversion of waste cooking oils for the production of liquid hydrocarbon biofuels using in-situ coating metal oxide on SBA-15 as heterogeneous catalyst," *J. Anal. Appl. Pyrolysis*, vol. 138, pp. 137–144, 2019, doi: <https://doi.org/10.1016/j.jaap.2018.12.017>.

- [110] M. Zamhari *et al.*, “Pembuatan Katalis Berbasis Karbon Aktif Dari Tempurung Kelapa (Cocos Nucifera) Diimpregnasi Koh Pada Reaksi Transesterifikasi Sintesis Biodiesel Catalyst Shynthesis From Activated Carbon Of Coconut Shell (Cocos Nucifera) Impregnatedpotassium Hydroxidein T,” *J. Kinet.*, Vol. 12, No. 01, Pp. 23–31, 2021, [Online]. Available: <https://jurnal.polsri.ac.id/index.php/kimia/index>
- [111] M. Ahmad, R. Farhana, A. A. A. Raman, and S. K. Bhargava, “Synthesis and activity evaluation of heterometallic nano oxides integrated ZSM-5 catalysts for palm oil cracking to produce biogasoline,” *Energy Convers. Manag.*, vol. 119, pp. 352–360, 2016, doi: 10.1016/j.enconman.2016.04.069.
- [112] H. K. Gurdeep Singh *et al.*, “Biogasoline production from linoleic acid via catalytic cracking over nickel and copper-doped ZSM-5 catalysts,” *Environ. Res.*, vol. 186, no. January, p. 109616, 2020, doi: 10.1016/j.envres.2020.109616.
- [113] S. S. Simões, J. S. Ribeiro, D. Celante, L. N. Brondani, and F. Castilhos, “Heterogeneous catalyst screening for fatty acid methyl esters production through interesterification reaction,” *Renew. Energy*, vol. 146, pp. 719–726, 2020, doi: 10.1016/j.renene.2019.07.023.
- [114] S. Oko, Mustafa, A. Kurniawan, and D. Willain, “Sintesis Biodiesel dari Minyak Kedelai Melalui Reaksi Transesterifikasi Dengan Katalis CaO/NaOH,” *J. Teknol. Vol.*, vol. 13, no. 1, pp. 1–6, 2021, [Online]. Available: <https://dx.doi.org/10.24853/jurtek.13.1.1-6>
- [115] D. Russo, M. Portarapillo, and A. Di Benedetto, “Flash point of biodiesel/glycerol/alcohol mixtures for safe processing and storage,” *J. Loss Prev. Process Ind.*, vol. 83, p. 105077, 2023, doi: 10.1016/j.jlp.2023.105077.
- [116] D. Luning Prak, M. Hamilton, R. Banados, and J. Cowart, “Density, viscosity, speed of sound, flash point, bulk modulus, and surface tension of mixtures of military jet fuel JP-5 and biodiesels dataset,” *Data Br.*, vol. 41, p. 107849, 2022, doi: 10.1016/j.dib.2022.107849.

- [117] D. Costa *et al.*, “Flash point prediction with UNIFAC type models of ethylic biodiesel and binary / ternary mixtures of FAEs To cite this version : HAL Id : hal-03115520,” 2021.
- [118] T. Methods and T. Methods, “Aniline Point and Mixed Aniline Point of Petroleum Products Aniline Point and Mixed Aniline Point of Petroleum”.
- [119] H. K. A. P. G. Singh, S. Yusup, and C. K. Wai, “Physicochemical Properties of Crude Rubber Seed Oil for Biogasoline Production,” *Procedia Eng.*, vol. 148, pp. 426–431, 2016, doi: 10.1016/j.proeng.2016.06.441.
- [120] T. J. Wiegand and G. Brock, “Hydrazine,” in *Encyclopedia of Toxicology (Fourth Edition)*, Fourth Edi., P. Wexler, Ed., Oxford: Academic Press, 2024, pp. 381–386. doi: <https://doi.org/10.1016/B978-0-12-824315-2.01191-X>.
- [121] W. Kopacz, A. Okninski, A. Kasztankiewicz, G. Rarata, and P. Maksimowski, “FirePhysChem Hydrogen peroxide – A promising oxidizer for rocket propulsion and its application in solid rocket propellants,” vol. 2, no. March, pp. 56–66, 2022, doi: 10.1016/j.fpc.2022.03.009.
- [122] Badan Standardisasi Nasional, “Sni 7182:2015,” *Badañ Stand. Nas.*, p. 2, 2015, [Online]. Available: <http://sispk.bsn.go.id/SNI/DetailSNI/10147>