

DAFTAR PUSTAKA

- [1] Z. Zhai *et al.*, “A review of carbon materials for supercapacitors,” *Mater. Des.*, vol. 221, p. 111017, 2022, doi: 10.1016/j.matdes.2022.111017.
- [2] J. Zhang, M. Gu, and X. Chen, “Supercapacitors for renewable energy applications: A review,” *Micro Nano Eng.*, vol. 21, no. September, p. 100229, 2023, doi: 10.1016/j.mne.2023.100229.
- [3] M. F. Wu, C. H. Hsiao, C. Y. Lee, and N. H. Tai, “Flexible Supercapacitors Prepared Using the Peanut-Shell-Based Carbon,” *ACS Omega*, vol. 5, no. 24, pp. 14417–14426, 2020, doi: 10.1021/acsomega.0c00966.
- [4] S. Luanwuthi, P. Iamprasertkun, T. Akkharaamnuay, C. Kunyawut, A. Phukhrongthung, and C. Puchongkawarin, “Techno-economic and Environmental Assessment of Activated Carbon Electrodes for Supercapacitors from Oil Palm Leaves,” *ACS Sustain. Chem. Eng.*, 2024, doi: 10.1021/acssuschemeng.4c04783.
- [5] Y. Huang, Z. Kuldasheva, S. Bobojanov, B. Djalilov, R. Salahodjaev, and S. Abbas, “Exploring the links between fossil fuel energy consumption, industrial value-added, and carbon emissions in G20 countries,” *Environ. Sci. Pollut. Res.*, vol. 30, no. 4, pp. 10854–10866, 2023, doi: 10.1007/s11356-022-22605-9.
- [6] S. G. Krishnan *et al.*, “Pore size matters!—a critical review on the supercapacitive charge storage enhancement of biocarbonaceous materials,” *Crit. Rev. Solid State Mater. Sci.*, vol. 48, no. 1, pp. 1–56, Jan. 2023, doi: 10.1080/10408436.2022.2027225.
- [7] H. Yi, K. Nakabayashi, S. H. Yoon, and J. Miyawaki, “Study on the applicability of pressurized physically activated carbon as an adsorbent in adsorption heat pumps,” *RSC Adv.*, vol. 12, no. 5, pp. 2558–2563, 2022, doi: 10.1039/d1ra08395c.
- [8] “No Title,” *Badan Pus. Statisk Tahun 2020*.
- [9] B. Supeno, Erwan, and L. Ernawati, “Diversifikasi Pemanfaatan Limbah Kulit Buah Kopi untuk Produk yang Bernilai Ekonomis Tinggi di Kabupaten Lombok Utara,” *Pros. PKM-CSR*, vol. 1, no. 1, pp. 23–25, 2018.
- [10] N. Ramirez *et al.*, “Capacitive behavior of activated carbons obtained from coffee husk,” *RSC Adv.*, vol. 10, no. 62, pp. 38097–38106, 2020, doi: 10.1039/d0ra06206e.
- [11] N. Nurmalita, R. Raihan, Z. Jalil, S. Nur, and A. Setiawan, “The Physical and Chemical Properties of Activated Nanocarbon produced from Robusta (*Coffea Canephora*) Coffee Pulp under slow pyrolysis method,” *Coffee Sci.*, vol. 17, 2022, doi: 10.25186/v17i.2019.
- [12] A. Setiawan, A. G. Randa, Faisal, T. Bin Nur, and Rusdianasari, “Thermal decomposition of Gayo Arabica coffee-pulp in a segmented chamber,” *J. Phys. Conf. Ser.*, vol. 1500, no. 1, p. 012076, Apr. 2020, doi: 10.1088/1742-6596/1500/1/012076.
- [13] W. Li *et al.*, “Hierarchical porous carbon induced by inherent structure of eggplant as

- sustainable electrode material for high performance supercapacitor,” *J. Mater. Res. Technol.*, vol. 17, pp. 1540–1552, Mar. 2022, doi: 10.1016/j.jmrt.2022.01.056.
- [14] F. Meng and D. Wang, “Effects of vacuum freeze drying pretreatment on biomass and biochar properties,” *Renew. Energy*, vol. 155, pp. 1–9, 2020, doi: 10.1016/j.renene.2020.03.113.
- [15] “No Title,” *Badan Pus. Stat. Tahun 2023*.
- [16] A. Hejna, “Potential applications of by-products from the coffee industry in polymer technology – Current state and perspectives,” *Waste Manag.*, vol. 121, pp. 296–330, 2021, doi: 10.1016/j.wasman.2020.12.018.
- [17] P. S. Murthy and M. Madhava Naidu, “Sustainable management of coffee industry by-products and value addition - A review,” *Resour. Conserv. Recycl.*, vol. 66, pp. 45–58, 2012, doi: 10.1016/j.resconrec.2012.06.005.
- [18] S. A. Bhat, V. Kumar, S. Kumar, A. E. Atabani, I. Anjum Badruddin, and K.-J. Chae, “Supercapacitors production from waste: A new window for sustainable energy and waste management,” *Fuel*, vol. 337, p. 127125, Apr. 2023, doi: 10.1016/j.fuel.2022.127125.
- [19] A. Ahmad and T. Azam, *Water Purification Technologies*. Elsevier Inc., 2019. doi: 10.1016/b978-0-12-815272-0.00004-0.
- [20] J. W. Patrick, *Active carbon*.
- [21] V. Priedniece, A. Sturmane, R. Eglitis, I. Juhnevica, G. Krigers, and V. Kirsanovs, “Search for Alternative Raw Materials for Pellet Production – a Preliminary Study,” *Environ. Clim. Technol.*, vol. 28, no. 1, pp. 652–669, Jan. 2024, doi: 10.2478/rtuect-2024-0051.
- [22] R. W. Hatibie, A. Aladin, and L. Ifa, “Pembuatan Karbon Aktif Hasil Pirolisis Tongkol Jagung (Zea Mays Var. Ceratina L.) Menggunakan Aktivator Asam Dari Buah Belimbing Wuluh,” *J. Technol. Process*, vol. 2, no. 1, pp. 38–49, 2022.
- [23] Standar Nasional Indonesia, “Arang Aktif Teknis - SNI 06-3730-1995.” [Online]. Available: <https://www.scribd.com/document/445706446/Arang-Aktif-Teknis-SNI-06-3730-1995?utm>
- [24] A. N. Ardiwinata, “Pemanfaatan Arang Aktif dalam Pengendalian Residu Pestisida di Tanah: Prospek dan Masalahnya,” *J. Sumberd. Lahan*, vol. 14, no. 1, p. 49, 2020, doi: 10.21082/jsdl.v14n1.2020.49-62.
- [25] Y. W. Hydhayat and K. Surabaya, “Activated Carbon from Teak Leaves Using Activation KOH,” *Tek. Kim.*, vol. 16, no. 2, pp. 87–92, 2022.
- [26] Adywater, “Distributor karbon aktif terbaik di indonesia.” [Online]. Available: <https://www.karbonaktifmurah.com/?utm>
- [27] R. N. Saleem, P. A. Abduljabar, and S. S. Faraj, “Preparation of Activated Carbon from

- Hawthorn Core Stones by Chemical Activation,” *Sci. J. Univ. Zakho*, vol. 10, no. 4, pp. 159–162, Oct. 2022, doi: 10.25271/sjuoz.2022.10.4.954.
- [28] A. Inayat *et al.*, “Activated Carbon Production from Coffee Waste via Slow Pyrolysis Using a Fixed Bed Reactor,” *Environ. Clim. Technol.*, vol. 26, no. 1, pp. 720–729, 2022, doi: 10.2478/rtuct-2022-0055.
- [29] L. Xu, L. Jiang, H. Zhang, Z. Fang, and R. L. Smith, “Introduction to Pyrolysis as a Thermo-Chemical Conversion Technology,” 2020, pp. 3–30. doi: 10.1007/978-981-15-2732-6_1.
- [30] S. Aravind, P. S. Kumar, N. S. Kumar, and N. Siddarth, “Conversion of green algal biomass into bioenergy by pyrolysis. A review,” *Environ. Chem. Lett.*, vol. 18, no. 3, pp. 829–849, 2020, doi: 10.1007/s10311-020-00990-2.
- [31] J. Jude, E. A. Adu, O. S. Kamaldeen, and I. E. Maiyanga, “FREEZE DRYING – APPLICATION IN FOOD PROCESSING AND STORAGE (REVIEW),” *BADEGGI J. Agric. Res. Environ.*, vol. 5, no. 2, pp. 21–35, Aug. 2023, doi: 10.35849/BJARE202302/97/003.
- [32] L. Li, Y. Wu, L. Jiang, Z. Zhang, C. Tian, and Y. Qing, “Structural design on microporous cellulose-derived carbon via freeze-drying and carbonization for enhancing energy storage performances,” *Ind. Crops Prod.*, vol. 192, p. 116097, Feb. 2023, doi: 10.1016/j.indcrop.2022.116097.
- [33] C. Anandharamakrishnan, “Spray-Freeze-Drying of Coffee,” in *Caffeinated and Cocoa Based Beverages*, Elsevier, 2019, pp. 337–366. doi: 10.1016/B978-0-12-815864-7.00010-6.
- [34] A. Patel, S. K. Patel, R. S. Singh, and R. P. Patel, “Review on recent advancements in the role of electrolytes and electrode materials on supercapacitor performances,” *Discov. Nano*, vol. 19, no. 1, p. 188, Nov. 2024, doi: 10.1186/s11671-024-04053-1.
- [35] Z. S. Iro, C. Subramani, and S. S. Dash, “A brief review on electrode materials for supercapacitor,” *Int. J. Electrochem. Sci.*, vol. 11, no. 12, pp. 10628–10643, 2016, doi: 10.20964/2016.12.50.
- [36] S. Kalogirou, “Energy and the New Reality, Vol. 1: Energy Efficiency and the Demand for Energy Services, Vol. 2: Carbon-Free Energy Supply,” *Energy*, vol. 36, no. 5, pp. 3615–3618, May 2011, doi: 10.1016/j.energy.2011.01.037.
- [37] Z. Zhai *et al.*, “A review of carbon materials for supercapacitors,” *Mater. Des.*, vol. 221, p. 111017, Sep. 2022, doi: 10.1016/j.matdes.2022.111017.
- [38] K. C. S. Lakshmi and B. Vedhanarayanan, “High-Performance Supercapacitors: A Comprehensive Review on Paradigm Shift of Conventional Energy Storage Devices,” *Batteries*, vol. 9, no. 4, p. 202, Mar. 2023, doi: 10.3390/batteries9040202.
- [39] K. D. Verma, P. Sinha, S. Banerjee, and K. K. Kar, “Characteristics of Electrode Materials for Supercapacitors,” 2020, pp. 269–285. doi: 10.1007/978-3-030-43009-2_9.

- [40] K. Dissanayake and D. Kularatna-Abeywardana, "A review of supercapacitors: Materials, technology, challenges, and renewable energy applications," *J. Energy Storage*, vol. 96, p. 112563, Aug. 2024, doi: 10.1016/j.est.2024.112563.
- [41] Reenu, Sonia, L. Phor, A. Kumar, and S. Chahal, "Electrode materials for supercapacitors: A comprehensive review of advancements and performance," *J. Energy Storage*, vol. 84, p. 110698, Apr. 2024, doi: 10.1016/j.est.2024.110698.
- [42] J. Lu *et al.*, "High ionic conductivity and toughness hydrogel electrolyte for high-performance flexible solid-state zinc-ion hybrid supercapacitors enabled by cellulose-bentonite coordination interactions," *Green Chem.*, vol. 25, no. 4, pp. 1635–1646, 2023, doi: 10.1039/D2GC04711J.
- [43] A. Schneuwly and R. Gallay, "[Detlef_Stolten,_Bernd_Emons]_Hydrogen_Science_an," *Pcim*, pp. 1–10, 2000.
- [44] L. L. Zhang, R. Zhou, and X. S. Zhao, "Graphene-based materials as supercapacitor electrodes," *J. Mater. Chem.*, vol. 20, no. 29, pp. 5983–5992, 2010, doi: 10.1039/c000417k.
- [45] N. H. Kim, P. Khanra, T. Kuila, D. Jung, and J. H. Lee, "Efficient reduction of graphene oxide using Tin-powder and its electrochemical performances for use as an energy storage electrode material," *J. Mater. Chem. A*, vol. 1, no. 37, pp. 11320–11328, 2013, doi: 10.1039/c3ta11987d.
- [46] S. H. Zein and A. Antony, "Techno-Economic Analysis and Feasibility of Industrial-Scale Activated Carbon Production from Agricultural Pea Waste Using Microwave-Assisted Pyrolysis: A Circular Economy Approach," *Processes*, vol. 10, no. 9, p. 1702, Aug. 2022, doi: 10.3390/pr10091702.
- [47] V. Tale and P. P. Rege, "A Comprehensive Study of Techno Economic Viability (TEV) Report of Various Projects," *INTERANTIONAL J. Sci. Res. Eng. Manag.*, vol. 08, no. 10, pp. 1–15, Oct. 2024, doi: 10.55041/IJSREM37724.
- [48] N. P. Ponomarev, G. O'Shea, J. Nuortila-Jokinen, S. Kiljunen, and M. Kallioinen-Mänttari, "Techno-Economic assessment for superactive carbon production from side stream lignin," *Biofuels, Bioprod. Biorefining*, vol. 17, no. 1, pp. 226–241, 2023, doi: 10.1002/bbb.2445.
- [49] M. J. McNulty, S. Nandi, and K. A. McDonald, "Technoeconomic Modeling and Simulation for Plant-Based Manufacturing of Recombinant Proteins," 2022, pp. 159–189. doi: 10.1007/978-1-0716-2241-4_11.
- [50] A. C. Fingolo *et al.*, "Techno-Economic Assessment and Critical Properties Tuning of Activated Carbons from Pyrolyzed Sugarcane Bagasse," *Waste and Biomass Valorization*, vol. 11, no. 8, pp. 1–13, 2020, doi: 10.1007/s12649-019-00774-y.
- [51] "The Income Statement," in *Financial Modeling and Valuation*, Wiley, 2022, pp. 1–65. doi: 10.1002/9781119808923.ch1.

- [52] Salma Benisha Amanda, Sihabudin, and Robby Fauji, "Analisis Break Even Point dan Margin Of Safety Sebagai Salah Satu Alat Perencanaan Laba pada Koffie 09," *Al-Kharaj J. Ekon. Keuang. Bisnis Syariah*, vol. 6, no. 9, Sep. 2024, doi: 10.47467/alkharaj.v6i9.2508.
- [53] K. S. Ukanwa, K. Patchigolla, and R. Sakrabani, "Energy and economic assessment of mixed palm residue utilisation for production of activated carbon and ash as fertiliser in agriculture," *Environ. Technol. (United Kingdom)*, vol. 44, no. 7, pp. 948–960, 2023, doi: 10.1080/09593330.2021.1989056.
- [54] T. Banerjee *et al.*, "Process design and techno-economic analysis of activated carbon derived from anthracite coal," *J. Environ. Manage.*, vol. 355, p. 120525, Mar. 2024, doi: 10.1016/j.jenvman.2024.120525.
- [55] K. Charoensook *et al.*, "Preparation of porous nitrogen-doped activated carbon derived from rice straw for high-performance supercapacitor application," *J. Taiwan Inst. Chem. Eng.*, vol. 120, pp. 246–256, Mar. 2021, doi: 10.1016/j.jtice.2021.02.021.
- [56] B. Lesbayev *et al.*, "Recent advances: Biomass-derived porous carbon materials," *South African J. Chem. Eng.*, vol. 43, pp. 327–336, Jan. 2023, doi: 10.1016/j.sajce.2022.11.012.
- [57] K. Karimi and M. J. Taherzadeh, "A critical review of analytical methods in pretreatment of lignocelluloses: Composition, imaging, and crystallinity," *Bioresour. Technol.*, vol. 200, pp. 1008–1018, Jan. 2016, doi: 10.1016/j.biortech.2015.11.022.
- [58] Y. Gao, X. Wang, Y. Chen, P. Li, H. Liu, and H. Chen, "Pyrolysis of rapeseed stalk: Influence of temperature on product characteristics and economic costs," *Energy*, vol. 122, pp. 482–491, Mar. 2017, doi: 10.1016/j.energy.2017.01.103.
- [59] A. T. Hoang *et al.*, "Progress on the lignocellulosic biomass pyrolysis for biofuel production toward environmental sustainability," *Fuel Process. Technol.*, vol. 223, p. 106997, Dec. 2021, doi: 10.1016/j.fuproc.2021.106997.
- [60] Qurat-ul-Ain, M. Shafiq, S. C. Capareda, and Firdaus-e-Bareen, "Effect of different temperatures on the properties of pyrolysis products of *Parthenium hysterophorus*," *J. Saudi Chem. Soc.*, vol. 25, no. 3, p. 101197, Mar. 2021, doi: 10.1016/j.jscs.2021.101197.
- [61] X. Cao and W. Harris, "Properties of dairy-manure-derived biochar pertinent to its potential use in remediation," *Bioresour. Technol.*, vol. 101, no. 14, pp. 5222–5228, Jul. 2010, doi: 10.1016/j.biortech.2010.02.052.
- [62] M. Legarra, T. Morgan, S. Turn, L. Wang, Ø. Skreiberg, and M. J. Antal, "Effect of Processing Conditions on the Constant-Volume Carbonization of Biomass," *Energy & Fuels*, vol. 33, no. 3, pp. 2219–2235, Mar. 2019, doi: 10.1021/acs.energyfuels.8b03433.
- [63] W.-K. Kim *et al.*, "Characterization of cadmium removal from aqueous solution by biochar produced from a giant *Miscanthus* at different pyrolytic temperatures," *Bioresour. Technol.*, vol. 138, pp. 266–270, Jun. 2013, doi: 10.1016/j.biortech.2013.03.186.
- [64] T. Imam and S. Capareda, "Characterization of bio-oil, syn-gas and bio-char from

- switchgrass pyrolysis at various temperatures,” *J. Anal. Appl. Pyrolysis*, vol. 93, pp. 170–177, Jan. 2012, doi: 10.1016/j.jaap.2011.11.010.
- [65] E. Apaydin Varol and Ü. Mutlu, “TGA-FTIR Analysis of Biomass Samples Based on the Thermal Decomposition Behavior of Hemicellulose, Cellulose, and Lignin,” *Energies*, vol. 16, no. 9, p. 3674, Apr. 2023, doi: 10.3390/en16093674.
- [66] S. A. Borghei *et al.*, “Synthesis of multi-application activated carbon from oak seeds by KOH activation for methylene blue adsorption and electrochemical supercapacitor electrode,” *Arab. J. Chem.*, vol. 14, no. 2, p. 102958, Feb. 2021, doi: 10.1016/j.arabjc.2020.102958.
- [67] G. Abulikemu *et al.*, “Role of grinding method on granular activated carbon characteristics,” *Carbon Trends*, vol. 11, p. 100261, Jun. 2023, doi: 10.1016/j.cartre.2023.100261.
- [68] J. L. Espinoza-Acosta, P. I. Torres-Chávez, J. L. Olmedo-Martínez, A. Vega-Rios, S. Flores-Gallardo, and E. A. Zaragoza-Contreras, “Lignin in storage and renewable energy applications: A review,” *J. Energy Chem.*, vol. 27, no. 5, pp. 1422–1438, Sep. 2018, doi: 10.1016/j.jechem.2018.02.015.
- [69] T. Belwal *et al.*, “Effects of different drying techniques on the quality and bioactive compounds of plant-based products: a critical review on current trends,” *Dry. Technol.*, vol. 40, no. 8, pp. 1539–1561, Jun. 2022, doi: 10.1080/07373937.2022.2068028.
- [70] R. Raihan, A. Setiawan, L. Hakim, M. Muhammad, M. Arif, and H. Hosseiniamoli, “Preparation and Characterization of Activated Carbon Made from Robusta Coffee Skin (*Coffea Canephora*),” *J. Rekayasa Kim. Lingkungan.*, vol. 15, no. 2, pp. 104–110, Oct. 2020, doi: 10.23955/rkl.v15i2.17618.
- [71] Y. Lu, Y.-C. Lu, H.-Q. Hu, F.-J. Xie, X.-Y. Wei, and X. Fan, “Structural Characterization of Lignin and Its Degradation Products with Spectroscopic Methods,” *J. Spectrosc.*, vol. 2017, pp. 1–15, 2017, doi: 10.1155/2017/8951658.
- [72] S. K. Shahcheragh, M. M. Bagheri Mohagheghi, and A. Shirpay, “Effect of physical and chemical activation methods on the structure, optical absorbance, band gap and urbach energy of porous activated carbon,” *SN Appl. Sci.*, vol. 5, no. 12, p. 313, Dec. 2023, doi: 10.1007/s42452-023-05559-6.
- [73] J. Sun, A. Jayakumar, C. G. Díaz-Maroto, I. Moreno, J. Feroso, and O. Mašek, “The role of feedstock and activation process on supercapacitor performance of lignocellulosic biochar,” *Biomass and Bioenergy*, vol. 184, p. 107180, May 2024, doi: 10.1016/j.biombioe.2024.107180.
- [74] C. Milena Amorocho-Cruz and Y. Muñoz Cortes, “Physicochemical, microbiological, and sensory characterization of fermented coffee pulp beverages,” *Coffee Sci.*, vol. 16, pp. 1–9, 2021, doi: 10.25186/.v16i.1889.
- [75] S. Li, K. Han, P. Si, J. Li, and C. Lu, “High-performance Activated Carbons Prepared by

- KOH Activation of Gulfweed for Supercapacitors,” *Int. J. Electrochem. Sci.*, vol. 13, no. 2, pp. 1728–1743, Feb. 2018, doi: 10.20964/2018.02.08.
- [76] A. B. D. Nandiyanto, R. Oktiani, and R. Ragadhita, “How to Read and Interpret FTIR Spectroscopy of Organic Material,” *Indones. J. Sci. Technol.*, vol. 4, no. 1, p. 97, Mar. 2019, doi: 10.17509/ijost.v4i1.15806.
- [77] Y.-H. Chiu and L.-Y. Lin, “Effect of activating agents for producing activated carbon using a facile one-step synthesis with waste coffee grounds for symmetric supercapacitors,” *J. Taiwan Inst. Chem. Eng.*, vol. 101, pp. 177–185, Aug. 2019, doi: 10.1016/j.jtice.2019.04.050.
- [78] A. Setiawan, M. Zakarya, A. Alchalil, and T. Nur, “Experimental Investigation and Simulation of Slow Pyrolysis Process of Arabica Coffee Agroindustry Residues in a Pilot-Scale Reactor,” *J. Ecol. Eng.*, vol. 23, no. 8, pp. 259–268, Aug. 2022, doi: 10.12911/22998993/150693.
- [79] A. Pathy, P. Pokharel, X. Chen, P. Balasubramanian, and S. X. Chang, “Activation methods increase biochar’s potential for heavy-metal adsorption and environmental remediation: A global meta-analysis,” *Sci. Total Environ.*, vol. 865, p. 161252, Mar. 2023, doi: 10.1016/j.scitotenv.2022.161252.
- [80] M. K. B. Gratiuto, T. Panyathanmaporn, R.-A. Chumnanklang, N. Sirinuntawittaya, and A. Dutta, “Production of activated carbon from coconut shell: Optimization using response surface methodology,” *Bioresour. Technol.*, vol. 99, no. 11, pp. 4887–4895, Jul. 2008, doi: 10.1016/j.biortech.2007.09.042.
- [81] B. Sajjadi, W.-Y. Chen, and N. O. Egiebor, “A comprehensive review on physical activation of biochar for energy and environmental applications,” *Rev. Chem. Eng.*, vol. 35, no. 6, pp. 735–776, Jul. 2019, doi: 10.1515/revce-2017-0113.
- [82] M. G. A. Vieira, A. F. de Almeida Neto, M. G. C. da Silva, C. C. Nóbrega, and A. A. Melo Filho, “Characterization and use of in natura and calcined rice husks for biosorption of heavy metals ions from aqueous effluents,” *Brazilian J. Chem. Eng.*, vol. 29, no. 3, pp. 619–634, Sep. 2012, doi: 10.1590/S0104-66322012000300019.
- [83] Z. Zeng, J. Xiao, M. Li, J. Wu, and T. Zhang, “Degradation of Phenol by Immobilized *Alcaligenes faecalis* Strain JH1 in Fe₃O₄-Modified Biochar from Pharmaceutical Residues,” *Water*, vol. 15, no. 23, p. 4084, Nov. 2023, doi: 10.3390/w15234084.
- [84] E. Taer, A. Susanti, R. Taslim, and Apriwandi, “Renewable and environmentally friendly of ‘red shoots’ leaves biomass-based carbon electrode materials for supercapacitor energy storage,” *J. Phys. Conf. Ser.*, vol. 1811, no. 1, p. 012135, Mar. 2021, doi: 10.1088/1742-6596/1811/1/012135.
- [85] E. Taer *et al.*, “The relationship of surface area to cell capacitance for monolith carbon electrode from biomass materials for supercapacitor application,” *J. Phys. Conf. Ser.*, vol. 1116, p. 032040, Dec. 2018, doi: 10.1088/1742-6596/1116/3/032040.

- [86] R. Farma, A. Putri, E. Taer, A. Awitdrus, and A. Apriwandi, "Synthesis of highly porous activated carbon nanofibers derived from bamboo waste materials for application in supercapacitor," *J. Mater. Sci. Mater. Electron.*, vol. 32, no. 6, pp. 7681–7691, Mar. 2021, doi: 10.1007/s10854-021-05486-5.
- [87] L. Pan *et al.*, "3D self-assembly synthesis of hierarchical porous carbon from petroleum asphalt for supercapacitors," *Carbon N. Y.*, vol. 134, pp. 345–353, Aug. 2018, doi: 10.1016/j.carbon.2018.04.008.
- [88] S. Y. Kpalo, M. F. Zainuddin, L. A. Manaf, and A. M. Roslan, "A Review of Technical and Economic Aspects of Biomass Briquetting," *Sustainability*, vol. 12, no. 11, p. 4609, Jun. 2020, doi: 10.3390/su12114609.
- [89] M. León, J. Silva, S. Carrasco, and N. Barrientos, "Design, Cost Estimation and Sensitivity Analysis for a Production Process of Activated Carbon from Waste Nutshells by Physical Activation," *Processes*, vol. 8, no. 8, p. 945, Aug. 2020, doi: 10.3390/pr8080945.
- [90] I. Hamidah *et al.*, "Biomass-Based Supercapacitors Electrodes for Electrical Energy Storage Systems Activated Using Chemical Activation Method: A Literature Review and Bibliometric Analysis," *Indones. J. Sci. Technol.*, vol. 8, no. 3, pp. 439–468, Jun. 2023, doi: 10.17509/ijost.v8i3.60688.
- [91] J. Zhang, M. Gu, and X. Chen, "Supercapacitors for renewable energy applications: A review," *Micro Nano Eng.*, vol. 21, p. 100229, Dec. 2023, doi: 10.1016/j.mne.2023.100229.
- [92] *Breakeven analysis and short-term decision making*. [Online]. Available: [https://nscpolteksby.ac.id/ebook/files/Ebook/Accounting/Financial and Management Accounting An Introduction \(2006\)/Chapter20.pdf](https://nscpolteksby.ac.id/ebook/files/Ebook/Accounting/Financial and Management Accounting An Introduction (2006)/Chapter20.pdf)
- [93] A. H. Effendy, A. Setiawan, R. Dewi, L. Hakim, and R. Hasibuan, "Effect of Freeze-Drying Pre-treatment on the Properties of Activated Carbon Derived from Arabica Coffee Pulp," *Reaktor*, vol. 24, no. 3, pp. 82–93, Apr. 2025, doi: 10.14710/reaktor.24.3.82-93.
- [94] A. H. Effendy, A. Setiawan, R. Dewi, L. Hakim, and R. Hasibuan, "Effect of Freeze-Drying Pre-treatment on the Properties of Activated Carbon Derived from Arabica Coffee Pulp," *Reaktor*, vol. 24, no. 3, pp. 82–93, 2025, doi: 10.14710/reaktor.24.3.82-93.
- [95] S. Handoyo, H. Suharman, E. K. Ghani, and S. Soedarsono, "A business strategy, operational efficiency, ownership structure, and manufacturing performance: The moderating role of market uncertainty and competition intensity and its implication on open innovation," *J. Open Innov. Technol. Mark. Complex.*, vol. 9, no. 2, p. 100039, Jun. 2023, doi: 10.1016/j.joitmc.2023.100039.
- [96] Andy Smith, "Break-Even Analysis: Formula and Calculation," 2024. [Online]. Available: <https://www.investopedia.com/terms/b/breakevenanalysis.asp>
- [97] B. Surya, F. Menne, H. Sabhan, S. Suriani, H. Abubakar, and M. Idris, "Economic

Growth, Increasing Productivity of SMEs, and Open Innovation,” *J. Open Innov. Technol. Mark. Complex.*, vol. 7, no. 1, p. 20, Mar. 2021, doi: 10.3390/joitmc7010020.

- [98] S. Luanwuthi, P. Iamprasertkun, T. Akkharaamnuay, C. Kunyawut, A. Phukhrongthung, and C. Puchongkawarin, “Techno-economic and Environmental Assessment of Activated Carbon Electrodes for Supercapacitors from Oil Palm Leaves,” *ACS Sustain. Chem. Eng.*, vol. 12, no. 39, pp. 14446–14458, Sep. 2024, doi: 10.1021/acssuschemeng.4c04783.