

DAFTAR PUSTAKA

- [1] B. S. Kosemani, A. T. Ilori, and A. O. Atere, "Modification and Optimization of a Baking Oven for Small Scale Bread Production," *Agric. Sci.*, vol. 12, no. 06, pp. 630–644, 2021, doi: 10.4236/as.2021.126041.
- [2] R. E. P. Mochamad Chanifuddin Najib, "Analisa Hasil Penyusutan Kadar Air Temulawak Ditinjau Dari Waktu Pengeringan," *Reaktom Rekayasa Keteknikan dan Optimasi*, vol. 6, no. 2 SE-Articles, pp. 58–63, Dec. 2021, doi: 10.33752/reaktom.v6i2.2179.
- [3] W. S. Ramadhani, I. Paramudita, Q. Lailiyah, and P. Bakti, "Karakteristik Kinerja Kompor Gas Lpg Menggunakan Bahan Bakar Dme Dengan Variasi Diameter Nozzle Dan Tekanan Kerja Kompor," *J. Stand.*, vol. 22, no. 3, p. 199, 2020, doi: 10.31153/js.v22i3.813.
- [4] B. S. (BSN) Nasional, "SNI 3920:2013 Jagung," Jakarta : BSN, 2013.
- [5] B. S. N. (BSN), "SNI 01-2907-2008 Biji Kopi," Jakarta : BSN, 2008.
- [6] B. S. (BSN) Nasional, "SNI 3921:2018 Kacang Tanah," Jakarta : BSN, 2018.
- [7] Badan Standardisasi Nasional (BSN), "SNI 0224:1987 Gabah," Jakarta : BSN, 1987.
- [8] I. wayan Sudiarsa, P. Sugiartawan, I. G. I. Sudipa, N. M. Maharianingsih, and I. K. A. Putra, "Sistem Pengering Daun Kelor Berbasis Internet of Things dan Artificial Intteligence," *IJEIS (Indonesian J. Electron. Instrum. Syst.*, vol. 13, no. 2, p. 183, 2023, doi: 10.22146/ijeis.89823.
- [9] T. H. Handayani, "Aktivitas Antioksidan, Total Fenolik, dan Total Flavonoid Madu Apis mellifera dari Hutan Akasia (*Accacia crassicarpa*) Riau, Indonesia dengan Beberapa Perlakuan Pengeringan," *J. Biol. Indones.*, vol. 18, no. 2, pp. 231–243, 2022, doi: 10.47349/jbi/18022022/231.
- [10] M. Maerani *et al.*, "Optimasi Produksi Kerupuk Rumput Laut UMKM Winanaz Melalui Pembuatan Dan Penerapan SOP Produksi Dan Alat Pengering Berbasis Teknologi Tepat Guna," *I-Com Indones. Community J.*, vol. 4, no. 3, pp. 1766–1775, 2024, doi: 10.33379/icom.v4i3.4943.
- [11] S. Kittibunchakul, P. Temviriyankul, P. Chaikham, and V. Kemsawasd,

- “Effects of freeze drying and convective hot-air drying on predominant bioactive compounds, antioxidant potential and safe consumption of maoberry fruits,” *LWT*, vol. 184, p. 114992, Jul. 2023, doi: 10.1016/j.lwt.2023.114992.
- [12] M. L. Hakim *et al.*, “Solusi Meningkatkan Kesejahteraan Petani Kopi dengan Menggunakan Pengering Dingin untuk Mengeringkan Cascara,” *Sewagati*, vol. 6, no. 5 SE-, pp. 542–550, Aug. 2022, doi: 10.12962/j26139960.v6i5.162.
- [13] H. D. Windayati, “Analisisa Campuran Green Material Sebagai Alternatif Pembuatan Bata Ringan Untuk Pekerjaan Dinding,” *Infomanpro*, vol. 12, no. 1, pp. 31–40, 2023, doi: 10.36040/infomanpro.v12i1.6499.
- [14] H. Jeong, C.-K. Huh, H.-K. Ha, J. Kim, and I. Oh, “Development of an Emulsion Gel Containing Peanut Sprout Oil as a Fat Replacer in Muffins: Physicochemical, Tomographic, and Texture Properties,” *Gels*, vol. 9, no. 10, p. 783, Sep. 2023, doi: 10.3390/gels9100783.
- [15] A. L. Shurajji and S. W. Shneen, “Fuzzy Logic Control and PID Controller for Brushless Permanent Magnetic Direct Current Motor: A Comparative Study,” *J. Robot. Control*, vol. 3, no. 6, pp. 762–768, 2022, doi: 10.18196/jrc.v3i6.15974.
- [16] K. Kartika, J. Julsam, R. Sk, M. Mulyadi, and M. Misriana, “Oven Otomatis Untuk Memanggang Kue Bolu Marmer Berbasis PID,” *Proceeding Semin. Nas. Politek. Negeri Lhokseumawe*, vol. 3, no. 1, pp. 193–200, 2019.
- [17] R. U. Y. G. Sinaga and D. Moentamaria, “Pengaruh kadar air terhadap masa simpan olahan pangan dengan teknologi sterilisasi suhu tinggi,” *DISTILAT J. Teknol. Separasi*, vol. 10, no. 4, pp. 849–858, Dec. 2024, doi: 10.33795/distilat.v10i4.6640.
- [18] F. G. Sá *et al.*, “Comparative microwave- and conventional oven-assisted hydrothermal syntheses of BaTiO₃ nanoparticles for improved electroceramics,” *Ceram. Int.*, vol. 50, no. 6, pp. 9096–9104, Mar. 2024, doi: 10.1016/j.ceramint.2023.12.223.
- [19] C. Cano, X. Wei, C. A. Etaka, and B. D. Chaves, “Thermal inactivation of

- Salmonella on chicken wings cooked in domestic convection and air fryer ovens,” *J. Food Sci.*, vol. 87, no. 8, pp. 3611–3619, Aug. 2022, doi: 10.1111/1750-3841.16230.
- [20] T. Su, W. Zhang, Z. Zhang, X. Wang, and S. Zhang, “Energy utilization and heating uniformity of multiple specimens heated in a domestic microwave oven,” *Food Bioprod. Process.*, vol. 132, pp. 35–51, Mar. 2022, doi: 10.1016/j.fbp.2021.12.008.
- [21] A. D. Monde and M. Cannistraro, “Design and control intended low-order model for transient investigation of an electric oven: Static mode,” *Int. J. Heat Mass Transf.*, vol. 221, p. 125061, Apr. 2024, doi: 10.1016/j.ijheatmasstransfer.2023.125061.
- [22] C. Toumi, F. Chabane, A. Hecini, and Z. Aouissi, “Drying of beetroots (*Beta vulgaris* L.) using oven dryer,” *J. Appl. Eng. Sci. Technol.*, vol. 5, no. 1, Apr. 2025, doi: 10.69717/jaest.v5.i1.112.
- [23] H. Ö. Ü. Atalay, B. Özçelik, and İ. Güler, “A New Method of Medical Equipment Sterilization,” in *2022 Medical Technologies Congress (TIPTEKNO)*, IEEE, Oct. 2022, pp. 1–4. doi: 10.1109/TIPTEKNO56568.2022.9960158.
- [24] S. Bhattacharjee, P. Mohanty, J. K. Sahu, and J. N. Sahu, “A critical review on drying of food materials: Recent progress and key challenges,” *Int. Commun. Heat Mass Transf.*, vol. 158, p. 107863, Nov. 2024, doi: 10.1016/j.icheatmasstransfer.2024.107863.
- [25] D. Tanggasari and A. R. Jatnika, “Pengaruh Pengeringan Lapis Tipis Jagung (*Zea mays* L) sebagai Bahan Pakan dengan Suhu yang Berbeda,” *J. Keteknikan Pertan. Trop. dan Biosist.*, vol. 11, no. 1, pp. 73–81, Apr. 2023, doi: 10.21776/ub.jkptb.2023.011.01.07.
- [26] B. F. Nisrina and M. A. Aprialdi, “Pengaruh Jenis Pengeringan Terhadap Uji Organoleptik Penyedap Rasa Alami Berbahan Keong Sawah,” *J. Ilm. Pangan Halal*, vol. 5, no. 1, pp. 16–20, Apr. 2023, doi: 10.30997/jiph.v5i1.9997.
- [27] D. S. A. Delfiya, K. Prashob, S. Murali, P. V. Alfiya, M. P. Samuel, and R.

- Pandiselvam, "Drying kinetics of food materials in infrared radiation drying: A review," *J. Food Process Eng.*, vol. 45, no. 6, Jun. 2022, doi: 10.1111/jfpe.13810.
- [28] K. A. As Syukri, D. Perdana, M. I. M. Sulthon, and S. H. Sumarlan, "Analisis Pindah Panas Konduksi dan Konveksi pada Heat Exchanger Evaporator Efek Ganda pada Pengolahan Nira Tebu," *J. Ilm. Rekayasa Pertan. dan Biosist.*, vol. 11, no. 2, pp. 159–171, Sep. 2023, doi: 10.29303/jrpb.v11i2.221.
- [29] J.-C. Han and L. M. Wright, *Analytical Heat Transfer*. Boca Raton: CRC Press, 2022. doi: 10.1201/9781003164487.
- [30] B. Santoso, R. Rusnaldy, P. Paryanto, and S. Toriq, "Analisis Densitas, Laju Keausan Dan Konduktivitas Termal Brake Pad Berbasis Tembaga Untuk Kereta Api Cepat 160 Km/Jam Menggunakan Test Rig," *ROTASI*, vol. 27, no. 2, pp. 1–10, doi: <https://doi.org/10.14710/rotasi.27.2.%p>.
- [31] A. Malvandi, H. Feng, and M. Kamruzzaman, "Application of NIR spectroscopy and multivariate analysis for Non-destructive evaluation of apple moisture content during ultrasonic drying," *Spectrochim. Acta Part A Mol. Biomol. Spectrosc.*, vol. 269, p. 120733, Mar. 2022, doi: 10.1016/j.saa.2021.120733.
- [32] A. Yusuf, W. K. Sugandi, and Z. Zaida, "Karakteristik Fisik Dan Mekanik Beberapa Varietas Hanjeli Sebagai Dasar Mendesain Komponen Mesin," *Agroteknika*, vol. 4, no. 1, pp. 20–29, Jun. 2021, doi: 10.32530/agroteknika.v4i1.79.
- [33] N. Rosyidah and K. Sa'diyah, "Pengaruh berbagai jenis biomassa terhadap hasil asap cair pada pirolisis," *DISTILAT J. Teknol. Separasi*, vol. 8, no. 4, pp. 900–908, May 2023, doi: 10.33795/distilat.v8i4.443.
- [34] E. Purlis, C. Cevoli, and A. Fabbri, "Modelling Volume Change and Deformation in Food Products/Processes: An Overview," *Foods*, vol. 10, no. 4, p. 778, Apr. 2021, doi: 10.3390/foods10040778.
- [35] F. A. Lestari *et al.*, "Sistem Pengendali Mesin Solar Cells Automatic Tabber Stringer pada Penyolderan String di PT . Indonesia Solar Global," vol. 1, no. 5, pp. 543–552, 2022, doi: 10.55123/insologi.v1i5.856.

- [36] K. Kartika and Y. Fauzan, "Moringa Leaf Dryer Oven System Using Fuzzy Logic Method," *Int. J. Eng. Sci. Inf. Technol.*, no. Vol 3, No 1 (2023), pp. 15–21, 2023, [Online]. Available: <https://ijesty.org/index.php/ijesty/article/view/405/240>
- [37] I. P. Aryawan, K. D. Sukariawan, G. R. T. Wiguna, and I. P. F. Astika, "Sistem Kendali Analog Sensor Suhu Dalam Prototipe," no. November, pp. 9–11, 2020.
- [38] A. J. Hidayat, I. Marzuki, and I. Wicaksono, "Rancang Bangun Pengendali Temperature Berbasis Arduino Uno Pada Ketel UAP di Pabrik Gula Wonolangan," *J. JISE*, vol. 1, no. 1, pp. 17–22, 2022.
- [39] F. Feryanti, F. Pratiwi, N. Biopari, and E. Silaban, "Smart Bag Pendeteksi Berat yang Dilengkapi dengan Sensor Load Cell dengan Metode Brainstorming," *Talent. Conf. Ser. Energy Eng.*, vol. 6, no. 1, pp. 365–370, 2023, doi: 10.32734/ee.v7i1.2194.
- [40] I. Sugriwan, A. S. Ramdhani, A. E. Fahrudin, and Suryajaya, "Data acquisition system in measuring carbon dioxide, humidity and temperature: Design and fabrication," *IOP Conf. Ser. Earth Environ. Sci.*, vol. 758, no. 1, 2021, doi: 10.1088/1755-1315/758/1/012015.
- [41] Y. Zhang, F. Liu, Z. Lu, Y. Wei, and H. Wang, "Multi-anemometer optimal layout and weighted fusion method for estimation of ship surface steady-state wind parameters," *Ocean Eng.*, vol. 266, p. 112793, Dec. 2022, doi: 10.1016/j.oceaneng.2022.112793.
- [42] M. R. Bryce, "Oner, S., & Bryce, M. R. (2023). A review of fused-ring carbazole derivatives as emitter and/or host materials in organic light emitting diode (OLED) applications. *Materials Chemistry Frontiers.*" pp. 4304–4338, 2023, doi: 10.1039/d3qm00399j.
- [43] M. R. Siregar, A. Bintoro, and R. Putri, "Sistem Monitoring Suhu dan Kelembaban pada Penyimpanan Gabah untuk Menjaga Kualitas Beras Berbasis Internet of Things (IoT)," vol. 10, pp. 14–17, 2021.
- [44] S. Budang and W. Yuniarto, "Rancang Bangun Sistem Kontrol Mini Manufacture Mesin Pencetak Kerupuk Basah Berbasis Programmable Logic

Controller (PLC) Outsel,” vol. 5, no. 2, pp. 50–57, 2024.

- [45] I. A. Putra, N. Russitta, and K. Wulandari, “Rekonstruksi Video Pembelajaran Project Based Learning (PjBL) Berbasis Pendekatan Science , Technology , Engineering And Mathematic (STEM),” vol. 5, no. 1, pp. 8–16, 2023.