

DAFTAR PUSTAKA

1. Hicks CW, Selvin E. Epidemiology of Peripheral Neuropathy and Lower Extremity Disease in Diabetes. *Physiol Behav.* 2019;176(3):139–148.
2. Borbjerg MK, Wegeberg AM, Nikontovic A, Mørch CD, Arendt-Nielsen L, Ejsskjaer N, et al. Understanding the impact of diabetic peripheral neuropathy and neuropathic pain on quality of life and mental health in 6,960 people with diabetes. *Diabetes Care.* 2025;48(4):588-595.
3. Pop-Busui R, Boulton AJM, Feldman EL, Bril V, Freeman R, Malik RA, et al. Diabetic neuropathy: A position statement by the American Diabetes Association. *Diabetes Care.* 2017;40(1):136–154.
4. International Diabetes Federation. *IDF Diabetes Atlas*. 11th ed. Brussels, Belgium: International Diabetes Federation; 2025.
5. Bodman MA, Dreyer MA, Varacallo MA. Diabetic Peripheral Neuropathy. *Pract Guid to Chronic Pain Syndr.* 2024;1–14.
6. Harsa IMS, Mulyasari NPI. Studi Literatur Hubungan Antara Lamanya Menderita Diabetes Melitus Dengan Terjadinya Neuropati Diabetik. *Semin Nas Cosm Kedokt.* 2023;102–109.
7. Amelia R, Lelo A, Lindarto D, Mutiara E. Quality of life and glycemic profile of type 2 diabetes mellitus patients of Indonesian: A descriptive study. *IOP Conf Ser Earth Environ Sci.* 2018;125(1):012195.
8. Nanayakkara N, Pease A, Ranasinha S, Wischer N, Andrikopoulos S, Speight J, et al. Depression and diabetes distress in adults with type 2 diabetes: Results from the Australian National Diabetes Audit (ANDA) 2016. *Sci Rep.* 2018;8(1):7846.
9. Suharni, Kusnadi DT, Zulkarnaini A. Karakteristik faktor-faktor risiko terjadinya neuropati diabetik pada pasien diabetes melitus tipe 2 di RSI Siti Rahmah Padang tahun 2019–2020. *Sci J.* 2022;1(2):94–100.
10. Pouwer F, Mizokami-Stout K, Reeves ND, Pop-Busui R, Tesfaye S, Boulton AJM, et al. Psychosocial care for people with diabetic neuropathy: Time for action. *Diabetes Care.* 2024;47(1):17–25.
11. Zalukhu ML, Pinzon RT, Adnyana KSG. The Profile and Determinant Factors of Quality of Life in Patients with Diabetic Neuropathy. *Kesmas Natl Public Health J.* 2017;12(1):38–42.
12. Vileikyte L. Quality of life of persons with painful diabetic neuropathy: How can we improve it? *Diabetes Res Clin Pract.* 2023;206(S1):110756
13. D’Amato C, Morganti R, Greco C, et al. Diabetic peripheral neuropathic pain is a stronger predictor of depression than other diabetic complications and comorbidities. *Diabetes Vasc Dis Res.* 2016;13(6):418–428.
14. Gharaibeh B, Baniyones A, Abuhammad S, Mehrass AAKO. Depression among outpatients with diabetic peripheral neuropathy: Prevalence and associated factors. *Futur Sci OA.* 2025;11(1).
15. Feldman EL, Callaghan BC, Pop-Busui R, et al. Diabetic neuropathy. *Nat Rev Dis Primers.* 2019;5(1):42
16. Pfannkuche A, Alhajjar A, Ming A, Walter I, Piehler C, Mertens PR. Prevalence and risk factors of diabetic peripheral neuropathy in a diabetics

- cohort: Register initiative “diabetes and nerves.” *Endocr Metab Sci*. 2020;1(1–2):0–26.
17. Yang Y, Zhao B, Wang Y, Lan H, Liu X, Hu Y, et al. Diabetic neuropathy: cutting-edge research and future directions. *Signal Transduct Target Ther* [Internet]. 2025;10(1). Available from: <http://dx.doi.org/10.1038/s41392-025-02175-1>
 18. Ahmed R, Dhal AC. Diabetic peripheral neuropathy in clinical practice. Kolkata: Wordeus Books; 2022.
 19. Jensen TS. The pathogenesis of painful diabetic neuropathy and clinical presentation. *Diabetes Res Clin Pract*. 2023;206(S1):110753
 20. Carvajal-Moreno L, Coheña-Jiménez M, García-Ventura I, Pabón-Carrasco M, Pérez-Belloso AJ. Prevention of Peripheral Distal Polyneuropathy in Patients with Diabetes: A Systematic Review. *J Clin Med*. 2022;11(6).
 21. Costa RHR, Cardoso NA, Procópio RJ, Navarro TP, Dardik A, de Loiola Cisneros L. Diabetic foot ulcer carries high amputation and mortality rates, particularly in the presence of advanced age, peripheral artery disease and anemia. *Diabetes Metab Syndr Clin Res Rev* [Internet]. 2017;11:S583–7.
 22. Abbas ZG, Chockalingam N, Lutale JK, Naemi R. Predicting the risk of amputation and death in patients with diabetic foot ulcer: A long-term prospective cohort study of patients in Tanzania. *Endocrinol Diabetes Metab*. 2022;5(3).
 23. Jiang FH, Liu XM, Yu HR, Qian Y, Chen HL. The incidence of depression in patients with diabetic foot ulcers: A systematic review and meta-analysis. *Int J Low Extrem Wounds*. 2022;21(2):161–173.
 24. Khunkaew S, Fernandez R, Sim J. Health-related quality of life among adults living with diabetic foot ulcers: A meta-analysis. *Qual Life Res* [Internet]. 2019;28(6):1413–1427.
 25. Bin Rakhis SA, AlDuwayhis NM, Aleid N, et al. Glycemic control for type 2 diabetes mellitus patients: A systematic review. *Cureus*. 2022;14(6):6–13.
 26. The WHOQOL Group. The World Health Organization Quality of Life Assessment (WHOQOL): Position paper from the World Health Organization. *Soc Sci Med*. 1995;41(10):1403–1409.
 27. The WHOQOL Group. Measuring quality of life: The World Health Organization Quality of Life Instruments. *Psychol Med*. 1998;28(3):551–558
 28. Ramadani IR, Islam U, Rozzaq BK, et al. Depresi, penyebab dan gejala depresi. *Bersatu J Pendidik Bhinneka Tunggal Ika*. 2024;2(2):89–99.
 29. Bartoli F, Carrà G, Crocamo C, et al. Association between depression and neuropathy in people with type 2 diabetes: A meta-analysis. *Int J Geriatric Psychiatry*. 2016;31(8):829–836.
 30. Asim R, Asim M, Reddy R, et al. Screening for depression as part of annual diabetic review using PHQ-9 scores: A pilot study. *Prim Health Care Res Dev*. 2023;24:0–2.
 31. Assessment G. and Hyperglycemic Crises : Standards of Care in Diabetes — 2026. 2026;49(January):132–149.
 32. World Health Organization. *WHOQOL-BREF: Introduction*,

- Administration, Scoring and Generic Version of the Assessment*. Geneva: World Health Organization; 1996
33. Dian CN, Effendy E, Amin MM. The Validation of Indonesian Version of Patient Health. 2022;10:193–198.
 34. Rosita PE, Kurniawati PM, Utomo DN. Profile of Age , Gender , and Body Mass Index in Patient with Knee Osteoarthritis in Surabaya. 2021;3(1).
 35. Handayani P, Katherine. Gambaran kualitas hidup wartawan yang meliputi saat pandemi COVID-19. *J Ilm Psikol MIND SET*. 2021;1(1):11–24.
 36. World Health Organization. *WHOQOL-BREF: Introduction, Administration, Scoring and Generic Version of the Assessment*. Geneva: World Health Organization; 1996. p. 10–15.
 37. Kroenke K, Spitzer RL, Williams JBW. The PHQ-9: Validity of a brief depression severity measure. *J Gen Intern Med*. 2001;16(9):606–613
 38. Mawaddah, Susmiati, Lenggogeni DP. Gambaran karakteristik pasien dengan neuropati diabetik pada diabetes melitus tipe 2. *REAL in Nursing Journal*. 2022;5(3):207–213.
 39. Rahmi AS, Syafrita Y, Susanti R. Hubungan lama menderita DM tipe 2 dengan kejadian neuropati diabetik. 2022;003.
 40. Karki D, Nagila A, Dhakal N, Chhetri S. Prevalence of peripheral neuropathy in diabetes mellitus and its association with therapy, ethnicity and duration of diabetes mellitus. *Journal name*. 2019;10(1):72–76
 41. Fakkal TM, Çakici N, Coert JH, Verhagen AP, Bramer WM, van Neck JW. Risk factors for developing diabetic peripheral neuropathy: a meta-analysis. *SN Comprehensive Clinical Medicine*. 2020;2:1853–1864.
 42. Samu AM, Amirthalingam PS, Mohammed OS. Assessment of patient medication adherence among type 2 diabetes mellitus population with peripheral diabetic neuropathy in South India. *Journal of Taibah University Medical Sciences*. 2017;12(2):164–168.
 43. Lambrinoudaki I, Paschou SA, Armeni E, Goulis DG. The interplay between diabetes mellitus and menopause: clinical implications. *Nat Rev Endocrinol*. 2022;18(2):83–94.
 44. Trifa Sekar H, Purwanti S. Hubungan neuropati diabetik dengan kualitas tidur pada penderita diabetes mellitus di wilayah kerja Puskesmas Bendosari Sukoharjo. 2024;18(5):567–576.
 45. American Diabetes Association. Glycemic targets: Standards of care in diabetes—2023. *Diabetes Care*. 2023;46(Suppl 1):S97–S110.
 46. Marsiano AV, Wahyuliati T. Hubungan kadar HbA1c dengan neuropati diabetik pada pasien diabetes melitus. *Mutiara: Multidisciplinary Scientific Journal*. 2025;3(1):62–70.
 47. Debbyousha M, Fardian N, Khairunnisa C, Zara N, Rahayu MS. Pengenalan dan pengelolaan diabetes melitus dari hulu ke hilir pada tenaga kesehatan pengelola Prolanis. *Academica: Jurnal Pengabdian Kepada Masyarakat*. 2025;3(2):452–460.
 48. Khiero MA, Alshahrani AA, Jabali SH, Alyahya YA, Alamri MM. Prevalence of depression among diabetic patients attending the Armed Forces Hospital, Southern Region, Saudi Arabia: A prospective

- cross-sectional study. *J Family Med Prim Care* 2024;13:323-9.
49. Wei K, Gu M, Zhu J, Hu H, Yin L. Current views of diabetic peripheral neuropathic pain comorbid depression: a review. *European Review for Medical and Pharmacological Sciences*. 2020;24:10663–10670.
 50. Torta R, Ieraci V, Zizzi F. A review of the emotional aspects of neuropathic pain: from comorbidity to co-pathogenesis. *Pain Therapy*. 2017;6(Suppl 1):S11–S17.
 51. Instructions for Patient Health Questionnaire (PHQ) and GAD-7 measures. *Measures and Outcomes / Instrument Reference*. n.d.:1–9.
 52. Perveen W, Ahsan H, Shahzad R, Fayyaz S, Zaif A, Paracha MA, Nuhmani S, Khan M, Alghadir AH. Prevalence of peripheral neuropathy, amputation, and quality of life in patients with diabetes mellitus. *Scientific Reports*. 2024;14:14430.
 53. Alghamdi M, Owolabi LF, Adamu B, Taura MG, Jibo A, Almansour M, Alaklabi SN, Alghamdi MA, Imam IA, Abdelrazak R, Rafaat A, Aliyu MH. Disease-specific quality of life in patients with diabetic neuropathy. *Saudi Medical Journal*. 2022;43(4):408–417
 54. Amin MF, Bhowmik B, Rouf R, Khan MI, Tasnim SA, Afsana F, Sharmin R, Hossain KN, Khan MAS, Amin SM, Khan MS, Pathan MF, Hasan MJ. Assessment of quality of life and its determinants in type 2 diabetes patients using the WHOQOL-BREF instrument in Bangladesh. *BMC Endocrine Disorders*. 2022;22:162
 55. Homady A, Albasheer O, Bajawi A, Hamdi S, Awaf A, Madkhali T, Sabai A, Zaino MR, Somaili M. Health-related quality of life among type 2 diabetes patients in Southern Province of Saudi Arabia using WHOQOL-BREF: a cross-sectional study. *Current Diabetes Reviews*. 2023;19(7):e211222212099.
 56. Swaroop S, Ranjan J, Taywade M, Kumar B. Quality of life and its determinants among ambulatory diabetic patients attending NCD prevention clinic: a cross-sectional study from Eastern India. *Clinical Epidemiology and Global Health*. 2023;21:101275.
 57. An J, Nichols GA, Qian L, Harrison TN, Li Z, Munis MA, et al. Time in suboptimal glycemic control over 10 years for patients newly diagnosed with type 2 diabetes. *J Diabetes Complications*. 2020;34(8):107607.
 58. Rasmussen MP, Aabenhus R, Siersma V, Rasmussen K, Køster-Rasmussen R. Changes in HbA1c during the first six years after the diagnosis of type 2 diabetes mellitus predict long-term microvascular outcomes. *PLoS One*. 2019;14(11):e0225230.
 59. Liu X, Li Y, Guan L, He X, Zhang H, Zhang J, et al. A systematic review and meta-analysis of the prevalence and risk factors of depression in type 2 diabetes patients in China. 2022;9(May)
 60. Mosili P, Mkhize BC, Sibiya NH, Ngubane PS, Khathi A. Review of the direct and indirect effects of hyperglycemia on the HPA axis in type 2 diabetes mellitus and the co-occurrence of depression. 2024:1–9.
 61. Khaledi M, Haghighatdoost F, Feizi A, Aminorroaya A. The prevalence of comorbid depression in patients with type 2 diabetes: an updated systematic

- review and meta-analysis on a huge number of observational studies. *Acta Diabetol.* 2019.
62. Jing X, Chen J, Dong Y, Han D, Zhao H, Wang X, et al. Related factors of quality of life of type 2 diabetes patients : a systematic review and meta-analysis. 2018;1–14.
 63. Teli M, Thato R, Rias YA. Predicting Factors of Health-Related Quality of Life Among Adults With Type 2 Diabetes : A Systematic Review. 2023;
 64. Patil S, Patil Y, Patil SK, et al. Assessment of quality of life in type 2 diabetes mellitus patients and appraisal of diabetes scale: a cross-sectional study. 2021;15:164–169
 65. Wong FY, Yang L, Yuen JWM, Chang KKP, Wong FKY. Assessing quality of life using WHOQOL- BREF : a cross-sectional study on the association between quality of life and neighborhood environmental satisfaction , and the mediating effect of health-related behaviors. 2018;1–14.
 66. Maftai D, Krebs M, Stingl H. Assessing the quality of life among patients with diabetes in Austria and the correlation between glycemic control and quality of life. *Prim Care Diabetes.* 2019
 67. Cepeda JL, Ruiz-Matuk C, Mota M, Porto JS, Ramos A, et al. Quality of life and metabolic control in individuals diagnosed with type 2 diabetes mellitus. *Diabetes Metab Syndr.* 2019;13:2827–2832
 68. Qi X, Xu J, Chen G, Liu H, Liu J, Wang J, et al. Self - management behavior and fasting plasma glucose control in patients with type 2 diabetes mellitus over 60 years old : multiple effects of social support on quality of life. *Health Qual Life Outcomes* [Internet]. 2021;1–15.
 69. Onu DU. Social support buffers the impacts of Diabetes distress on health-related quality of life among type 2 diabetic patients. 2021;
 70. Al-dwaikat TN, Rababah JA, Al-hammouri MM, Chlebowy DO. Social Support , Self-Efficacy , and Psychological Wellbeing of Adults with Type 2 Diabetes. 2020;
 71. Kolari V, Raheli V. The quality of life of caregivers of people with type 2 diabetes estimated using the WHOQOL-BREF questionnaire. 2023:430–439
 72. Wahyuni S, Prasetyowati CD, Pujiastutik YE. Factors associated with glycemic control among patients with type 2 diabetes mellitus: A cross-sectional study. *Jurnal Keperawatan Komprehensif.* 2023;9(4):438–445
 73. Mulyanto J, Wibowo Y, Ernawati DA, et al. Exploring inequalities in the use, quality, and outcome of the diabetes management program of Indonesian National Health Insurance. *Health Equity.* 2023.
 74. Duarte FG, Moreira S, Almeida CC, Teles CADS, Andrade CS, Reingold AL, et al. Sex differences and correlates of poor glycaemic control in type 2 diabetes : a cross-sectional study in Brazil and Venezuela. 2019;
 75. Mauvais-jarvis F, Manson JE, Stevenson JC, Fonseca VA. ADVANCE ARTICLE : Endocrine Reviews. 2017;
 76. Gorczyca-siudak D, Makara-studzińska M. Demographic and Clinical Factors Associated with Depression in 140 Hospitalized Diabetic Patients

- with Distal Symmetric Polyneuropathy Evaluated Using Beck Depression Inventory and 6-Item Neuropathy Total Symptom Score Questionnaire. 2023;1–8.
77. Tudies S, Alghafri RM, Gatt A, Formosa C. DIABETIC ORIGINAL DATA Depression Symptoms in Patients with Diabetic Peripheral Neuropathy. 2020;35–40.
 78. Pouwer F, Mizokami-stout K, Reeves ND, Pop-busui R, Tesfaye S, Boulton AJM. Psychosocial Care for People With Diabetic Neuropathy : Time for Action Psychosocial Care for People With Diabetic Neuropathy : Time for Action. 2024;47(1):17–25.
 79. Omar SM, Musa IR, Idrees MB, Adam I. Prevalence of depression and associated factors among patients with type 2 diabetes mellitus in eastern Sudan. 2021;1–8.
 80. Beran M, Muzambi R, Geraets A, Albertorio- JR, Marcel D, Marjolein CA. The bidirectional longitudinal association between depressive symptoms and HbA 1c : A systematic review and analysis. 2022;(January 2021):1–11.
 81. Alzoubi A, Abunaser R, Khassawneh A, Alfaqih M, Khasawneh A, Abdo N. The bidirectional relationship between diabetes and depression: A literature review. *Korean J Fam Med*. 2018;39(3):137–146.
 82. Shamshirgaran SM, Mamaghanian A, Aliasgarzadeh A, Aiminisani N, Ataie J. Age differences in diabetes-related complications and glycemic control. 2017;1–7.
 83. Chia CW, Egan JM, Ferrucci L. Age-related changes in glucose metabolism, hyperglycemia, and cardiovascular risk. *Circ Res*. 2018;123(7):886–904.
 84. Shofiyati I. An overview of depression tendencies in patients with type 2 diabetes mellitus in Kebonsari Primary Healthcare Center, Surabaya City. *Indonesian J Public Health*. 2020;15(3):339–347.
 85. Darwish L, Beroncal E, Sison MV, Swardfager W. Depression in people with type 2 diabetes: current perspectives. *Diabetes Metab Syndr Obes*. 2018;11:333–343.