

DAFTAR PUSTAKA

- Ain, Q., Mushtaq, W., Shadab, M., & Siddiqui, M. B. (2023). Allelopathy: An alternative tool for sustainable agriculture. *Physiology and Molecular Biology of Plants*, 29(4), 495–511.
- Akazawa, M., & Kato-Noguchi, H. 2023. Allelopathic Characteristic of a Noxious Weed *Leptochloa chinensis*. *Environmental Control in Biology*, 61(3), 59–62. <https://doi.org/10.2525/ecb.61.59>.
- Akhtar, N., Shadab, M., Bhatti, N., & Ansari, M. S. (2024). Biotechnological frontiers in harnessing allelopathy for sustainable crop production. *Functional & Integrative Genomics*.
- Amila, S. N. S., Respatie, D. W., & Wulandari, R. A. (2025). Potensi Ekstrak Daun Jati (*Tectona grandis* L. f.) sebagai Bioherbisida Gulma Teki (*Cyperus rotundus* L.) dan Gulma Siam (*Chromolaena odorata* L.).
- Auliana, R., Susilawati, & Haryati, Y. (2023). Potensi alelopati beberapa ekstrak tumbuhan terhadap pertumbuhan gulma dan peluang pengembangannya sebagai bioherbisida. *Jurnal Agronomi Indonesia*, 51(3), 245–253.
- Babiaka, S. B., Moumbock, A. F. A., Günther, S., & Ntie-Kang, F. (2021). Natural products in *Cyperus rotundus* L. (Cyperaceae): An update of the chemistry and pharmacological activities. *RSC Advances*, 11, 15060–15077.
- Bhowmik, P. C. (2022). Bioavailability of allelochemicals in soil environment under climate change: Challenges and perspectives. *Indian Journal of Weed Science*, 54(4).
- Cahyati, N. 2018. Pengaruh ekstrak alang-alang (*Imperata cylindrica* L.) terhadap pertumbuhan tanaman gulma *Ageratum conyzoides* L (Skripsi). Universitas Islam Raden Intan Lampung, Lampung, Indonesia.
- Carvalho, M. S. S., Andrade-Vieira, L. F., dos Santos, F. E., Correa, F. F., das Graças Cardoso, M., & Vilela, L. R. 2019. Allelopathic potential and phytochemical screening of ethanolic extracts from five species of *Amaranthus* spp. in the plant model *Lactuca sativa*. *Scientia Horticulturae*, 245, 90–98.
- Chairannisa, D., & Chozin, M. A. 2018. Keefektifan Konsentrasi dan Jenis Pelarut Tepung Umbi Teki (*Cyperus rotundus* L.) sebagai Bioherbisida Pratumtumbuh untuk Pengendalian Gulma *Asystasia gangetica* (L.) T. Anderson. *Buletin Agrohorti*, 6(2), 163–170.
- Cheng, F., & Cheng, Z. (2015). Research progress on the use of plant allelopathy

- in agriculture and the physiological and ecological mechanisms of allelopathy. *Frontiers in Plant Science*, 6, 1020.
- Cheng, F., Cheng, Z., Meng, H., & Sun, Y. (2018). Allelopathy, a promising strategy for sustainable weed management. *Plant Physiology and Biochemistry*, 132, 531–539.
- Erida, G., Saidi, N., & Hasanuddin. (2019). Allelopathic screening of several weed species as potential bioherbicides. *IOP Conference Series: Earth and Environmental Science*, 334, 012034.
- Fatmawati, S., Putri, D. A., Annuur, R. M., & Hidayat, F. 2020. Bioaktivitas dan konstituen kimia tanaman obat indonesia. Deepublish.
- Febrisusanto, P. A. 2017. Pola Keanekaragaman Gulma pada Ruas Jalan A. Yani Hingga Jalan J. Basuki Rahmat Median Jalan Kota Malang. Universitas Brawijaya.
- Haerani, N. 2025. Efektivitas Ekstrak Akar Alang Alang dan Teki sebagai Bioherbisida Gulma pada Tanaman Cabai Rawit (*Capsicum frutescens* L .) Efektiveness Of Alang – Alang And Teki Root Extracts As Weed Bioherbicides On Cayenne Pepper Plants (*Capsicum frutescens* L .). 11, 5–11.
- Harahap, W. U., Nurhajjah, N., & Fadhillah, W. 2022. Identifikasi perubahan fenologi gulma akibat paparan herbisida glifosat dan parakuat dengan dosis yang berbeda. *agrium: Jurnal Ilmu Pertanian*, 25(2), 116–121.
- Hayyat, M. S., Safdar, M. E., & Javaid, M. M. 2021. The allelopathicity of red sprangletop (*Leptochloa chinensis* L.) against germination and seedling growth of rice (*Oryza sativa* L.). *Journal of Weed Science Research*, 27(2), 139–152.
- Hoesain, M., Hasjim, S., Widodo, N., & Harsita, P. A. 2019. Analisis nilai penting gulma pada tanaman padi dalam rangka pemilihan pengendalian ramah lingkungan. *Agrimeta: Jurnal Pertanian Berbasis Keseimbangan Ekosistem*, 9(17).
- Inderjit, & Duke, S. O. (2003). Ecophysiological aspects of allelopathy. *Planta*, 217(4), 529–539.
- Ishfaq, M., Batool, Z., Zulfiqar, U., Ahmad, M., & Haider, F. U. (2025). A Global Perspective on the Biology, Impacts and Management Options of *Leptochloa chinensis*, a Noxious Weed of Direct-seeded Rice—A Review. *Journal of Crop Health*.
- Kato-Noguchi, H. (2022). Allelopathy and Allelochemicals of *Imperata cylindrica*

- as an Invasive Plant Species. *Plants*, 11(19), 2551.
- Li, Z. H., Wang, Q., Ruan, X., Pan, C. D., & Jiang, D. A. (2010). *Phenolics and Plant Allelopathy. Molecules*, 15(12), 8933–8952.
- Liu, S., Cao, Z., Lun, J., Zhang, C., & Pan, L. 2025. Rapid detection of ACCase W2027C mutation in *Leptochloa chinensis* (L.) Nees using raa-crispr/Cas12a: a sensitive and visual tool for herbicide resistance diagnosis. *Pest Management Science*.
- Mardhiana, M., Nurbaiti, & Yulia, A. E. (2022). Pemanfaatan herbisida nabati sebagai alternatif pengendalian gulma yang ramah lingkungan. *Jurnal Agroteknologi Tropika*, 10(2), 161–169.
- Morimoto, M., & Komai, K. (2006). Plant growth inhibitors: Patchoulane-type sesquiterpenes from *Cyperus rotundus* L. *Allelopathy Journal*, 18(2), 117–126.
- Motmainna, M., Juraimi, A. S., Ahmad-Hamdani, M. S., et al. (2023). Allelopathic potential of tropical plants—A review. *Agronomy*, 13(8), 2063.
- Motmainna, M., Juraimi, A. S., Che'Ya, N. N., et al. (2025). Sustainable weed management in rice to ensure food security: a review. *ACS Agricultural Science & Technology*.
- Motmainna, M., Juraimi, A. S., Uddin, M. K., Asib, N. B., et al. (2021). Assessment of allelopathic compounds to develop new natural herbicides: A review. *Allelopathy Journal*.
- Muazam, A., Muliadi, A., & Rosida, N. 2020. Efikasi Alelopati Teki Formulasi Cairan Terhadap Populasi Wereng Hijau pada Padi Taichung Native yang Rentan Terhadap Virus Tungro. *Prosiding Seminar Nasional Gorontalo*, June, 561–567.
- Othman, S. H., Lazim, Z. S., et al. (2023). Allelopathic potential of aqueous plant extracts against seed germination and seedling growth of weeds. *IOP Conference Series: Earth and Environmental Science*, 1262, 032041.
- Pujisiswanto, H. (2025). Efektivitas ekstrak kulit umbi ubi jalar pada perkecambahan biji dan pertumbuhan gulma jajagoan (*Echinochloa crus-galli*). *Jurnal Agrotek Tropika*.
- Purba, D. P., Zahroh, Z. A., & Knaofmone, E. 2025. Identifikasi Keanekaragaman Gulma Di Lahan Percobaan Watu Alo. *Seminar Nasional Integrasi Pertanian Dan Peternakan*, 3(1), 343–353.

- Rahim, F. 2018. Formulasi Bedak Tabur Dari Ekstrak Rimpang Rumput Teki (*Cyperus Rotundus* L.) Sebagai Antiseptik. Jurnal Ipteks Terapan, 12(1), 1–8.
- Rahmadani, F. (2025). Pengaruh Bioherbisida Ekstrak Gulma Babandotan (*Ageratum conyzoides* L.) Terhadap Pertumbuhan Gulma Pada Tanaman Kacang Hijau (*Vigna radiata* L.). Universitas Malikussaleh.
- Rice, E. L. (1984). Allelopathy (2nd ed.). Orlando: Academic Press.
- Ridi, N. A. M., Yusoff, N., Sahrir, M. A. S., & Azizan, K. A. (2025). Unveiling Global Trends in Bioherbicide Research for Allelopathic Weed Control: A Bibliometric Analysis from 2002–2022.
- Roberts, J., Florentine, S., Fernando, W. G. D., & George, D. (2022). Achievements, developments and future challenges in the field of bioherbicides for weed control: A global review.
- Saitun, E. S., Hanum, F., & Raka, I. D. N. 2020. Identifikasi Dan Analisis Populasi Gulma Pada Budidaya Tanaman Padi Organik Dan Non Organik. Agrimeta, 10(20), 13–17.
- Sastroutomo, S. S. (1990). Ekologi Gulma. Jakarta: Gramedia Pustaka Utama.
- Saylendra, A., Eka, W., & Rohmawati, I. 2024. Analisis Vegetasi Gulma pada Pertanaman Jagung (*Zea mays* L .) Fase Vegetatif di Kecamatan Cipocok Jaya Kota Serang. AgroSainTa, 8(2), 111–120.
- Scavo, A., Restuccia, A., Mauromicale, G., & Anastasi, U. (2019). Allelopathy: General principles and basic aspects for agroecosystem control. Sustainability, 11(18), 4967.
- Siregar, E. N., Nugroho, A., & Soelistyono, R. 2017. Uji alelopati ekstrak umbi teki pada gulma bayam duri (*Amaranthus spinosus* L.) dan pertumbuhan tanaman jagung manis (*Zea mays* L. *saccharata*). Brawijaya University.
- Snow, N., Peterson, P. M., Romaschenko, K., & Simon, B. K. 2018. Monograph of Diplachne (Poaceae, Chloridoideae, Cynodonteae). PhytoKeys, 93, 1.
- Ssempijja, F., Dare, S. S., Bukenya, E. E. M., Kasozi, K. I., Kenganzi, R., Fernandez, E. M., & Vicente-Crespo, M. 2023. Attenuation of Seizures, Cognitive Deficits, and Brain Histopathology by Phytochemicals of *Imperata cylindrica* (L.) P. Beauv (*Poaceae*) in Acute and Chronic Mutant *Drosophila melanogaster* Epilepsy Models. Journal of Evidence-Based Integrative Medicine, 28(September).

- Sulistiani, A. I., Chozin, M. A., & Guntoro, D. (2021). The effectiveness of bioherbicide made from nutsedge tuber powder (*Cyperus rotundus* L.) in various dosage and application time
- Susilo, E., Parwito, P., & Sari, D. N. (2025). Sorghum Allelochemistry and Its Use as a Bioherbicide: A Comprehensive Review. pucuk: Jurnal Ilmu Pertanian.
- Tustiyani, I., Nurjanah, D. R., Maesyaroh, S. S., & Mutakin, J. 2019. Identifikasi keanekaragaman dan dominansi gulma pada lahan pertanaman jeruk (*Citrus* sp.). *Kultivasi*, 18(1), 779–783.
- Weston, L. A., & Duke, S. O. (2003). Weed and crop allelopathy. *Critical Reviews in Plant Sciences*, 22(3–4), 367–389.
- Xuan, T. D., Shinkichi, T., Khanh, T. D., & Chung, I. M. (2005). Biological control of weeds and plant pathogens in paddy rice by exploiting plant allelopathy: An overview. *Crop Protection*, 24(3), 197–206.
- Yanti, M., . I., & . D. 2016. Pengaruh Zat Alelopati Dari Alang-Alang Terhadap Pertumbuhan Semai Tiga Spesies Akasia. *Jurnal Sylva Lestari*, 4(2), 27.
- Yulianingsih, Y., Amiarsih, D., Tahir, R., & Diharjo, S. S. 2006. Seleksi Jenis Bunga untuk Produksi Mutu Minyak Mawar. *Jurnal Hortikultura*, 16(4), 81857