

DAFTAR PUSTAKA

- Abdellaoui, K., Miladi, M., Boughattas, I., Acheuk, F., Chaira, N., & Halima-Kamel, M. Ben. (2017). Chemical composition, toxicity and acetylcholinesterase inhibitory activity of *Salvia officinalis* essential oils against *Tribolium confusum*. *J Entomol Zool Stud*, 5(4), 1761–1768.
- Abdul, N. H., Zakaria, N. H., & Ibrahim, M. A. (2019). Plants as potential repellent against *Oryzaephilus species*. *International Journal of Life Sciences and Biotechnology*, 2(3), 243–268.
- Adibah, F., Fauzi, M. T., & Haryanto, H. (2023). Uji Konsentrasi Pestisida Nabati Ekstrak Daun Jarak Pagar Terhadap Hama Ulat Bawang Merah *Spodoptera exigua* Hubn. *Jurnal Ilmiah Mahasiswa Agrokomplek*, 2(1), 91–99.
- Adrianto, H., Yotopranoto, S., & Hamidah, H. (2014). Efektivitas Ekstrak Daun Jeruk Purut (*Citrus hystrix*), Jeruk Limau (*Citrus amblycarpa*), dan Jeruk Bali (*Citrus maxima*) terhadap Larva *Aedes aegypti*. *Aspirator*, Vol. 6, No. 1, 2014 : 1-6.
- Afifah, L., & Widiyaningrum, P. (2022). Analisis Mortalitas dan Kemampuan Makan Kutu Kandang *Alphitobius diaperinus* Akibat Terpapar Ekstrak Biji Mahoni dan Biji Pepaya. *Prosiding Seminar Nasional Biologi*, 10, 260–269.
- Agouillal, F., Taher, Z. M., Moghrani, H., Nasrallah, N., & El Enshasy, H. (2017). A Review of Genetic Taxonomy, Biomolecules Chemistry and Bioactivities of *Citrus hystrix* DC. *Biosciences Biotechnology Research Asia*, 14(1), 285.
- Al-Jabr, A. M. (2006). Toxicity and repellency of seven plant essential oils to *Oryzaephilus surinamensis* (Coleoptera: Silvanidae) and *Tribolium castaneum* (Coleoptera: Tenebrionidae). *Scientific Journal of King Faisal University (Basic and Applied Sciences)*, 7(1), 49–60.
- Antika, S. R. V., Astuti, L. P., & Rachmawati, R. (2014). Perkembangan *Sitophilus oryzae* Linnaeus (Coleoptera: Curculionidae) pada berbagai jenis pakan. *Jurnal HPT (Hama Penyakit Tumbuhan)*, 2(4), 77–84.
- Arimbawa, I. D. M., Martiningsih, N. E., & Javandira, C. (2018). Uji potensi daun sirsak (*Annona muricata* L) untuk mengendalikan hama ulat krop (*Crocidolomia pavonana* F). *Agrimeta: Jurnal Pertanian Berbasis Keseimbangan Ekosistem*, 8(15).
- Arthur, F. H. (2000). Immediate and delayed mortality of *Oryzaephilus surinamensis* (L.) exposed on wheat treated with diatomaceous earth: effects of temperature, relative humidity, and exposure interval. *Journal of Stored Products Research*, 37(1), 13–21.
- Augusta, A. V., Afifah, L., Surjana, T., & Sudarti, S. (2023). Mortalitas hama gudang *Tribolium castaneum* dan susut bobot pada beras dan jagung dalam bentuk utuh, patah, dan tepung. *Agrica*, 16(2), 183–191.
- Baldwin, R., & Fasulo, T. R. (2003). Confused Flour Beetle, *Tribolium confusum*

Jacquelin du Val (Insecta: Coleoptera: Tenebrionidae) and Red Flour Beetle, *Tribolium castaneum* (Herbst)(Insecta: Coleoptera: Tenebrionidae). *UF/IFAS Extension: Gainesville*.

Bousquet, Y. (1990). Beetles associated with stored products in Canada: an identification guide. *Research Branch, Agriculture Canada*.

BudiartoA, R., Poerwanto, R., SantosaB, E., EfendiB, D., & AgustaC, A. (2019). Production, post-harvest and marketing of kaffir lime (*Citrus hystrix* DC) in Tulungagung, Indonesia. *Journal of Tropical Crop Science Vol*, 6(2).

Cameron, R. R., Arinafril, M., & Mulawarman, M. (2016). Uji bioaktivitas ekstrak daun zodea (*Evodia suaveolens* Sheff) terhadap hama gudang *Tribolium castaneum* (Coleoptera: Tenebrionidae) herbst. *E-Jurnal Agroekoteknologi Tropika*, 5(3).

Chapman, R. F. (1998). The insects: structure and function. *Cambridge university press*.

Clark, J. T., & Ray, A. (2016). Olfactory mechanisms for discovery of odorants to reduce insect-host contact. *Journal of Chemical Ecology*, 42(9), 919–930.

Dalimartha, S. (2008). Atlas tumbuhan obat Indonesia (Vol. 2). *Niaga Swadaya*.

De Padua, D. B. (1998). *Rice Post-Harvest E-mail Conference Draft Summary – Version 1.2. Rome: Food and Agriculture Organization (FAO)*.

Devi, M. B., & Devi, N. V. (2015). Biology of Rust-Red Flour Beetle, *Tribolium castaneum* (Herbst) (Coleoptera: Tenebrionidae). *Biological Forum – An International Journal*, 7(1), 12–15.

Devi, S. R., Thomas, A., Rebijith, K. B., & Ramamurthy, V. V. (2017). Biology, morphology and molecular characterization of *Sitophilus oryzae* and *S. zeamais* (Coleoptera: Curculionidae). *Journal of Stored Products Research*, 73, 135–141.

Dewi, R. (2025). Bioaktivitas Ekstrak Kulit Jeruk Nipis (*Citrus aurantifolia*) Terhadap Hama Pascapanen. *Skripsi Universitas Malikussaleh*.

Faiqotul, (2011). Uji Efektivitas Antara Ekstrak Daun Tumbuhan Tapak Dara (*Catharanthus roseus*) dan Daun Jeruk Nipis (*Citrus aurantifolia*) Sebagai Biolarvasida Instrar III Nyamuk *Aedes aegypti*, *Skripsi Fakultas Sains dan Teknologi, Universitas Airlangga, Surabaya*.

Faqy, R. C., & Rustam, R. (2019). Uji beberapa konsentrasi tepung bunga cengkeh (*Syzygium aromaticum* (L.) Merr. dan Perry) untuk mengendalikan hama *Sitophilus zeamais* M. Pada biji jagung di penyimpanan. *Unri Conference Series: Agriculture and Food Security*, 1, 67–77.

Fedina, T. Y., & Lewis, S. M. (2007). Effect of *Tribolium castaneum* (Coleoptera: Tenebrionidae) nutritional environment, sex, and mating status on response to commercial pheromone traps. *Journal of Economic Entomology*, 100(6), 1924–1927.

- Ghazali, S. Z., Zain, B. M. M., & Yaakop, S. (2014). Phylogeny of economically important insect pests that infesting several crops species in Malaysia. *AIP Conference Proceedings*, 1614(1), 707–712.
- Govindaraj, R., Mohankumar, S., Rajasekaran, B., & Mohan, S. (2014). Biology of the sawtoothed grain beetle, *Oryzaephilus surinamensis* (Linnaeus) on different stored products and its host associated genetic variability. *11th International Working Conference on Stored Product Protection, Chiang Mai, Thailand*.
- Guswenrivo, I., Tarmadi, D., & Yusuf, S. (2013). Insecticide activity of *Cerbera manghas* fruit extract to *Sitophilus oryzae* (Coleoptera: Curculionidae). *Jurnal Ilmu Dan Teknologi Kayu Tropis*, 11(1), 82–89.
- Hagstrum, D. W., Phillips, T. W., & Cuperus, G. (2012). Stored product protection. *Kansas State University, Manhattan, KS. KSRE Publ.*
- Hemalatha, P., Elumalai, D., Janaki, A., Babu, M., Velu, K., Velayutham, K., & Kaleena, P. K. (2015). Larvicidal activity of *Lantana camara* aculeata against three important mosquito species. *Journal of Entomology and Zoology Studies*, 3(1), 174–181.
- Hendrival, H. (2017). Toksisitas insektisida nabati dari Famili Asteraceae, Anacardiaceae, dan Euphorbiaceae terhadap *Sitophilus oryzae* L.(Coleoptera: Curculionidae). *Jurnal Biosains*, 3(1), 1–8.
- Hendrival, H., & Melinda, L. (2017). Pengaruh kepadatan populasi *Sitophilus oryzae* (L.) terhadap pertumbuhan populasi dan kerusakan beras. *Biospecies*, 10(1).
- Hendrival, H., & Muetia, R. (2016). Pengaruh periode penyimpanan beras terhadap pertumbuhan populasi *Sitophilus oryzae* (L.) dan kerusakan beras. *Biogenesis: Jurnal Ilmiah Biologi*, 4(2), 95–101.
- Hidayati, L., & Suprihatini, S. (2020). Pengaruh pemberian ekstrak biji mahoni (*Swietenia mahagoni*) terhadap kematian larva *Culex* sp. *Aspirator-Journal of Vector-Borne Disease Studies*, 12(1), 45–52.
- Hikal, W. M., Baeshen, R. S., & Said-Al Ahl, H. A. H. (2017). Botanical insecticide as simple extractives for pest control. *Cogent Biology*, 3(1), 1404274.
- Hill, D. S. (2002). Pests of stored foodstuffs and their control. *Springer*.
- Hong, K.-J., Lee, W., Park, Y.-J., & Yang, J.-O. (2018). First confirmation of the distribution of rice weevil, *Sitophilus oryzae*, in South Korea. *Journal of Asia-Pacific Biodiversity*, 11(1), 69–75.
- Huda, N., & Noor Amni, M. (2019). Food preference of *Oryzaephilus surinamensis* (Coleoptera: Silvanidae) to different types of plant products. *Malaysian Journal of Halal Research Journal (MJHR)*, 2(2), 53–57.
- Ibrahim, M., & Rustam, R. (2020). Uji beberapa konsentrasi ekstrak tepung akar tuba (*Derris elliptica* Benth.) terhadap mortalitas larva *Helicoverpa armigera*

- Hubner (Lepidoptera: Noctuidae) hama pada jagung manis. *Jurnal Agroekoteknologi*, 12(2), 165–178.
- Isman, M. B. (2006). Botanical insecticides, deterrents, and repellents in modern agriculture and an increasingly regulated world. *Annual Review of Entomology*, 51(1), 45–66.
- Isnaini, M., Pane, E. R., & Wiridianti, S. (2015). Pengujian beberapa jenis insektisida nabati terhadap kutu beras (*Sitophilus oryzae* L.). *Jurnal Biota*, 1(1), 1–8.
- Jakubas-Zawalska, J., Asman, M., Kłyś, M., & Solarz, K. (2016). Prevalence of sensitization to extracts from particular life stages of the saw-toothed grain beetle (*Oryzaephilus surinamensis*) in citizens of selected suburban areas of Southern Poland. *Journal of Stored Products Research*, 69, 252–256.
- Jamaludin, N., Pulungan, M. H., & Warsito, W. (2017). Uji Aktivitas Antibakteri Minyak Atsiri Jeruk Purut (*Citrus hystrix* DC) terhadap *Klebsiella pneumoniae* ATCC. *Industria: Jurnal Teknologi Dan Manajemen Agroindustri*, 6(2), 61–66.
- Jawsuwanwong, K., Pumnuan, J., & Insung, A. (2014). Repellent effect and ovipositional inhibition of essential oil formulas from star anise (*Illicium verum*) and dill (*Anethum graveolens*) against adult of corn weevil (*Sitophilus zeamais*). *King Mongkut's Agric. J*, 32, 41–47.
- Jayakumar, M., Arivoli, S., Raveen, R., & Tennyson, S. (2017). Repellent activity and fumigant toxicity of a few plant oils against the adult rice weevil *Sitophilus oryzae* Linnaeus 1763 (Coleoptera: Curculionidae). *Journal of Entomology and Zoology Studies*, 5(2), 324–335.
- Karakas, M. (2016). Toxic, repellent and antifeedant effects of two aromatic plant extracts on the wheat granary weevil, *Sitophilus granarius* L. (Coleoptera: Curculionidae). *International Journal of Entomology Research*, 1(6), 24–28.
- Kardinan, I. A. (2005). Tanaman Penghasil Minyak Atsiri. *AgroMedia*.
- Khan, M. M., Akhtar, I., Shah, S. W. H., Shafiq, M., & Hussain, M. (2018). Comparison of means of repellent, toxic and growth regulatory effects of essential oils of plants on different strains of *Tribolium castaneum*. *Journal of Entomology and Zoology Studies*, 6(2), 1319–1324.
- Khan, M. M., Al-Yahyai, R., & Al-Said, F. (2017). The lime: botany, production and uses. CABI.
- Klein, J. D. (2014). Citron cultivation, production and uses in the Mediterranean region. In *Medicinal and aromatic plants of the Middle-East* (pp. 199–214). Springer.
- Komson, A. (1967). *A Comparative Study of the Saw-Toothed Grain Beetle, Oryzaephilus surinamensis* (L.) and of the Merchant Grain Beetle, *Oryzaephilus mercator* (Fauv.) (Coleoptera, Cucujidae). Master of Science Thesis, Department of Entomology, McGill University, Montreal, Quebec,

Canada.

- Korey, Y., Mendes, J. A., & Sembiring, J. (2020). Pengujian Insektisida Nabati Terhadap Kumbang Beras (*Sitophilus oryzae* L.). *Agrotechnology Research*, 2(2), 90–99.
- Kumar, R. (2017). Insect pests of stored grain: Biology, behavior, and management strategies. *Apple Academic Press*.
- Kurniati, E. (2017). Uji Repelensi Dari Serbuk Daun Pandan Wangi (*Pandanus amaryllifolius* Roxb) terhadap kutu beras (*Sitophilus oryzae* L) dan Sumbangsihnya Pada Materi Hama dan Penyakit Pada Tanaman Di Kelas VIII SMP/MTs. *Skripsi Uin Raden Fatah Palembang*.
- Latifah, F., Taufiq, H., & Fitriyana, N. M. (2023). Uji Antioksidan dan Karakterisasi Minyak Atsiri dari Kulit Jeruk Purut (*Citrus hystrix* D. C). *JPSCR: Journal of Pharmaceutical Science and Clinical Research*, 8(1), 46.
- Leelaja, B. C., Rajashekar, Y., & Rajendran, S. (2007). Detection of eggs of stored-product insects in flour with staining techniques. *Journal of Stored Products Research*, 43(3), 206–210.
- Lim, T. K. (2012). *Citrus hystrix*. In *Edible Medicinal and Non-Medicinal Plants: Volume 4, Fruits* (pp. 634–643). Springer, Dordrecht.
- Lubis, Z., Handayani, L., & Sembiring, R. P. (2019). Pemanfaatan pestisida nabati dalam pengendalian pencemaran lingkungan. *Prosiding Seminar Nasional Hasil Pengabdian*, 2(1), 609–614.
- Mahroof, R. M., Hagstrum, D. W., Phillips, T., & Cuperus, G. W. (2012). Biology, behavior, and ecology of insects in processed commodities. *Stored Product Protection*, 33–44.
- Manueke, J., Tulung, M., & Mamahit, J. M. E. (2015). Biologi *Sitophilus oryzae* dan *Sitophilus zeamais* (Coleoptera; Curculionidae) pada beras dan jagung pipilan. *Eugenia*, 21(1).
- Mierziak, J., Kostyn, K., & Kulma, A. (2014). Flavonoids as important molecules of plant interactions with the environment. *Molecules*, 19(10), 16240–16265.
- Moki, M., Rida, I., & Fahria, D. (2014). Uji efektivitas tiga jenis kulit jeruk sebagai insektisida nabati dalam menekan populasi dan serangan kumbang beras (*Sitophilus oryzae*). *Skripsi Universitas Negeri Gorontalo*.
- Nabilla, I. I., & Indrayudha, P. (2019). Aktivitas sitotoksik ekstrak etanol, fraksi etanol, etil-asetat, dan heksana kulit jeruk purut (*Citrus hystrix* dc.) terhadap sel kanker payudara T47D. *Pharmacon: Jurnal Farmasi Indonesia*, 16(1), 11–17.
- Nika, E. P., Kavallieratos, N. G., & Papanikolaou, N. E. (2020). Developmental and reproductive biology of *Oryzaephilus surinamensis* (L.)(Coleoptera: Silvanidae) on seven commodities. *Journal of Stored Products Research*, 87, 101612.

- Perera, A., Karunaratne, M., & Chinthaka, S. (2017). Biological activity and secondary metabolite profile of *Ruta graveolens* leaves against maize weevil infestations. *Journal of Entomology and Zoology Studies*, 5(2), 233–241.
- Pierce, A. M., Borden, J. H., & Oehlschlager, A. C. (1990). Suppression of oviposition in *Oryzaephilus surinamensis* (L.)(Coleoptera: Cucujidae) following prolonged retention in high-density cultures or short-term exposure to larval volatiles. *Journal of Chemical Ecology*, 16(2), 595–601.
- Pitaloka, A. L. (2012). Gambaran beberapa faktor fisik penyimpanan beras, identifikasi dan upaya pengendalian serangga hama gudang (studi di gudang Bulog 103 Demak sub dolog wilayah I Semarang). *Jurnal Kesehatan Masyarakat Universitas Diponegoro*, 1(2), 18709.
- Prabowo, R. P. (2017). Preferensi Hama Pascapanen Terhadap Berbagai Warna Cahaya. *Skripsi Universitas Brawijaya*.
- Pratiwi, I., Setyono, S., & Rochman, N. (2015). Daya insektisidal ekstrak daun tembelekan (*Lantana camara* Linn.) dan buah lerak (*Sapindus rarak* DC.) pada hama gudang *Callosobruchus chinensis*. *Jurnal Agronida*, 1(2).
- Qasim, M., Islam, W., Ashraf, H. J., Ali, I., & Wang, L. (2020). Saponins in insect pest control. In *Co-evolution of secondary metabolites* (pp. 897–924). Springer.
- Rees, D. (2004). Insects of stored products. *CSIRO publishing*.
- Rizal, S., Mutiara, D., & Agustina, D. (2019). Preferensi konsumsi kumbang beras (*Sitophilus oryzae* L) pada beberapa varietas beras. *Sainmatika: Jurnal Ilmiah Matematika Dan Ilmu Pengetahuan Alam*, 16(2), 157–165.
- Sahito, H. A., Mallah, N. A., Kousar, T., Kubar, W. A., Shah, Z. H., Jatoi, F. A., & Mangrio, W. M. (2017). Life table parameters of saw toothed grain beetle, *Oryzaephilus surinamensis* (L., 1758) on different varieties of stored date palm fruits infested under laboratory conditions. *Journal of Entomology and Zoology Studies*, 5(1), 95–99.
- Saleh, M., Susilawaty, A., Syarfaini, S., & Musdalifah, M. (2017). Uji efektivitas ekstrak kulit buah jeruk nipis (*Citrus aurantifolia*) sebagai insektisida hayati terhadap nyamuk *Aedes aegypti*. *HIGIENE: Jurnal Kesehatan Lingkungan*, 3(1), 30–36.
- Sari, M., Lubis, L., & Pangestiningih, Y. Y. (2013). Uji efektivitas beberapa insektisida nabati untuk mengendalikan ulat grayak (*Spodoptera litura* F.)(Lepidoptera: Noctuidae) di laboratorium. *Jurnal Agroekoteknologi Universitas Sumatera Utara*, 1(3), 95119.
- Sengul Demirak, M. Ş., & Canpolat, E. (2022). Plant-based bioinsecticides for mosquito control: Impact on insecticide resistance and disease transmission. *Insects*, 13(2), 162.
- Setyaningrum, H., Himawan, T., & Astuti, L. P. (2016). Identifikasi serangga yang berasosiasi dengan beras dalam simpanan. *Jurnal HPT (Hama Penyakit*

Tumbuhan), 4(1), 39–44.

- Simmons, P., & Nelson, H. D. (1975). Insects on dried fruits (Issue 464). *US Department of Agriculture, Agricultural Research Service*.
- Singh, B. K. P. (2017). Study on the life cycle of *Sitophilus oryzae* on rice cultivar Pusa 2-21 in laboratory condition. *International Journal of Education and Applied Sciences Research*, 4(2), 37–42.
- Singh, S., & Prakash, S. (2015). Cytogenetic Analysis of Red Rust Flour Beetle *Tribolium castaneum*, Herbst (Coleoptera: Tenebrionidae). *J. Scientific and Research Publications*, 5(7), 1–13.
- Siregar, A. Z., & Wahyuni, T. K. (2023). Efektivitas beberapa Jenis Pestisida Nabati untuk Mengendalikan Hama Kumbang Beras (*Sitophilus oryzae*) pada Dua Jenis Beras di Gudang Beras Bulog Medan. *Agritech: Jurnal Fakultas Pertanian Universitas Muhammadiyah Purwokerto*, 25(1), 9–16.
- Sjam, S. (2014). Hama pascapanen dan strategi pengendaliannya. *Institut Pertanian Bogor Press. Bogor*.
- Sonleitner, F. J., & Gutherie, J. (1991). Factors affecting oviposition rate in the flour beetle *Tribolium castaneum* and the origin of the population regulation mechanism. *Population Ecology*, 33(1), 1–11.
- Sreeramoju, P., Prasad, M. S. K., & Lakshmipathi, V. (2016). Complete study of life cycle of *Tribolium castaneum* and its weight variations in the developing stages. *International Journal of Plant and Animal Environmental Sciences*, 6(1), 95–100.
- Susilowati, D., Rahayu, M. P., & Prastiwi, R. (2009). Efek penolak serangga (*insect repellent*) dan larvasida ekstrak daun jeruk purut (*Citrus hystrix* DC) terhadap *Aedes aegypti*. *Univ. Setia Budi*, 1–10.
- Swamy, K. C. N., Mutthuraju, G. P., Jagadeesh, E., & Thirumalaraju, G. T. (2014). Biology of *Sitophilus oryzae* (L.) (Coleoptera: Curculionidae) on stored maize grains. *Current Biotica*, 8(1), 76–81.**
- Talukder, F. A., & Howse, P. E. (1994). Laboratory evaluation of toxic and repellent properties of the pithraj tree, *Aphanamixis polystachya* Wall & Parker, against *Sitophilus oryzae* (L.). *International Journal of Pest Management*, 40(3), 274–279.
- Thosa, A. A. (2019). Perbandingan Efektivitas Ekstrak Kulit Jeruk Nipis (*Citrus aurantifolia*) 5% dan Jeruk Purut (*Citrus hystrix*) 5% Sebagai Obat Kumur Terhadap Penurunan Akumulasi Plak Pada Mahasiswa FKG USU Angkatan 2015. *Skripsi Universitas Sumatera Utara*.
- Tigauw, S. M. I., Salaki, C. L., & Manueke, J. (2015). Efektivitas ekstrak bawang putih dan tembakau terhadap kutu daun (*Myzus persicae* Sulz.) pada tanaman cabai (*Capsicum* sp.). *Eugenia*, 21(3).
- Tlak Gajger, I., & Dar, S. A. (2021). Plant allelochemicals as sources of insecticides. *Insects* 2021, 12, 189.

- Triplehorn, C. A., & Johnson, N. F. (2005). *Borror and DeLong's Introduction to the Study of Insects* (7th ed.). Belmont, CA: Thomson Brooks/Cole.
- Vonna, K., & Haris, N. (2022). Skrining Fitokimia Dan Uji Aktivitas Antibakteri Ekstrak Etanol Daun Jeruk Purut (*Citrus hystrix* DC) Terhadap Bakteri *Staphylococcus aureus* Dan *Escherichia coli*. *Journal of Health and Medical Science*, 1(2), 132–139.
- Wagiman, F. X. (2019). Hama pascapanen dan pengelolaannya. *Ugm Press*.
- Winarno, F. G. (2006). Hama Gudang dan Teknik Pemberantasannya. *Bogor: M-BRIO PRESS, Edisi Revisi*.
- Wulansari, T. (2018). Preferensi, Pertumbuhan Populasi Dan Perkembangan *Tribolium castaneum* Herbst.(Coleoptera: Tenebrionidae) Pada Berbagai Jenis Tepung Gandum. *Skripsi Universitas Brawijaya*.
- Xue, M., Subramanyam, B., Shi, Y.-C., Campbell, J., & Hartzler, M. (2010). Development, relative retention, and fecundity of *Tribolium castaneum* (Herbst) on different starches. *Julius-Kühn-Archiv*, 425, 207.
- Yuliani, L., & Jadmiko, M. W. (2023). Pengaruh Serbuk Daun Jeruk Purut (*Citrus hystrix* DC.) dan Daun Sirsak (*Annona muricata* L) sebagai Senyawa Volatil Terhadap Mortalitas Hama Gudang (*Sitophilus oryzae* L.) pada Beras. *Berkala Ilmiah Pertanian*, 6(1), 13–20.