

## DAFTAR PUSTAKA

- Alvarado, M. C. (2024, June 1). *Recent progress in polyvinyl alcohol (PVA)/nanocellulose composite films for packaging applications: A comprehensive review of the impact on physico-mechanical properties*. John Wiley and Sons Inc. Food Bioengineering. <https://doi.org/10.1002/fbe2.12086>
- Batang, P. P., Kayu, U., Pati, D., Kayu Untuk Bahan, U., Alternatif, B., Plastik, P., Zulnazri, B., Rahmadani, S., & Dewi, R. (2019). Jurnal Teknologi Kimia Unimal. In *Jurnal Teknologi Kimia Unimal* (Vol. 8). <http://ojs.unimal.ac.id/index.php/jtk>
- Bharathi, S. S. K. N., Adiga, V., Khasnabis, S., Nath, B., Khan, N. A., & Ramamurthy, P. C. (2022). Study of nano cellulose-based membrane tailorable biodegradability for use in the packaging application of electronic devices. *Chemosphere*, 309, 136683. <https://doi.org/10.1016/j.chemosphere.2022.136683>
- Castejón, P., Arencón, D., Antunes, M., Realinho, V., Velasco, J. I., & Martínez, A. B. (2018). Porous membranes based on polypropylene-ethylene copolymers. Influence of temperature on extrusion, annealing and uniaxial strain stages. *Polymers*, 10(8). <https://doi.org/10.3390/polym10080854>
- Cholant, G. M., Bosenbecker, M. W., Reichert, A. A., Beatrice, C. A. G., Freitas, T. C., Freitas, N. D., de Nunes, N. V. V., Galio, A. F., Missio, A. L., & de Oliveira, A. D. (2025). Polyvinyl Alcohol Films Reinforced with Nanocellulose from Rice Husk. *Macromol*, 5(1). <https://doi.org/10.3390/macromol5010006>
- Darni, Y., Utami, H., Septiana, R., & Fitriana, R. A. (2017). COMPARATIVE STUDIES OF THE EDIBLE FILM BASED ON LOW PECTIN METHOXYL <br> WITH GLYCEROL AND SORBITOL PLASTICIZERS. *Jurnal Bahan Alam Terbarukan*, 6(2), 158–167. <https://doi.org/10.15294/jbat.v6i2.9707>
- Devi, D., Ratnasari, I. F. D., Astutik, D., Widodo, H., Ismoyojati, R., & Sajjad, N. (2024a). Physical, Chemical, and Biological Pretreatment of Lignocellulose in Oil Palm Empty Fruit Bunches (OPEFB). *Journal of Agri-Food Science and Technology*, 5(2), 134–143. <https://doi.org/10.12928/jafost.v5i2.12008>
- Dewi, R., Sylvia, N., & Riza, M. (2023). Characterization of degradable plastics from sago and breadfruit starch-based with addition of zinc oxide (ZnO) catalyst and polyvinyl alcohol (PVA). *Jurnal Kimia Sains dan Aplikasi*, 26(11), 427–436.
- Dufresne, A. (2013). *Nanocellulose: From nature to high performance tailored materials*. De Gruyter. <https://doi.org/10.1515/9783110254600>
- Dufresne, A. (2013). *Nanocellulose: From nature to high performance tailored materials*. De Gruyter. <https://doi.org/10.1515/9783110254600>
- Fadilah Sucaga, S., Risqi, S., & Rani, A. (2025). Bioplastik dari Limbah Pelepah Sawit: Tinjauan Potensi dan Tantangan dalam Pengembangan Material Ramah Lingkungan. *Progressive Physics Journal*, 6(1). <http://jurnal.fmipa.unmul.ac.id/index.php/ppjHalaman|532>

- Gapsari, F. (2025). Enhanced structural and thermal properties of oil palm frond fiber-derived nanocellulose using chemical and mechanical treatments for eco-friendly composites. *Disseminating Information on the Research of Mechanical Engineering-Jurnal Polimesin*, 23(2). <http://e-jurnal.pnl.ac.id/polimesin>
- Ghazy, M. B., Esmail, F. A., El-Zawawy, W. K., Al-Maadeed, M. A., & Owda, M. E. (n.d.). Extraction and characterization of Nanocellulose obtained from sugarcane bagasse as agro-waste. In *Journal: Journal of Advances in Chemistry* (Vol. 12, Number 3). Retrieved [www.cirjac.com](http://www.cirjac.com)
- Goldstein, J., Newbury, D., Joy, D., Lyman, C., Echlin, P., Lifshin, E., Sawyer, L., & Michael, J. (2017). *Scanning Electron Microscopy and X-Ray Microanalysis*. Springer. <https://doi.org/10.1007/978-1-4939-6676-9>
- Handayani, N. (2020). NANOKOMPOSIT RAMAH LINGKUNGAN MELALUI ISOLASI NANOFIBRIL SELULOSA (NFS) DARI TANDAN KOSONG SAWIT DAN POLY LACTID ACID (PLA) SEBAGAI MATRIK. In *Journal of Science and Technology Jurusan Teknik Kimia Politeknik NegeriLhokseumawe* (Vol. 18, Number 02).
- Handoko, W., Pahlevani, F., & Sahajwalla, V. (2018). Enhancing corrosion resistance and hardness properties of carbon steel through modification of microstructure. *Materials*, 11(12). <https://doi.org/10.3390/ma11122404>
- Hsiao, W. C., Hong, Y. H., Tsai, Y. H., Lee, Y. C., Patel, A. K., Guo, H. R., Kuo, C. H., & Huang, C. Y. (2022). Extraction, Biochemical Characterization, and Health Effects of Native and Degraded Fucoidans from *Sargassum crispifolium*. *Polymers*, 14(9). <https://doi.org/10.3390/polym14091812>
- Hidayatullah, I., Widyanti, E. M., Kusumawati, E., & Elizabeth, L. (2021). *Nanocellulose Production from Empty Palm Oil Fruit Bunches (EPOFB) Using Hydrolysis Followed by Freeze Drying*. *ASEAN Journal of Chemical Engineering*, 21(1), 52–61.
- Jeong, J. P., Yoon, I., Kim, K., & Jung, S. (2024a). Structural and Physiochemical Properties of Polyvinyl Alcohol–Succinoglycan BioDegradability Films. *Polymers*, 16(13). <https://doi.org/10.3390/polym16131783>
- Jeong, J. P., Yoon, I., Kim, K., & Jung, S. (2024b). Structural and Physiochemical Properties of Polyvinyl Alcohol–Succinoglycan BioDegradability Films. *Polymers*, 16(13). <https://doi.org/10.3390/polym16131783>
- Khoele, K. K., Gbadeyan, O. J., Chuniyall, V., & Sithole, B. (2023). The Devastation of Waste Plastic on the Environment and Remediation Processes: A Critical Review. In *Sustainability (Switzerland)* (Vol. 15, Number 6). Multidisciplinary Digital Publishing Institute (MDPI). <https://doi.org/10.3390/su15065233>
- Kozuch, D. J., Zhang, W., & Milner, S. T. (2016). Predicting the Flory-Huggins  $\chi$  parameter for polymers with stiffness mismatch from molecular dynamics simulations. *Polymers*, 8(6). <https://doi.org/10.3390/polym8060241>

- Leong, S. L., Tiong, S. I. X., Siva, S. P., Ahamed, F., Chan, C.-H., Lee, C. L., Chew, I. M. L., & Ho, Y. K. (2022). Morphological control of cellulose nanocrystals via sulfuric acid hydrolysis based on sustainability considerations: An overview of the governing factors and potential challenges. *Journal of Environmental Chemical Engineering*, 10(4), 108145. <https://doi.org/10.1016/j.jece.2022.108145>
- Leroy, V., Cancellieri, D., & Leoni, E. (n.d.). *Thermal Degradation of ligno-cellulosic fuels: DSC and TGA studies*.
- Liah, J. L., Lahming, & Rauf, R. F. (2023). The Effect of Additional Lemongrass Extract (*Cymbopogon nardus* L.) on the Characteristics of Edible Film Sodium Alginate and Arabic Gum. *Formosa Journal of Science and Technology*, 2(8), 2055–2068. <https://doi.org/10.55927/fjst.v2i8.5722>
- Li, J., Wei, X., Wang, Q., Chen, J., Chang, G., Kong, L., Su, J., & Liu, Y. (2012). Homogeneous isolation of nanocellulose from sugarcane bagasse by high pressure homogenization. *Carbohydrate Polymers*, 90(4), 1609–1613. <https://doi.org/10.1016/j.carbpol.2012.07.038>
- Lin, N., & Dufresne, A. (2014). Nanocellulose in biomedicine: Current status and future prospect. In *European Polymer Journal* (Vol. 59, pp. 302–325). Elsevier Ltd. <https://doi.org/10.1016/j.eurpolymj.2014.07.025>
- Mahardika, M., Masruchin, N., Amelia, D., Ilyas, R. A., Septevani, A. A., Syafri, E., Hastuti, N., Karina, M., Khan, M. A., Jeon, B. H., & Sari, N. H. (2024a). Nanocellulose reinforced polyvinyl alcohol-based bio-nanocomposite films: improved mechanical, UV-light barrier, and thermal properties. *RSC Advances*, 14(32), 23232–23239. <https://doi.org/10.1039/d4ra04205k>
- Mahardika, M., Masruchin, N., Amelia, D., Ilyas, R. A., Septevani, A. A., Syafri, E., Hastuti, N., Karina, M., Khan, M. A., Jeon, B. H., & Sari, N. H. (2024b). Nanocellulose reinforced polyvinyl alcohol-based bio-nanocomposite films: improved mechanical, UV-light barrier, and thermal properties. *RSC Advances*, 14(32), 23232–23239. <https://doi.org/10.1039/d4ra04205k>
- Maulina, S. (2018). PIROLISIS PELEPAH KELAPA SAWIT UNTUK MENGHASILKAN FENOL PADA ASAP CAIR PALM MIDRIB PYROLYSIS TO PRODUCE PHENOL IN LIQUID SMOKE. *Jurnal Teknik Kimia USU*, 7(2).
- Moon, R. J., Martini, A., Nairn, J., Simonsen, J., & Youngblood, J. (2011). Cellulose nanomaterials review: Structure, properties and nanocomposites. *Chemical Society Reviews*, 40(7), 3941–3994. <https://doi.org/10.1039/C0CS00108B>
- Nafisah, A. R., Rahmawati, D., & Tarmidzi, F. M. (2022). Synthesis of cellulose nanofiber from palm oil empty fruit bunches using acid hydrolysis method. *Indonesian Journal of Chemical Science*, 11(3), 233–240. <https://doi.org/10.15294/ijcs.v11i3.55936>
- Ningtyas, K. R., Muslihudin, M., Sari, I. N., Produk, P., Politeknik, A. / , Lampung, N., Studi, P., Pangan, T., & Politeknik, /. (n.d.). Sintesis Nanoselulosa dari Limbah

- Hasil Pertanian dengan Menggunakan Variasi Konsentrasi Asam Synthesis of Nanoselulosa from Agricultural Waste Using Variation Acid Concentration. *Jurnal Penelitian Pertanian Terapan*, 20(2), 142–147. <https://doi.org/10.25181/jppt.v120i2.1631>
- Nordin, N. A., Sulaiman, O., Hashim, R., & Kassim, M. H. M. (2017). Oil palm frond waste for the production of cellulose nanocrystals. *Journal of Physical Science*, 28(2), 115–126. <https://doi.org/10.21315/jps2017.28.2.8>
- Nugraha, A. B., Nuruddin, A., & Sunendar, B. (2021). Isolasi Nanoselulosa Terkarboksilasi dari Limbah Kulit Pisang Ambon Lumut dengan Metode Oksidasi. *Journal of Science and Applicative Technology*, 5(1), 236. <https://doi.org/10.35472/jsat.v5i1.413>
- Ong, T. K., Tshai, K. Y., Choo, H. L., Khiew, P. S., & Chung, S. L. (2020). *Mechanical performance and biodegradability of polyvinyl alcohol nanocomposite films*. *Materialwissenschaft und Werkstofftechnik*, 51(6), 740–749. <https://doi.org/10.1002/mawe.202000030>
- Pakhtunkhwa, K. (n.d.). *Dir (Upper) 18000 Khalid University*.
- Putra, A., Salsabilla, A., & Hamka Air Tawar Padang, J. (2022). PENGARUH PENAMBAHAN CROSSLINKER TERHADAP KARAKTERISTIK KOMPOSIT SELULOSA BAKTERI-EKSTRAK DAUN CINCAU (*Cyclea barbata*) EFFECT OF ADDITIONAL CROSSLINKER ON CHARACTERISTICS OF BACTERIAL CELLULOSE COMPOSITE OF GRASS JELLY (*Cyclea barbata*) LEAF EXTRACT. 6(2).
- Randis, R., Darmadi, D. B., Gapsari, F., Sonief, A. A., & Rus, T. Y. (2025). PREPARATION AND CHARACTERIZATION OF MICROCRYSTALLINE CELLULOSE FROM OIL PALM FROND BY CHEMICAL AND MECHANICAL TREATMENT. *International Journal of Mechanical Engineering Technologies and Applications*, 6(1), 100–110. <https://doi.org/10.21776/mechta.2025.006.01.8>
- Retnowulan, S. R., Dewi, R., Yosi, A., Ananda, A., Riza, M., & Nurlaila, R. (2026). Effect of Polylactic Acid on Mechanical, Chemical, Thermal, Morphology, Water Absorption, and Biodegradability Characteristics of Degradable Plastic from Durian Peel Waste. *Jurnal Kimia Sains dan Aplikasi*, 29(1), 46–57. <https://doi.org/10.14710/jksa.29.1.46-57>
- Reza Hanoviatas, Y., & Mahyudin, A. (2023). Karakterisasi Sifat Mekanik dan BioDegradability Komposit Hibrid Polipropilena dengan Pati Singkong Menggunakan Serat Pinang dan Serat Eceng Gondok. 12(3), 459–465. <https://doi.org/10.25077/jfu.12.3.459-465.2023>
- Safira, A. B., & Purbasari, A. (2023). Optimization and characterization of bioDegradability film based on glutinous flour/glycerol/chitosan/ZnO using Response Surface Methodology (RSM) - Central Composite Design (CCD). *Jurnal Kimia Sains Dan Aplikasi*, 25(10), 368–381. <https://doi.org/10.14710/jksa.25.10.368-381>

- Saputro, A. N. C., & Ovita, A. L. (2017). Synthesis and characterization of bioplastic from chitosan-ganyong starch (*Canna edulis*). *JKPK (Jurnal Kimia dan Pendidikan Kimia)*, 2(1), 13–21. <https://doi.org/10.20961/jkpk.v2i1.8526>
- Sari, M. P., Purnowidodo, A., & Hamidi, N. (2025). MORPHOLOGY, STRUCTURE AND MECHANICAL PROPERTIES OF NATURAL CELLULOSE FIBER FROM OIL PALM FROND FIBER (ELAEIS GUINEENSIS JACQ). *Jurnal Rekayasa Mesin*, 16(2), 541–555. <https://doi.org/10.21776/jrm.v16i2.1590>
- Serrano-Martínez, V. M., Pérez-Aguilar, H., Carbonell-Blasco, M. P., García-García, A., Arán-Ais, F., & Orgilés-Calpena, E. (2025). Effect of Acid Hydrolysis Conditions on the Extraction of Cellulose Nanocrystals. *Polymers*, 17(10). <https://doi.org/10.3390/polym17101313>
- Sholahuddin, S., Fitriastuti, E., & Arinawati, D. Y. (2026). Drying-induced hornification in cellulose nanofiber–PLA composites: Improving mechanical and thermal stability. *Journal of Fibers and Polymer Composites*, 5(2), 177–194. <https://doi.org/10.55043/jfpc.v5i2.587>
- Smith, B. C. (2011). *Fundamentals of Fourier Transform Infrared Spectroscopy*. CRC Press. <https://archive.org/details/fundamentals-of-fourier-transform-infrared-spectroscopy>
- Studi Teknik Lingkungan Fakultas Teknik Universitas Muhammadiyah Palangkaraya Jl RTA Milono Km, P., & Raya -Kalimantan Tengah, P. (2016). VARIASI SIFAT MAKROSKOPIS DAN MIKROSKOPIS PELEPAH KELAPA SAWIT (Macroscopic Nature of Variation and Microscopic Midrib Palm) Kamaliah. In *Jurnal Daun* (Vol. 3, Number 1).
- Trache, D., Tarchoun, A. F., Derradji, M., Hamidon, T. S., Masruchin, N., Brosse, N., & Hussin, M. H. (2020). Nanocellulose: From Fundamentals to Advanced Applications. In *Frontiers in Chemistry* (Vol. 8). Frontiers Media S.A. <https://doi.org/10.3389/fchem.2020.00392>
- Wanjala, W. S. N., Olutende, O. M., Joab, O., Omuterema, O. S., Steve, O., & Rose, W. (2024). The Role of Community Awareness in River/Wetland Conservation: A Case of Upper Yala River Watershed. *OALib*, 11(02), 1–18. <https://doi.org/10.4236/oalib.1111206>
- Wasilewska, K., & Winnicka, K. (2019). How to assess orodispersible film quality? A review of applied methods and their modifications. In *Acta Pharmaceutica* (Vol. 69, Number 2, pp. 155–176). Sciendo. <https://doi.org/10.2478/acph-2019-0018>
- Wiśniewska, P., Zedler, Ł., Marć, M., Klein, M., Haponiuk, J., & Formela, K. (2022). Ground Tire Rubber Modified by Elastomers via Low-Temperature Extrusion Process: Physico-Mechanical Properties and Volatile Organic Emission Assessment. *Polymers*, 14(3). <https://doi.org/10.3390/polym14030546>
- Woźniak, A. W., Kuligowski, K., Lesław'swierzczek, L. L., & Cenian, A. (2025). *Review of Lignocellulosic Biomass Pretreatment Using Physical, Thermal and Chemical*

*Methods for Higher Yields in Bioethanol Production.*  
<https://doi.org/10.3390/su17010287/Copyright>

- Wulan, P. P. D. K., Ismojo, Khumaeroh, Syabila, A. N., Handayani, A. S., & Ratnawati. (2024). *Sustainable extraction of cellulose nanocrystals from empty palm oil bunches via low-acid hydrolysis*. *Results in Engineering*, 24, 103012. <https://doi.org/10.1016/j.rineng.2024.103012>
- Xu, Y., Wu, Z., Li, A., Chen, N., Rao, J., & Zeng, Q. (2024). Nanocellulose Composite Films in Food Packaging Materials: A Review. In *Polymers* (Vol. 16, Number 3). Multidisciplinary Digital Publishing Institute (MDPI). <https://doi.org/10.3390/polym16030423>
- Yuni Hendrawati, T., Umar, E., Ilmar Ramadhan, A., Meta Sari, A., Salsabila, M., Suryani, R., & Budhi Rahardja, I. (2023). *SINTESIS DAN KARAKTERISASI NANOSELULOSA SERBUK DARI TANDAN KOSONG KELAPA SAWIT MENGGUNAKAN ULTRASONIFIKASI*. <https://doi.org/10.24853/jurtek.15.1.159-166>