DAFTAR PUSTAKA

1. Buettner R, Parhofer KG, Woenckhaus M, Wrede CE, Kunz-Schughart LA, Schölmerich J, et al. Defining high-fat-diet rat models: Metabolic and molecular effects of different fat types. Journal of Molecular Endocrinology. 2006;36(3):485–501.
2. Delgadillo-Velázquez J, Alday E, Aguirre-García MM, Canett-Romero R, Astiazaran-Garcia H. The association between the size of adipocyte-derived extracellular vesicles and fasting serum triglyceride-glucose index as proxy measures of adipose tissue insulin resistance in a rat model of early-stage obesity. Frontiers in Nutrition. 2024;11:1–9.
3. Lim J, Kim J, Koo SH, Kwon GC. Comparison of triglyceride glucose index, and related parameters to predict insulin resistance in Korean adults: An analysis of the 2007-2010 Korean national health and nutrition examination survey. PLoS ONE. 2019;14(3):1–11.
4. Indriputri C, Maulana R. Pengaruh Pemberian Diet Tinggi Lemak Terhadap Profil Lipid dan Gula Darah Puasa Serum Tikus Putih (Rattus Norvegicus) Galur Wistar. Higiene. 2022;8(3).
5. Lestari AAW. Resistensi Insulin : Definisi, Mekanisme, dan Pemeriksaan Laboratoriumnya. Buku Ilmiah Clinical Pathology. 2019;1:1–8.
6. The International Diabetes Federation. IDF Diabetes Atlas 10th Edition. 10th ed. International Diabetes Federation. IDF; 2021.
7. Setiawaty S, Risma Dianti ARD, Noviyanti SR. Analisis Risiko dan Perilaku Pencegahan Penyakit DM Tipe 2 Pada Usia Produktif di Wilayah DKI Jakarta Tahun 2021. Journal of Public Health Education. 2022;1(02):82–90.
8. Simental-Mendía LE, Rodríguez-Morán M, Guerrero-Romero F. The product of fasting glucose and triglycerides as surrogate for identifying insulin resistance in apparently healthy subjects. Metabolic Syndrome and Related Disorders. 2008;6(4):299–304.
9. Hariri N, Thibault L. High-fat diet-induced obesity in animal models. Nutrition Research Reviews. 2010;23(2):270–99.
10. Yi C, Li D, Guo X, Wang J, Liu C, Lu G, et al. The Storage Conditions of High-Fat Diet Are the Key Factors for Diet-Induced Obesity and Liver Damage. Nutrients. 2022;14(11):1–15.
11. Tobin CT, Bailey DW, Stephenson MB, Trotter MG, Knight CW, Faist AM. Opportunities to monitor animal welfare using the five freedoms with precision livestock management on rangelands. Frontiers in Animal Science. 2022;3(August):1–15.
12. Buettner R, Schölmerich J, Bollheimer LC. High-fat diets: Modeling the

metabolic disorders of human obesity in rodents. Obesity. 2007;15(4):798–808.

13. Dreher ML. Pistachio nuts: Composition and potential health benefits. Nutrition Reviews. 2012;70(4):234–40.

14. Novelli ELB, Diniz YS, Galhardi CM, Ebaid GMX, Rodrigues HG, Mani F, et al. Anthropometrical parameters and markers of obesity in rats. Laboratory Animals. 2007;41(1):111–9.

15. Samuel VT, Shulman GI. Mechanisms for insulin resistance: Common threads and missing links. Cell. 2012;148(5):852–71.

16. Liang F, Lu X, Deng Z, Zhong HJ, Zhang W, Li Q, et al. Effect of Washed Microbiota Transplantation on Patients With Dyslipidemia in South China. Frontiers in Endocrinology. 2022;13(April):1–11.

17. Gregor MF, Hotamisligil GS. Inflammatory mechanisms in obesity. Annual Review of Immunology. 2011;29:415–45.

18. Perry RJ, Camporez JPG, Kursawe R, Titchenell PM, Zhang D, Perry CJ, et al. Hepatic acetyl CoA links adipose tissue inflammation to hepatic insulin resistance and type 2 diabetes. Cell. 2015;160(4):745–58.

19. Rossi AS, Lombardo YB, Lacorte JM, Chicco AG, Rouault C, Slama G, et al. Dietary fish oil positively regulates plasma leptin and adiponectin levels in sucrose-fed, insulin-resistant rats. American Journal of Physiology - Regulatory Integrative and Comparative Physiology. 2005;289(2 58-2):486–94.

20. Achari AE, Jain SK. Adiponectin, a therapeutic target for obesity, diabetes, and endothelial dysfunction. International Journal of Molecular Sciences. 2017;18(6).

21. Montgomery MK, Turner N. Mitochondrial dysfunction and insulin resistance: An update. Endocrine Connections. 2015;4(1).

22. Gregor MF, Hotamisligil GS. Adipocyte stress: The endoplasmic reticulum and metabolic disease. Vol. 48, Journal of Lipid Research. 2007. 1905–1914 p.

23. Zhao L. The gut microbiota and obesity: From correlation to causality. Nature Reviews Microbiology. 2013;11(9):639–47.

24. Listenberger LL, Han X, Lewis SE, Cases S, Farese R V., Ory DS, et al. Triglyceride accumulation protects against fatty acid-induced lipotoxicity. Proceedings of the National Academy of Sciences of the United States of America. 2003;100(6):3077–82.

25. Roden M, Shulman GI. The integrative biology of type 2 diabetes. Vol. 576, Nature. 2019. 51–60 p.

26. Mueckler M, Thorens B. The SLC2 (GLUT) family of membrane transporters. Molecular Aspects of Medicine. 2013;34(2–3):121–38.

27. Randle PJ, Garland PB, Hales CN, Newsholme EA. the Glucose Fatty-Acid Cycle Its Role in Insulin Sensitivity and the Metabolic Disturbances of Diabetes Mellitus. The Lancet. 1963;281(7285):785–9.

28. Petersen MC, Shulman GI. Mechanisms of insulin action and insulin resistance. Physiological Reviews. 2018;98(4):2133–223.

29. Gastaldelli A. Measuring and estimating insulin resistance in clinical and research settings. Obesity. 2022;30(8):1549–63.

30. Liang S, Wang C, Zhang J, Liu Z, Bai Y, Chen Z, et al. Triglyceride-glucose index and coronary artery disease: a systematic review and meta-analysis of risk, severity, and prognosis. Cardiovascular Diabetology. 2023;22(1):1–24.

31. Huang S, Qin L, Lu C, Li W. Development and validation of age- and gender-speci fi c reference intervals for the triglyceride-glucose index in a large Chinese healthy adult population. Frontiers in Endocrinology. 2026;(April):1–8.

32. Puspasari A, Maharani C, Mus R, Hastuti P, Hamim Sadewa A, Setyawati I. Biomarkerpengganti HOMA-IR untuk mendeteksi resistensi insulin. Jmj. 2019;7(2):122–30.

33. Song S, Son DH, Baik SJ, Cho WJ, Lee YJ. Triglyceride Glucose-Waist Circumference (TyG-WC) Is a Reliable Marker to Predict Non-Alcoholic Fatty Liver Disease. Biomedicines. 2022;10(9).

34. Stevani H. Modul Bahan Ajar Cetak Farmasi Praktikum Farmakologi. Badan Pengembangan dan Pemberdayaan Sumberdaya Manusia Kesehatan. Kementerian Kesehatan Republik Indonesia. 2016.

35. Ridwan E. Uji Toksisitas Akut Yang Diukur Dengan Penentuan LD50 Ekstrak Daun Pegagan (Centella asiatica (L.) Urban) Terhadap Mencit. J Indon Med Assoc. 2013;63(3):112–8.

36. Aisyah S, Gumelar AS, Maulana MS, Amalia R. HT. Identifikasi Karakteristik Hewan Vertebrata Mamalia Tikus Putih (Rattus norvegicus) Berdasarkan Morfologi dan Anatominya. Jurnal Farmasi Galenika (Galenika Journal of Pharmacy)(e-Journal). 2023;3(2):93–102.

37. Wirawan W. Uji Efektivitas Fraksi Daun Salam Terhadap Kadar Kolesterol Total Tikus Putih Jantan Hiperkolesterolemia-Diabetes. Jurnal Mandala Pharmacon Indonesia. 2018;4(1):74–82.

38. Louis-Maerten E, Milford A, Shaw DM, Geneviève LD, Elger BS. Perceptions of 3R implementation in European animal research: A systematic review, meta-analysis, and meta-synthesis of barriers and facilitators. Vol. 19, PLoS ONE. 2024.

39. Tahapary DL, Pratisthita LB, Fitri NA, Marcella C, Wafa S, Kurniawan F, et al. Challenges in the diagnosis of insulin resistance: Focusing on the role of HOMA-IR and Tryglyceride/glucose index. Diabetes & Metabolic

Syndrome: Clinical Research & Reviews. 2022;16(8):102581.

40. Oktomalioputri B, Darwin E, Decroli E. Pengaruh Lama Pemberian Diet Tinggi Kolesterol terhadap Kadar LDL dan TGF-B Serum Tikus Putih (Rattus novergicus) strain Wistar. Jurnal Kesehatan Andalas. 2016;5(1):267–73.

41. Everds NE, Ramaiah L. The Clinical Chemistry of Laboratory Animals, Third Edition. 3rd ed. Kurtz DM, Gregory S Travlos, editors. CRC ress; 2018. 33–78 p.

42. Hardisari R, Koiriyah B. Gambaran Kadar Trigliserida (Metode Gpo-Pap) Pada Sampel Serum dan Plasma EDTA. Jurnal Teknologi Laboratorium. 2019;5:27–31.

43. Nur Ramadhani QA, Garini A, Nurhayati N, Harianja SH. Perbedaan Kadar Glukosa Darah Sewaktu Menggunakan Serum Dan Plasma Edta. Jurnal Kesehatan Poltekkes Palembang. 2019;14(2):80–4.

44. Faraji M, Faraji M, Kazemipour N. Strategies for inducing diabetes in laboratory animals: Advances from chemical , surgical , immunologic , dietary , and genetic approaches. Animal Models and Experimental Medicine. 2026;1548–66.

45. Saputri FC, Azmi NU, Puteri MU, Novita V, Marisi G, Oktavira E, et al. High-Fat Diet Enhances Platelet Activation and Is Associated with Proprotein Convertase Subtilisin Kexin 9: An Animal Study. Nutrients. 2023;1–14.

46. Ai X, Zhang Q, Ma Q, Fang M, Zhu K, Cai Y, et al. Transcriptomics and metabolomics analysis of the pathogenesis of a novel hyperlipidemia-susceptible rat strain. Experimental animals. 2025 Apr;74(2):160–72.

47. Sidorova YS, Biryulina NA, Petrov NA, Mazo VK. Influence of Chronic Forced Immobilization and Consumption of a High-Fat and High-Carbohydrate Diet Containing Cholesterol on Lipid and Cholesterol Metabolism in Male Wistar Rats. Bulletin of Experimental Biology and Medicine [Internet]. 2024;176(6):722–6. Available from: https://doi.org/10.1007/s10517-024-06096-x

48. Xia J, Yu P, Zeng Z, Ma M, Yan X, Zhao J, et al. Effects of medium chain triglycerides on lipid metabolism in high-fat diet induced obese rats. Food & Function [Internet]. 2022 Sep 7;13(17):8998–9009. Available from: https://doi.org/10.1039/d2fo01711c

49. Udomkasemsab A, Prangthip P. High fat diet for induced dyslipidemia and cardiac pathological alterations in Wistar rats compared to Sprague Dawley rats. Clinica e investigacion en arteriosclerosis : publicacion oficial de la Sociedad Espanola de Arteriosclerosis. 2019;31(2):56–62.

50. Brito AK da S, Victória A, Acha BT, Suellenn A, Oliveira S, Macedo JL, et al. Experimental Models of Type 2 Diabetes Mellitus Induced by

Combining Hyperlipidemic Diet (HFD) and Streptozotocin Administration in Rats : An Integrative Review. Biomedicines. 2025;

51. Li C, Ni S, Sun H, Zhu S, Feng Y, Yang X. Ecotoxicology and Environmental Safety Effects of PM 2 . 5 and high-fat diet interaction on blood glucose metabolism in adolescent male Wistar rats : A serum metabolomics analysis based on ultra-high performance liquid chromatography / mass spectrometry. Ecotoxicology and Environmental Safety. 2023;262:115200.

52. Li C, Ni S, Zhao L, Lin H, Yang X, Zhang Q. Effects of PM 2 . 5 and high-fat diet on glucose and lipid metabolisms and role of MT-COX3 methylation in male rats. Environment International. 2024;188:108780.

53. Elkanawati RY, Sumiwi SA, Levita J. Impact of Lipids on Insulin Resistance: Insights from Human and Animal Studies. Drug Design, Development and Therapy. 2024;18(July):3337–60.

54. Shen T, Oh Y, Jeong S, Cho S, Fiehn O. High-Fat Feeding Alters Circulating Triglyceride Composition : Roles of FFA Desaturation and ω -3 Fatty Acid Availability. International Journal of Molecular Sciences. 2024;25(8810).

55. Song Q, Kikumoto A, Sun S, Mochizuki S, Oda H. High fat intake aggravates hyperlipidemia and suppresses fatty liver symptoms induced by a high-sucrose diet in rats. Food & Function. 2024 Oct 21;15(20):10516–26.

56. Andonova M, Dzhelebov P, Trifonova K, Yonkova P, Kostadinov N, Chernev C. veterinary sciences Metabolic Markers Associated with Progression of Type 2 Diabetes Induced by High-Fat Diet and Single Low Dose Streptozotocin in Rats. 2023;

57. Tchoundjwen SN, Tchawou AGK, Mvongo C, Mfopa A, Mukam JN, Noubissi PA, et al. A Cameroon Western Regions high-fat diet (MACAPOS 2) induces visceral obesity in rat. Heliyon. 2025;11(1):1–9.

58. Navarro-González D, Sánchez-Íñigo L, Pastrana-Delgado J, Fernández-Montero A, Martinez JA. Triglyceride–glucose index (TyG index) in comparison with fasting plasma glucose improved diabetes prediction in patients with normal fasting glucose: The Vascular-Metabolic CUN cohort. Preventive Medicine. 2016;86:99–105.

59. Soviana E, Aviarani T, Arum P. Pengaruh Suplementasi β -Carotene terhadap Kadar Trigliserida Studi pada Tikus Wistar Diabetes Mellitus Tipe 2 yang Diberikan Pakan Tinggi Lemak dan Diinduksi Streptozotocin-Nicotinamide The Effect of β -Carotene Supplementation on Triglyceride Levels Stu. 2025;9(3):496–505.

60. Oudah AK, Ahmed MH. Impact of Two Different Feeding Regimens for Eight Weeks on Lee Index, Triglyceride Glucose Index and Atherogenic Index of Rats. Iraqi JMS. 2025;(2).

61. Chávez-Ortega MP, Almanza-Pérez JC, Sánchez-Muñoz F, Hong E, Velázquez-Reyes E, Romero-Nava R. Effect of Supplementation with Omega-3 Polyunsaturated Fatty Acids on Metabolic Modulators in Skeletal Muscle of Rats with an Obesogenic High-Fat Diet. pharmaceuticals. 2024;

62. Sun Y, Ji H, Sun W, An X, Lian F. Triglyceride glucose (TyG) index : A promising biomarker for diagnosis and treatment of different diseases. European Journal of Internal Medicine. 2025;131(October 2024):3–14.

63. Wang J, He Q, Sun W, Li W, Yang Y, Cui W. The Association Between the Triglyceride Glucose Index and Hyperuricemia : A Dose – Response Meta-Analysis. 2025;

64. Gounden V, Devaraj S, Jialal I. The role of the triglyceride-glucose index as a biomarker of cardio-metabolic syndromes. Lipids in Health and Disease . 2024;23(1).

65. Oliveira PWC, Mill JG, Santos I de S, Lotufo PA, Molina M del CB, Mendes FD, et al. Triglyceride-glucose index demonstrates reasonable performance as a screening tool but exhibits limited diagnostic utility for insulin resistance: Data from the ELSA-Brasil cohort. Nutrition Research. 2024;124:65–72.

66. Nevárez-Sida A, Guerrero-Romero F. The Triglycerides and Glucose Index: A Cost-Effectiveness Analysis Compared With the Homeostatic Model Assessment for Insulin Resistance. Value in Health Regional Issues. 2023 Sep 1;37:49–52.

67. Mustakin. Triglyceride – Glucose (TyG) Index as a Screening Tool in Community Settings for Early Detection of Type 2 Diabetes Risk : A Systematic Review. Electronic Journal of the International Federation of Clinical Chemistry and Laboratory Medicine. 2026;37:149–58.

68. Chauhan R, Jain S, Malukar N, Pathak J, Ajmera M, Mishra S, et al. Utility of Surrogate Markers for Insulin Resistance: Homeostasis Model Assessment for Insulin Resistance (HOMA- IR) and Triglyceride–Glucose (TyG) Index in Identifying Metabolic Syndrome Among Adults from Resource- limited Settings. Touch Reviews in Endocrinology. 2026;22:45–53.

69. Sveeggen TM, Bagher P, Toba H, Lindsey ML, Ritchie RH, Miksztowicz VJ, et al. Guidelines for diet-induced models of cardiometabolic syndrome. American Journal of Physiology-Heart and Circulatory Physiology [Internet]. 2025 Sep 5;329(4):H974–88. Available from: https://doi.org/10.1152/ajpheart.00359.2025