DAFTAR PUSTAKA

[KLHK] Kementerian Lingkungan Hidup dan Kehutanan. (2021). Peraturan Pemerintah Republik Indonesia Nomor 22 Tahun 2021 tentang Penyelenggaraan Perlindungan dan Pengelolaan Lingkungan Hidup. Jakarta

Alam, F. C., Sembiring, E., Muntalif, B. S., & Suendo, V. 2019. Microplastic distribution in surface water and sediment river around slum and industrial area (case study: Ciwalengke river, Majalaya district, Indonesia). Chemosphere, 224, 637–645.

Aoac. 2005. Official methods of analysis of aoac international (18th ed.). Gaithersburg, md: aoac international.

Asriyanti, D. 2012. Kepadatan tiram (*Crassostrea cucullata* born 1978) pada habitat mangrove di perairan pantai Mayangan, Jawa Barat. Skripsi. Fakultas perikanan dan ilmu kelautan. Institut pertanian bogor. Bogor

Calder, P. C. 2017. Omega-3 fatty acids and inflammatory processes: from molecules to man. Biochemical Society Transactions, 45(5), 1105–1115.

Chen, J., Li, Q., Kong, l., & Yu, H. 2020. Biochemical composition and nutritional value of oysters: a review. Food Chemistry, 318, 126–134.

Cloern, j. E. 2001. Our evolving conceptual model of the coastal eutrophication problem. Marine ecology progress series, 210, 223–253.

Dridi, S., Romdhane, M. S., & Elcafsi, M. 2007. Seasonal variation in weight and biochemical composition of the Pacific oyster (*Crassostrea gigas*) in relation to the gametogenic cycle and environmental conditions. Aquaculture, 263(1–4), 238–248.

Ekamaida. 2025. Strategi pengelolaan habitat tiram (*Saccostrea*) berkelanjutan di perairan krueng Cunda Kota Lhokseumawe. Repository IPB University.

Erniati, Andika, Y., Muliani, Safriani, N., Erlangga, Imanullah, Huda, N., Arif, L. F., Ritonga, A. I., & Nasution, R. D. 2026. Relationships between habitat conditions, morphometry, and nutritional composition of the pacific oyster (*Crassostrea gigas*) in Aceh waters. Current Research In Nutrition and Food Science Journal, 14(1), 251–264.

Fay, M. P., & Proschan, M. A. 2010. Wilcoxon–mann–whitney or t-test? On assumptions for hypothesis tests and multiple interpretations of decision rules. Statistics Surveys, 4, 1–39.

Gazeau, F., Parker, l. M., Comeau, S., Gattuso, J. P., O'connor, W. A., Martin, S., Pörtner, H. O., & Ross, P. M. 2013. Impacts of ocean acidification on marine shelled molluscs. Marine Biology, 160(8), 2207–2245.

Huong, T. T. T., Dung, D. T. K., Tra, l. T. T., Quan, P. M., Toan, T. Q., Phuong, D. L., & Long, P. Q. 2020. Comparison of lipid classes and fatty acid compositions of farmed and wild pacific oysters (*Crassostrea gigas*) in nha trang, vietnam. Vietnam journal of Marine Science and Technology, 20(4), 463–467.

Kris-Etherton, P. M., Harris, W. S., & Appel, l. J. 2002. Fish consumption, fish oil, omega-3 fatty acids, and cardiovascular disease. Circulation, 106(21), 2747–2757.

Liu, H., Dong, X., Tian, X., Wang, F., & Zhao, C. 2019. Lipid composition and fatty acid profile of oysters from different coastal areas. Journal of Food Composition And Analysis, 77, 1–8.

Lowe, M. R., Sehlinger, T., Soniat, T. M., & Lapeyre, M. K. 2017. Interactive effects of water temperature and salinity on growth and mortality of eastern oysters, *Crassostrea virginica*: a meta-analysis using 40 years of monitoring data. Journal of Shellfish Research, 36(3), 683–697.

Maula, A., Supriyantini, E., & Widowati, I. 2016. Kelimpahan dan distribusi tiram (*crassostrea sp*.) Pada ekosistem mangrove. Jurnal Kelautan Tropis, 19(2), 93–100.

Muchtadi, D., Sugiyono, & Ayustaningwarno, F. 2017. Ilmu pengetahuan bahan pangan. Bandung: alfabeta.

Munroe, D. M., Tabatabai, A., Burt, I., Bushek, D., Powell, E. N., & Wilkin, J. 2016. Oyster mortality in delaware bay: impacts and environmental controls. Journal of Marine Research, 74(1), 1–35.

Mutmainah, M. 2025. Analisis kandungan asam lemak pada ikan teri (*Stolephorus sp*.) segar dan ikan teri asin menggunakan kromatografi gas. Jurnal Teknologi Hasil Pertanian (JUTHAP), 2(1), 40–50.

Nachar, n. 2008. The mann–whitney u: a test for assessing whether two independent samples come from the same distribution. Tutorials In Quantitative Methods For Psychology, 4(1), 13–20

Natan,Y., Tuhumury, N. C., & Uneputty, P. A. 2018. Karakteristik morfologi tiram di perairan pesisir Maluku. Jurnal Triton, 14(2), 73–80.

Nielsen, S. S. 2017. Food analysis (5th ed.). Springer.

Pazos, A. J., Román, G., & Acosta, C. P. 2018. Changes in lipid classes and fatty acid composition during gonadal development of oysters. Marine Biology Research, 14(3), 250–261.

Pernet, F., Tremblay, R., Comeau, L., & Guderley, H. 2012. Temperature adaptation in oysters. Journal of Experimental Biology, 215(2), 239–247.

Pogoda, B., Brown, J., Hancock, B., Preston, J., Pouvreau, S., Kamermans, P., Sanderson, W., Von Nordheim, H., & Wijsman, J. W. M. 2019. The native oyster *Restoration alliance* (nora) and the future of oyster restoration in

Europe. Aquatic Conservation: Marine And Freshwater Ecosystems, 29(11), 1802–1812.

Pratama, R. 2019. Teknik pengambilan sampel organisme bentik pada ekosistem pesisir. Jurnal Ilmu Kelautan, 24(2), 85–92.

Salamanu, s. A. 2017. Identifikasi jenis tiram dan keanekaragamannya di daerah intertidal Desa Haria Kecamatan Saparua Kabupaten Maluku Tengah. Biosel: Biology Science And Education, 6(2), 170–176.

Samson, E., & Kasale, B. 2020. Teknik pengambilan sampel dan pengulangan dalam penelitian ekologi perairan. Jurnal Ilmu Dan Teknologi Kelautan Tropis, 12(3), 641–650.

Schuchardt, J. P., & Hahn, A. 2025. Bioavailability of epa and dha in humans: a comprehensive review. Progress In Lipid Research, 97, 101318.

Silina, A. V., & Zhukova, N. V. 2009. Topographical distribution of lipids and fatty acids in oysters in relation to environmental conditions. Aquaculture Research, 40(1), 13–25.

Soehendrawan, A., Wibowo, E., & Prasetyo, D. 2022. Pengaruh kualitas perairan terhadap kondisi fisiologis organisme akuatik. Jurnal Sumberdaya Perairan Indonesia, 16(1), 45–55.

Sokolova, I. M., Frederich, M., Bagwe, R., Lannig, G., & Sukhotin, A. A. 2012. Energy homeostasis as an integrative tool for assessing limits of environmental stress tolerance. Marine Environmental Research, 79, 1–15.

Srigandono, b. 2016. Analisis bahan pangan. Yogyakarta: Gadjah Mada University Press.

Supriyantini, E., Widowati, I., & Ambariyanto. 2007. Kandungan asam lemak omega-3 (asam linolenat) pada kerang totok *Polymesoda erosa* yang diberi pakan *Tetraselmis chuii* dan *Skeletonema costatum*. Ilmu kelautan: Indonesian Journal of Marine Sciences, 12(2), 97–103

Suwetja, I. K. 2013. Biokimia Hasil Perikanan Jilid I. Jakarta: Rineka Cipta.

Tumiharti, T., Febri, s. P., Komariyah, s., & Nazlia, S. 2024. Pengaruh sumber lemak terhadap pertumbuhan organisme akuatik. Jurnal Ilmu Perikanan.

Vaquer-sunyer, r., & Duarte, c. M. 2008. Thresholds of hypoxia for marine biodiversity. Proceedings Of The National Academy Of Sciences, 105(40), 15452–15457.

Wijsman, J. W. M., Troost, K., Fang, j., & Roncarati, A. 2019. Global production of marine bivalves. Aquaculture International, 27(5), 1277–1303.

Yani, R., Dharma, A., & Rilda, Y. 2023. Pengaruh faktor lingkungan terhadap kandungan lipid mikroalga. Jurnal Ilmu Lingkungan, 21(2), 145–153.