

## DAFTAR PUSTAKA

- [1] R. Jacob and F. Bruno, “Review on shell materials used in the encapsulation of phase change materials for high temperature thermal energy storage,” *Renew. Sustain. Energy Rev.*, vol. 48, pp. 79–87, 2015, doi: 10.1016/j.rser.2015.03.038.
- [2] IPCC, “IPCC fourth assessment report: climate change,” 2007.
- [3] X. Hu and M. Gholizadeh, “Biomass pyrolysis: A review of the process development and challenges from initial researches up to the commercialisation stage,” *J. Energy Chem.*, vol. 39, no. x, pp. 109–143, 2019, doi: 10.1016/j.jecchem.2019.01.024.
- [4] V. Dhyani and T. Bhaskar, “A comprehensive review on the pyrolysis of lignocellulosic biomass,” *Renew. Energy*, vol. 129, pp. 695–716, 2018, doi: 10.1016/j.renene.2017.04.035.
- [5] MEMR, “Dukung Target Bauran EBT, PLN Lakukan Uji Coba Metode Co-Firing PLTU,” pp. 2018–2021, 2020, [Online]. Available: <http://ebtke.esdm.go.id/post/2020/02/25/2484/dukung.target.bauran.ebt.pln.lakan.ujicoba.metode.co-firing.pltu>
- [6] L. J. Gallego, A. Escobar, M. Peñuela, J. D. Peña, and L. A. Rios, “King Grass: A promising material for the production of second-generation butanol,” *Fuel*, vol. 143, pp. 399–403, 2015, doi: 10.1016/j.fuel.2014.11.077.
- [7] I. Nyoman, S. Winaya, I. B. Agung, and D. Susila, “Co-Firing Sistem Fludized Bed Berbahan Bakar Batubara dan Ampas Tebu,” *J. Ilm. Tek. Mesin*, vol. 4, no. 2, pp. 180–188, 2010.
- [8] Safar, M., Lin, B. J., Chen, W. H., Langauer, D., Raclavská, H., Pétrissans, A., & Pétrissans, M., “Effects of impregnated potassium on biomass torrefaction,” *Energy Procedia*, vol. 158, pp. 55–60, 2019, doi: 10.1016/j.egypro.2019.01.035.
- [9] Onsree, T., Tippayawong, N., Williams, T., McCullough, K., Barrow, E., Pogaku, R., & Lauterbach, J., “Torrefaction of pelletized corn residues with wet flue gas,” *Bioresour. Technol.*, vol. 285, no. April, p. 121330, 2019, doi: 10.1016/j.biortech.2019.121330.
- [10] M. J. Stolarski, S. Szczukowski, J. Tworkowski, M. Krzyżaniak, P. Gulczyński, and M. Mleczek, “Comparison of quality and production cost of briquettes made from agricultural and forest origin biomass,” *Renew. Energy*, vol. 57, pp. 20–26, 2013, doi: <https://doi.org/10.1016/j.renene.2013.01.005>.
- [11] P. Dinesha, S. Kumar, and M. A. Rosen, “Biomass Briquettes as an Alternative Fuel: A Comprehensive Review,” *Energy Technol.*, vol. 7, no. 5, 2019, doi: 10.1002/ente.201801011.
- [12] B. Osei Bonsu, M. Takase, and J. Mantey, “Preparation of charcoal briquette from palm kernel shells: case study in Ghana,” *Heliyon*, vol. 6, no. 10, p. e05266,

- 2020, doi: <https://doi.org/10.1016/j.heliyon.2020.e05266>.
- [13] S. Wu, S. Zhang, C. Wang, C. Mu, and X. Huang, “High-strength charcoal briquette preparation from hydrothermal pretreated biomass wastes,” *Fuel Process. Technol.*, vol. 171, pp. 293–300, 2018, doi: <https://doi.org/10.1016/j.fuproc.2017.11.025>.
  - [14] Alchalil, A. Setiawan, Juwaini, and T. Bin Nur, “Effect of Densification Pressure on Physical and Combustion Properties of Binderless Briquettes Made from Rice-Husk and Coffee-Pulp,” *Lect. Notes Mech. Eng.*, pp. 1–8, 2021, doi: 10.1007/978-981-16-0736-3\_1.
  - [15] N. Sorek, T. H. Yeats, H. Szemenyei, H. Youngs, and C. R. Somerville, “The implications of lignocellulosic biomass chemical composition for the production of advanced biofuels,” *Bioscience*, vol. 64, no. 3, pp. 192–201, 2014, doi: 10.1093/biosci/bit037.
  - [16] T. Stedile, L. Ender, H. F. Meier, E. L. Simionatto, and V. R. Wiggers, “Comparison between physical properties and chemical composition of bio-oils derived from lignocellulose and triglyceride sources,” *Renew. Sustain. Energy Rev.*, vol. 50, pp. 92–108, 2015, doi: 10.1016/j.rser.2015.04.080.
  - [17] Y. Hu, A. Bassi, and C. C. Xu, *Energy from biomass*. Elsevier Ltd, 2020. doi: 10.1016/B978-0-08-102886-5.00021-9.
  - [18] P. Bajpai, “Biomass types,” *Biomass to Energy Convers. Technol.*, pp. 13–19, 2020, doi: 10.1016/b978-0-12-818400-4.00002-5.
  - [19] S. Burnard, *Background and general introduction*. 2019. doi: 10.4324/9780429346644-1.
  - [20] C. Somerville, H. Youngs, C. Taylor, S. C. Davis, and S. P. Long, “Feedstocks for lignocellulosic biofuels,” *Science (80-. ).*, vol. 329, no. 5993, pp. 790–792, 2010, doi: 10.1126/science.1189268.
  - [21] K. Bułkowska and E. Klimiuk, *Pretreatment of lignocellulosic biomass*. 2016. doi: 10.1201/9781315226422.
  - [22] P. Bajpai, “Biomass composition,” *Biomass to Energy Convers. Technol.*, pp. 31–40, 2020, doi: 10.1016/b978-0-12-818400-4.00004-9.
  - [23] L. Axelsson, M. Franzén, M. Ostwald, G. Berndes, G. Lakshmi, and N. H. Ravindranath, “Perspective: Jatropha cultivation in southern India: Assessing farmers’ experiences,” *Biofuels, Bioprod. Biorefining*, vol. 6, no. 3, pp. 246–256, 2012, doi: 10.1002/bbb.
  - [24] IPCC, “Climate Change 2021: The Physical Science Basis. Working Group I Contribution to the IPCC Sixth Assessment Report,” *Clim. Chang. 2021 Phys. Sci. Basis.*, p. 3949, 2021, doi: 10.1017/9781009157896.
  - [25] E. F. Lambin and P. Meyfroidt, “Global land use change, economic globalization, and the looming land scarcity,” *Proc. Natl. Acad. Sci. U. S. A.*,

- vol. 108, no. 9, pp. 3465–3472, 2011, doi: 10.1073/pnas.1100480108.
- [26] P. Lopes, “Centre for Environmental Policy,” no. December, pp. 1–114, 2009.
  - [27] G. Carlsson, L. M. Mårtensson, T. Prade, S. E. Svensson, and E. S. Jensen, “Perennial species mixtures for multifunctional production of biomass on marginal land,” *GCB Bioenergy*, vol. 9, no. 1, pp. 191–201, 2017, doi: 10.1111/gcbb.12373.
  - [28] D. P. Keymer and A. D. Kent, “Contribution of nitrogen fixation to first year *Miscanthus × giganteus*,” *GCB Bioenergy*, vol. 6, no. 5, pp. 577–586, 2014, doi: 10.1111/gcbb.12095.
  - [29] D. Scordia and S. L. Cosentino, “Perennial energy grasses: Resilient crops in a changing european agriculture,” *Agric.*, vol. 9, no. 8, 2019, doi: 10.3390/agriculture9080169.
  - [30] D. Chiaramonti and C. Panoutsou, “Policy measures for sustainable sunflower cropping in EU-MED marginal lands amended by biochar: case study in Tuscany, Italy,” *Biomass and Bioenergy*, vol. 126, pp. 199–210, 2019, doi: <https://doi.org/10.1016/j.biombioe.2019.04.021>.
  - [31] P. Basu, *Biomass gasification, pyrolysis and torrefaction: practical design and theory*. Academic press, 2018.
  - [32] A. Kavallari, E. Smeets, and A. Tabeau, “Land use changes from EU biofuel use: A sensitivity analysis,” *Oper. Res.*, vol. 14, no. 2, pp. 261–281, 2014, doi: 10.1007/s12351-014-0155-8.
  - [33] J. F.X., P. H., and S. E., *Transformations in EU biofuels markets under the Renewable Energy Directive and the implications for land use, trade and forests*, no. December 2014. 2012. doi: 10.17528/cifor/003775.
  - [34] Zhang, X., Zhang, X., Gao, B., Li, Z., Xia, H., Li, H., & Li, J., “Effect of cadmium on growth, photosynthesis, mineral nutrition and metal accumulation of an energy crop, king grass (*Pennisetum americanum × P. purpureum*),” *Biomass and Bioenergy*, vol. 67, pp. 179–187, 2014, doi: <https://doi.org/10.1016/j.biombioe.2014.04.030>.
  - [35] L. A. KRISTOFERSON and V. BOKALDERS, “Briquetting of Biomass,” *Renew. Energy Technol.*, pp. 43–51, 1986, doi: 10.1016/b978-0-08-034061-6.50011-1.
  - [36] Li, D., Zheng, X., Lin, L., An, Q., Jiao, Y., Li, Q., Li, Z., Hong, Y., Zhang, K., Xie, C., Yin, J., Zhang, H., Wang, B., Hu, Y., & Zhu, Z., “Remediation of soils co-contaminated with cadmium and dichlorodiphenyltrichloroethanes by king grass associated with *Piriformospora indica*: Insights into the regulation of root excretion and reshaping of rhizosphere microbial community structure,” *J. Hazard. Mater.*, vol. 422, no. August 2021, p. 126936, 2022, doi: 10.1016/j.jhazmat.2021.126936.

- [37] A. Setiawan, A. Nayan, and S. Riskina, “Physical properties of king grass biomass as renewable feedstock for energy”.
- [38] E. Cardona, J. Rios, J. Peña, M. Peñuela, and L. Rios, “King Grass: A very promising material for the production of second generation ethanol in tropical countries,” *Biomass and Bioenergy*, vol. 95, pp. 206–213, 2016, doi: <https://doi.org/10.1016/j.biombioe.2016.10.008>.
- [39] T. Pyhältö, M. Lapinsuo, H. Pätiälä, H. Niiranen, P. Törmälä, and P. Rokkanen, “An experimental study on rabbits,” *J. Biomater. Sci. Polym. Edn*, vol. 16, no. 6, pp. 725–744, 2005.
- [40] Badan Standarisasi Nasional, “Serpihan kayu untuk pembangkit listrik (wood chips for power generation),” pp. 1–10, 2021.
- [41] S. Gent, M. Twedt, C. Gerometta, and E. Almberg, *Theoretical and Applied Aspects of Biomass Torrefaction: For Biofuels and Value-Added Products*. Butterworth-Heinemann, 2017.
- [42] P. Basu, *Chp. 04: Torrefaction*. 2013. doi: 10.1016/B978-0-12-812992-0/00004-2.
- [43] P. Basu, *Biomass Gasification, Pyrolysis, and Torrefaction Practical Design and Theory*, Second Edi. San Diego, USA: ELSEVIER, 2013.
- [44] W. H. Chen, *Torrefaction*. Elsevier B.V., 2015. doi: 10.1016/B978-0-12-800080-9.00010-4.
- [45] T. Tanuma, *Advances in Steam Turbines for Modern Power Plants, Second Edition*. Woodhead Publishing, 2022. doi: 10.1016/C2020-0-01671-3.
- [46] T. Tanuma, *Introduction to steam turbines for power plants*. Elsevier Ltd, 2017. doi: 10.1016/B978-0-08-100314-5.00001-4.
- [47] O. J. Khaleel, F. Basim Ismail, T. Khalil Ibrahim, and S. H. bin Abu Hassan, “Energy and exergy analysis of the steam power plants: A comprehensive review on the Classification, Development, Improvements, and configurations,” *Ain Shams Eng. J.*, vol. 13, no. 3, p. 101640, 2022, doi: 10.1016/j.asej.2021.11.009.
- [48] C. Yin, “Coal and biomass cofiring,” *New Trends Coal Convers. Combust. Gasification, Emiss. Coking*, pp. 89–116, 2018, doi: 10.1016/B978-0-08-102201-6.00004-2.
- [49] C. Yin, “Biomass co-firing,” *Biomass Combust. Sci. Technol. Eng.*, pp. 84–105, 2013, doi: 10.1533/9780857097439.2.84.
- [50] Elisa, “Analisa Proksimat,” *Fakultas kesehatan Universitas Gadjah Mada*. pp. 23–40, 2012.
- [51] U. Malikussaleh, “INDUK,” 2020.
- [52] M. A. Almu, S. Syahrul, and Y. A. Padang, “ANALISA NILAI KALOR DAN

- LAJU PEMBAKARAN PADA BRIKET CAMPURAN BIJI NYAMPLUNG (Calophyllum Inophyllum) DAN ABU SEKAM PADI,” *Din. Tek. Mesin*, vol. 4, no. 2, pp. 117–122, 2014, doi: 10.29303/d.v4i2.61.
- [53] W. W. Wijaya, “Rancangan Alat Uji Tekan pada Bahan Komposit Natural Fiber Dengan Memperhatikan Aspek Keterulangan pada Hasil Pengujian,” 2011.
  - [54] C. Rhén, R. Gref, M. Sjöström, and I. Wästerlund, “Effects of raw material moisture content, densification pressure and temperature on some properties of Norway spruce pellets,” *Fuel Process. Technol.*, vol. 87, no. 1, pp. 11–16, 2005, doi: 10.1016/j.fuproc.2005.03.003.
  - [55] M. E. Satmoko, D. D. Saputro, and A. Budiyono, “Karateristik Briket dari Limbah Pengolahan Kayu Sengon dengan Metode Cetak Panas,” *J. Mech. Eng. Learn.*, vol. 2, no. 1, pp. 1408–1412, 2013.
  - [56] T. Yulianto, “Pengaruh Torefaksi Terhadap Sifat Fisis Black Pellet Tandan Kosong Kelapa Sawit (TKKS),” 2020.
  - [57] M. Jędrzejczyk, E. Soszka, M. Czapnik, A. M. Ruppert, and J. Grams, *Physical and chemical pretreatment of lignocellulosic biomass*. 2019. doi: 10.1016/B978-0-12-815162-4.00006-9.
  - [58] A.-S. Ulfert-Blank and I. Schmidt, “Assessing digital self-efficacy: Review and scale development,” *Comput. Educ.*, vol. 191, p. 104626, 2022, doi: <https://doi.org/10.1016/j.compedu.2022.104626>.
  - [59] Sugiyono, “Statistik untuk Penelitian,” *Alfabeta*, p. 9, 2010.
  - [60] I. Thya Rani, W. Hidayat, I. Gumay Febryano, D. Agustina Iryani, A. Haryanto, and U. Hasanudin, “Pengaruh Torefaksi Terhadap Sifat Kimia Pelet Tandan Kosong Kelapa Sawit Effect of Torefaction on the Chemical Properties of Empty Fruit Bunch Pellets,” *J. Tek. Pertan. Lampung*, vol. 9, no. 1, pp. 63–70, 2020, [Online]. Available: <http://dx.doi.org/10.23960/jtep-l.v9.i1.63-70>
  - [61] Couhert, C., Salvador, S., Commandre, J., Couhert, C., Salvador, S., Impact, J. C., Couhert, C., Salvador, S., & Commandré, J., “Impact of torrefaction on syngas production from wood To cite this version : HAL Id : hal-01846922,” vol. 88, no. 11, pp. 2286–2290, 2018.
  - [62] C. Setter, F. A. Borges, C. R. Cardoso, R. F. Mendes, and T. J. P. Oliveira, “Energy quality of pellets produced from coffee residue: Characterization of the products obtained via slow pyrolysis,” *Ind. Crops Prod.*, vol. 154, no. June, p. 112731, 2020, doi: 10.1016/j.indcrop.2020.112731.
  - [63] M. Ivanovski, D. Goricanec, J. Krope, and D. Urbanci, “Torrefaction pretreatment of lignocellulosic biomass for sustainable solid biofuel production,” *Energy*, vol. 240, p. 122483, 2022, doi: <https://doi.org/10.1016/j.energy.2021.122483>.
  - [64] B. Batidzirai, A. P. R. Mignot, W. B. Schakel, H. M. Junginger, and A. P. C.

- Faaij, "Biomass torrefaction technology: Techno-economic status and future prospects," *Energy*, vol. 62, pp. 196–214, 2013, doi: 10.1016/j.energy.2013.09.035.
- [65] F. Asip, E. Sandra, and S. Nurhasanah, "Pengaruh Temperatur Karbonisasi dan Komposisi Arang Terhadap Kualitas Biobriket dari Campuran Cangkang Biji Karet dan Kulit Kacang Tanah," *Jur. Tek. Kim. Fak. Tek. Univ. Sriwij.*, vol. 23, no. 1, p. 30, 2017.
  - [66] W. H. Chen, K. M. Lu, W. J. Lee, S. H. Liu, and T. C. Lin, "Non-oxidative and oxidative torrefaction characterization and SEM observations of fibrous and ligneous biomass," *Appl. Energy*, vol. 114, pp. 104–113, 2014, doi: 10.1016/j.apenergy.2013.09.045.
  - [67] Zhu, Z., Liu, Z., Zhang, Y., Li, B., Lu, H., Duan, N., Si, B., Shen, R., & Lu, J, "Recovery of reducing sugars and volatile fatty acids from cornstalk at different hydrothermal treatment severity," *Bioresour. Technol.*, vol. 199, pp. 220–227, 2016, doi: 10.1016/j.biortech.2015.08.043.
  - [68] J. Nagarajan and L. Prakash, "Preparation and characterization of biomass briquettes using sugarcane bagasse, corncob and rice husk," *Mater. Today Proc.*, vol. 47, no. xxxx, pp. 4194–4198, 2021, doi: 10.1016/j.matpr.2021.04.457.
  - [69] I. Yang, M. Cooke-Willis, B. Song, and P. Hall, "Densification of torrefied Pinus radiata sawdust as a solid biofuel: Effect of key variables on the durability and hydrophobicity of briquettes," *Fuel Process. Technol.*, vol. 214, p. 106719, 2021, doi: <https://doi.org/10.1016/j.fuproc.2020.106719>.
  - [70] Nikiema, J., Asamoah, B., Egblewogbe, M. N. Y. H., Akomea-Agyin, J., Cofie, O. O., Hughes, A. F., Gebreyesus, G., Asiedu, K. Z., & Njenga, M, "Impact of material composition and food waste decomposition on characteristics of fuel briquettes," *Resour. Conserv. Recycl.*, vol. 15, p. 200095, 2022, doi: <https://doi.org/10.1016/j.rcradv.2022.200095>.
  - [71] P. Ardhiantika, A. Basuki, and Sunarmasto, "Kajian kuat tekan, kuat tarik, kuat lentur dan redaman bunyi pada panel dinding beton ringan dengan agregat limbah plastik pet," *J. MATRIKS Tek. SIPIL*, vol. 711, pp. 711–717, 2014.
  - [72] Stelte, W., Clemons, C., Holm, J. K., Sanadi, A. R., Ahrenfeldt, J., Shang, L., & Henriksen, U. B., "Pelletizing properties of torrefied spruce," *Biomass and Bioenergy*, vol. 35, no. 11, pp. 4690–4698, 2011, doi: 10.1016/j.biombioe.2011.09.025.
  - [73] L. Jones, J. L. Milne, D. Ashford, and S. J. McQueen-Mason, "Cell wall arabinan is essential for guard cell function," *Proc. Natl. Acad. Sci. U. S. A.*, vol. 100, no. 20, pp. 11783–11788, 2003, doi: 10.1073/pnas.1832434100.
  - [74] S. Yildiz, E. D. Gezer, and U. C. Yildiz, "Mechanical and chemical behavior of spruce wood modified by heat," *Build. Environ.*, vol. 41, no. 12, pp. 1762–1766, 2006, doi: <https://doi.org/10.1016/j.buildenv.2005.07.017>.

- [75] C. Karunanithy, Y. Wang, K. Muthukumarappan, and S. Pugalendhi, “Physiochemical Characterization of Briquettes Made from Different Feedstocks,” *Biotechnol. Res. Int.*, vol. 2012, pp. 1–12, 2012, doi: 10.1155/2012/165202.
- [76] J. Nagarajan and L. Prakash, “Preparation and characterization of biomass briquettes using sugarcane bagasse, corncob and rice husk,” *Mater. Today Proc.*, vol. 47, pp. 4194–4198, 2021, doi: <https://doi.org/10.1016/j.matpr.2021.04.457>.
- [77] F. L. Pua, M. S. Subari, L. W. Ean, and S. G. Krishnan, “Characterization of biomass fuel pellets made from Malaysia tea waste and oil palm empty fruit bunch,” *Mater. Today Proc.*, vol. 31, no. xxxx, pp. 187–190, 2020, doi: 10.1016/j.matpr.2020.02.218.
- [78] J. D. MENCZEL and R. B. PRIME, *THERMAL ANALYSIS OF POLYMERS*, vol. 6, no. August. 2009.
- [79] Kim, S. J., Oh, K. C., Park, S. Y., Ju, Y. M., Cho, L. H., Lee, C. G., Kim, M. J., Jeong, I. S., & Kim, D. H., “Development and validation of mass reduction prediction model and analysis of fuel properties for agro-byproduct torrefaction,” *Energies*, vol. 14, no. 19, 2021, doi: 10.3390/en14196125.
- [80] S. Ren, H. Lei, L. Wang, Q. Bu, S. Chen, and J. Wu, “Thermal behaviour and kinetic study for woody biomass torrefaction and torrefied biomass pyrolysis by TGA,” *Biosyst. Eng.*, vol. 116, no. 4, pp. 420–426, 2013, doi: 10.1016/j.biosystemseng.2013.10.003.
- [81] X. Zhou, W. Li, R. Mabon, and L. J. Broadbelt, “A mechanistic model of fast pyrolysis of hemicellulose,” *Energy Environ. Sci.*, vol. 11, no. 5, pp. 1240–1260, 2018, doi: 10.1039/c7ee03208k.
- [82] S. A. El-Sayed and M. E. Mostafa, “Pyrolysis characteristics and kinetic parameters determination of biomass fuel powders by differential thermal gravimetric analysis (TGA/DTG),” *Energy Convers. Manag.*, vol. 85, pp. 165–172, 2014, doi: 10.1016/j.enconman.2014.05.068.
- [83] R. Barzegar, A. Yozgatligil, H. Olgun, and A. T. Atimtay, “TGA and kinetic study of different torrefaction conditions of wood biomass under air and oxy-fuel combustion atmospheres,” *J. Energy Inst.*, vol. 93, no. 3, pp. 889–898, 2020, doi: 10.1016/j.joei.2019.08.001.
- [84] Zhang, Y., Kang, L., Li, H., Huang, X., Liu, X., Guo, L., & Huang, L, “Characterization of moxa floss combustion by TG/DSC, TG-FTIR and IR,” *Bioresour. Technol.*, vol. 288, no. May, 2019, doi: 10.1016/j.biortech.2019.121516.
- [85] M. S. Reza, S. N. Islam, S. Afroze, M. S. A. Bakar, J. Tawee kun, and A. K. Azad, “Data on FTIR, TGA – DTG, DSC of invasive pennisetum purpureum grass,” *Data Br.*, vol. 30, 2020, doi: 10.1016/j.dib.2020.105536.
- [86] Y. Shen, S. Yu, S. Ge, X. Chen, X. Ge, and M. Chen, “Hydrothermal

- carbonization of medical wastes and lignocellulosic biomass for solid fuel production from lab-scale to pilot-scale,” *Energy*, vol. 118, pp. 312–323, 2017, doi: 10.1016/j.energy.2016.12.047.
- [87] W. F. Quirino and J. O. Brito, “Características e índice de combustão de briquetes de carvão vegetal,” *LPF - Série Técnica n° 13*, p. 19, 1991, [Online]. Available: <https://mundoforestal.com.br/arquivos/indice.pdf>
- [88] S. Cardona, L. J. Gallego, V. Valencia, E. Martínez, and L. A. Rios, “Torrefaction of eucalyptus-tree residues: A new method for energy and mass balances of the process with the best torrefaction conditions,” *Sustain. Energy Technol. Assessments*, vol. 31, pp. 17–24, 2019, doi: <https://doi.org/10.1016/j.seta.2018.11.002>.
- [89] Wang, L., Barta-Rajnai, E., Skreiberg, Khalil, R., Czégény, Z., Jakab, E., Barta, Z., & Grønli, M., “Effect of torrefaction on physiochemical characteristics and grindability of stem wood, stump and bark,” *Appl. Energy*, vol. 227, pp. 137–148, 2018, doi: 10.1016/j.apenergy.2017.07.024.
- [90] Perrie, C., Glenn, C. K., Reed, G., Burdette, T. C., Atwi, K., El Hajj, O., Cheng, Z., Kumar, K. V., Frossard, A. A., Mani, S., & Saleh, R., “Effect of Torrefaction on Aerosol Emissions at Combustion Temperatures Relevant for Domestic Burning and Power Generation,” *ACS Earth Sp. Chem.*, vol. 6, no. 11, pp. 2722–2731, 2022, doi: 10.1021/acsearthspacechem.2c00251.
- [91] W. H. Chen and P. C. Kuo, “Torrefaction and co-torrefaction characterization of hemicellulose, cellulose and lignin as well as torrefaction of some basic constituents in biomass,” *Energy*, vol. 36, no. 2, pp. 803–811, 2011, doi: 10.1016/j.energy.2010.12.036.
- [92] M. Usman, D. Balsalobre-Lorente, A. Jahanger, and P. Ahmad, “Pollution concern during globalization mode in financially resource-rich countries: Do financial development, natural resources, and renewable energy consumption matter?,” *Renew. Energy*, vol. 183, pp. 90–102, 2022, doi: <https://doi.org/10.1016/j.renene.2021.10.067>.
- [93] A. Dyjakon, T. Noszczyk, and M. Smędzik, “The influence of torrefaction temperature on hydrophobic properties of waste biomass from food processing,” *Energies*, vol. 12, no. 24, 2019, doi: 10.3390/en12244609.
- [94] Y. Chen, B. Liu, H. Yang, Q. Yang, and H. Chen, “Evolution of functional groups and pore structure during cotton and corn stalks torrefaction and its correlation with hydrophobicity,” *Fuel*, vol. 137, pp. 41–49, 2014, doi: <https://doi.org/10.1016/j.fuel.2014.07.036>.
- [95] S. Desviana, “PEMANFAATAN RUMPUT RAJA (*Peniseta Purpoides*) SEBAGAI BAHAN BAKU PEMBUATAN BIOETANOL MELALUI PROSES FERMENTASI MENGGUNAKAN BAKTERI *Saccharomyces Cerevisiae*,” *Tesis*, vol. 6, no. August, p. 128, 2022.

- [96] W.-H. Chen and P.-C. Kuo, “Torrefaction and co-torrefaction characterization of hemicellulose, cellulose and lignin as well as torrefaction of some basic constituents in biomass,” *Energy*, vol. 36, no. 2, pp. 803–811, 2011, doi: <https://doi.org/10.1016/j.energy.2010.12.036>.
- [97] M. A. Fadhili and Ansosry, “Analisis Pengaruh Perubahan Nilai Total Moisture , Ash Content dan Total Sulphur Terhadap Nilai Kalori Batubara Bb-50 Di Tambang Banko Barat Pt . Bukit Asam , Tbk . Tanjung Enim,” *Anal. Pengaruh Perubahan Nilai Total Moisture , Ash Content dan Total Sulphur Terhadap Nilai Kalori Batubara Bb-50 Di Tambang Banko Barat Pt . Bukit Asam , Tbk . Tanjung Enim*, vol. 4, no. 3, pp. 54–64, 2019.