DAFTAR PUSTAKA

Abdullahi, G., Muhamad, R., & Sule, H. 2019. Biology, Host Range and Management of Red Flour Beetle *Tribolium castaneum* (Herbst) (Coleoptera: *Tenebrionidae*): A Review. Taraba Journal of Agricultural Research, 17(1), 48– 64.

Ajayi, FA & S. A. Rahman. 2006. Susceptibility of some staple processed meals to red flour beetle, *Tribolium castaneum* (Herbst) (Coleoptera: *Tenebrionidae*). Pakistan Journal of Biological Sciences. 9:1744-1748.

AlKhoury, C., Guillot, J., & Nemer. N, 2019. Lethal activity of beauvericin, a Beauveria bassiana mycotoxin, against the two spotted spider mites, Tetranychus urticae Koch. Journal of Applied Entomology,143(9), 974–983.

Antika, S.R.V., Astuti, L.P., & Rachmawati, R. 2014. Perkembangan *Sitophilus oryzae Linnaeus* (Coleoptera : *Curculionidae*) pada berbagai jenis pakan. Jurnal Hama Penyakit dan Tanaman. 2(4):77-84.

Arthur, F. H., Hale, B. A., Starkus, L. A., Gerken, A. R., Campbell, J. F., & McKay, T. 2019. Development of *Tribolium castaneum* (Herbst) (Coleoptera: *Tenebrionidae*) on Rice Milling Components and By Products: Effects of Diet and Temperature. Journal of Stored Products Research, 80, 85–92.

Ashamo, M. O. 2006. Relative susceptibility of some local and elite rice varietiesto the rice weevil, *Sitophilus oryzae* L. (Coleoptera: *Curculionidae*). Journal of Food, Agriculture & Environment. 4(1):249-252.

Atta, B., Rizwan, M., Sabir, A. M., Gogi, M. D., & Ali, K. 2020. Damage Potential of *Tribolium castaneum* (Herbst) (Coleoptera: *Tenebrionidae*) on Wheat Grains Stored in Hermetic and Non Hermetic Storage Bags. International Journal of Tropical Insect Science, 40(1), 27–37.

Atungulu, G.G., Kolb, R.E., Karcher, J. & Shad, Z.M. 2019. Postharvest technology: Rice storage and cooling conservation. *In: Rice: Chemistry and Technology (Fourth Edition). Elsevier. Hangzhou*, pp. 517–555.

Bayu, M.S.Y.I., Prayogo, Y., & Indiati, S.W. 2021. *Beauveria Bassiana:* biopestisida ramah lingkungan dan efektif untuk mengendalikan hama dan penyakit tanaman. Buletin Palawija, 19(1), 41–63.

Booroto , L., Goo, N., & Noya, S. H. 2017. Populasi imago *Sitophilus oryzae* L (Coleoptera: *Curculionidae*) pada beberapa jenis beras Asal Desa Waimital Kecamatan Kairatu. *Jurnal Budidaya Pertanian*. 13(1):36-41.

Badan Pusat Statistik. (2023). Jumlah Penduduk Pertengahan Tahun (Ribu Jiwa).

Badan Pusat Statistik. (n.d.). Retrieved January 04, 2023, from https://www.bps.go.id/indicator/53/1498/1/luas-panen-produksi-dan-produktivitas-padimenurut-provinsi.htm.

Biyumna, U. L., Windrati, W. S., & Diniyah, N. (2017). Karakteristik Mie Kering Terbuat Dari Tepung Sukun (*Artocarpus altilis*) Dan Penambahan Telur. Jurnal Agroteknologi, 11(1). https://doi.org/10.19184/j-agt.v11i1.5440

Campbell, J.F., & C Runnion. 2003. Patch exploitation by female red flour beetles, *Tribolium castaneum.* Journal of Insect Science. 3:1-8.

Candrasekharan, K. & Nataraju, B. 2011. *Beauveria bassiana (Hyphomycetes: Moniliales) i*nfection during ecdysis of silkworm Bombyx mori *(*Lepidoptera: *Bombyxcidae).* Munis Entomology & Zoology Journal, 6, 312–316.

Dannon H.F. Dannon A.E. Douro-Kpindou O.K. Zinsou A.V. Houndete A.T. ToffaMehinto J. Elegbede I.A.T.M. Olou B.D. & Tamo M. 2020. Toward the efficient use of *Beauveria bassiana* in integrated cotton insect pest management. Journal of Cotton Research 3(2) 1–21 .

Davis, S.R. 2018. Developmental genetics in a complex adaptive structure, the weevil rostrum. bioRxiv. CC-BY-NC-ND 4.0 International License.

Dunn PH, Mechalas BJ. 1963. The potential of *Beauveria bassiana* (Balsamo) Vuillemin as a microbial insecticide. J Insect Pathol 5: 451-459.

Facundo Y, Pei X, Guo S, Zhang Y, Luo Z, Liao X, & Pei Y. 2001. Increased virulence using engineered proteasechitin binding domain hybrid expressed in the entomopathogenic fungus *Beauveria bassiana*. Microbial pathogenesis 49(6):376-380.

Febrianti, S. Z., & Suharto. 2019. Pengaruh Fosfin (PH_3) Terhadap Mortalitas Hama Gudang *Sitophilus oryzae* Pada Komoditas Gandum. Jurnal Bioindustri. 2 (1): 274-284.

Federal Grain Inspection Service. 2016. Stored Grain Insect Reference. United States Departmentof Agriculture.Washington.

Feron P. 1981. Pest Control by The Fungi *Beauveria* and *Metharizium.* In H.D. Burges. (Ed), Microbial Control of pest and plant diseases. New York, Academic Press.

Gabriel, S.P., & Riyanto. 1989. *Metarhiziumanisopliae*, Taksonomi, Patologi dan Aplikasinya. Proyek Pengembangan.

Goettle, M.S., J. Eilenberg & T. Glare.2010. Entomopathogenic Fungi and Their Role in Regulation of Insect Populations. Insect Control Biological and Synthetic Agents. *Editor:* Lawrence Gilbert I. Gilbert and Sarjeet S. Gill. Academic Press Elsevier.

Gusnawaty H.S., Taufik M., & Wahyudin E. 2013. Uji Efektivitas Beberapa Media untuk Perbanyakan Agens Hayati *Gliocladium* sp. Jurnal Agroteknos. 3(2):73–79.

Haines, C. P. 1991. Insects and Arachnids of Tropical Stored Products.Their Biological and Identification, 2nd ed. Natural Resources Institute, Chatham Kent R, United Kingdom.

Hanafiah, K.A. 1997. Rancangan Percobaan Teori dan Aplikasi. Cetakan ke 5. Jakarta Utara: PT. Raja Grafindo Persada. Hal. 259.

Hardison. & Pramana, A. 2020. Analisis Perubahan Kebijakan Ketahanan Pangan Beras di Provinsi Riau. Jurnal Administrasi Politik dan Sosial. 1(2): 76-83

Hasnah., Susanna., & H. Sably. 2012. Keefektifan Jamur *Beauveria bassiana* Vuill Terhadap Mortalitas Kepik Hijau *Nezara viridula* L. Pada Stadia Nimfa Dan Imago. Jurnal Floratek. 7: 13 – 24

Hendrival, Latifah, D. Saputra, & Orina. 2016. Kerentanan jenis tepung terhadap infestasi kumbang tepung merah (*Tribolium castaneum* Herbst) (Cleoptera: *Tenebrionidae*). Jurnal Agrikultura. 27(3); 148-153.

Heriyanto dan Suharno. 2008. Studi Patogenitas *Metarhizium anisopliae* (Meth.) Sor Hasil Perbanyakan Medium Cair Alami Terhadap Larva *Oryctes rhinoceros. J.* Ilmu-ilmu Pertanian, 4(1), 47-54.

Hill, D. A. 2002. Pest and Stored Foodstuffs and Their Control. Kluwer Academic Publishers. New York

Hiruy, B., & Getu, E. 2018. Host Type and Textures on the Survival of *Tribolium castaneum* (Coleoptera: *Tenebrionidae*) Parental and Filial Generations. Journal of Entomology and Zoology Studies, 6(1), 622–626.

Hodges, R.J., R. Robinson, & D.R., Hall. 1996. Quinone contamination of dehusked rice by *Tribolium castaneum* (Herbs) (Coleoptera: *Tenebrionidae*). Journal of Stored Product Research.32:31-37.

Ikawati, B. 2016. Beauveria bassiana sebagai alternatif hayati dalam pengendalian nyamuk. Jurnal Vektor Penyakit 10.1 : 19-24.

Jiwintarum, Y., Urip., Wijaya, A.F., dan Diarti, M.W. 2017. Media Alami Untuk Pertumbuhan Jamur *Candida albicans* Penyebab Kandidiasis Dari Tepung Biji Kluwih *(Artocarpus Communis).* Jurnal Kesehatan Prima. 11 (2): 158-170.

Juharlina dan Hendrival. 2001. Toksisitas (LC_{50} dan LT_{50}) Cendawan Entomopatogen *Beauveria bassiana* (bals) Vuill terhadap Hama Ulat Graya *(Spodoptera kitiran F.).* J. Agrista 7 (3):295-303.

Kalshoven, L. G. E. 1981. Pest of Crops in Indonesia. Revisi dan diterjemahkan oleh P. A. Van Der Laan, University of Amsterdam, Ichtiar Baru-Van Hoeve, Jakarta.

Kansrini, Y. 2015. Uji Berbagai Jenis Media Perbanyakan Terhadap Perkembangan Jamur *Beauveria bassiana* di Laboratorium. Jurnal Agrica Ekstensia 9: 34-39.

Kementrian Kesehatan RI. 2018. Daftar Komposisi Pangan Indonesia. Keputusan Menteri Kesehatan Republik Indonesia Nomor HK. 01. 07/ Menkes /121/ 2018.

Kementerian Kesehatan RI (2018) Tabel Komposisi Pangan Indonesia 2017. Jakarta: Kemenkes RI.

Keswani, C., Singh, S.P., & Singh, H.B. 2013. *Beauveria bassiana*: status, mode of action, applications and safety issues. Biotech Today: An International Journal of Biological Sciences, 3(1), 16–19.

Kheradpir, N. 2014. Food preference of *T. castaneum* among four flour types. European Journal of Experimental Biology. 4(1):436-439.

Khoiroh, F., Isnawati, & Faizah, U. (2014). Patogenitas Cendawan Entomopatogen (*Lecanicillium lecanii*) sebagai Bioinsektisida untuk Pengendalian Hama Wereng Coklat Secara In Vivo. Lentera Bio, 3(2): 115–121.

Koes Irianto, (2009). Sukses Agribisnis Kentang, Lombok, Kacang Panjang, Kacang Hijau, Bawang Merah dan Bawang Putih. Bandung : PT. Sarana Ilmu Pustaka.

Kumar, R. 2017. Insect Pests of Stored Grain: Biology, Behavior, and Management Strategies. Apple Academic Press. Canada.

Laoh J. 2003. Kerentanan larva *Spodoptera litura* F. terhadap virus *nuklear polyhedrosis.* Universitas Riau. Pekan baru. J. Natur Indonesia. 5(2):145-151pp

Mandasari, L. F., R. Hasibuan., A. M. Hariri., & Purnomo.2015. Pengaruh Frekuensi Aplikasi Isolat Jamur Entomopatogen Jamur *Beauveria bassiana* Terhadap Kutu daun (*Aphis glycines* Matsumura) dan Organisme Non-Target Pada Pertanaman Kedelai. Jurnal Agrotek Tropika. 3(3): 384-392.

Manueke, J., & J. Pelealu. 2015. Ketertarikan Hama *Sitophilus oryzae* Pada Beras, Jagung Pipilan Kacang Tanah, Kacang Kedelai, Dan Kopra. Jurnal Eugenia. 21(2): 70-79.

Manueke, J., Tulung, M., & Mamahi, J.M.E. 2015. Biologi *Sitophilus oryzae* dan *Sitophilus zeamais* (Coleoptera: *Curculionidae*) pada beras dan jagung pipilan. Eugenia. 2(1):20-31.

Marzuki R. 2009. Bertanam Kacang Tanah. Jakarta: Panebar Swadaya.

Mastuti, R.D., Subagiya, & Wijayanti, R. 2020. Serangan *Sitophilus oryzae* pada beras beberapa varietas padi dan suhu penyimpanan. Jurnal Penelitian Agronomi. 22(1):16-20.

Mauboy, R. S., Maria,T. L., & Ruma,Y. B. 2020. Pengaruh Konsentrasi Asam Cuka Terhadap Produksi Konodia dan Patogenesitas Jamur *Beauveria bassiana* pada Mortalitas Larva *Oryctes rhinoceros.* Jurnal Biotropikal Sains, 17 (2), 103-111.

Myers, P., Espinosa, R., Parr, C.S., Jones, T., Hammond, G.S. & Dewey, T.A. 2023. The Animal Diversity Web (online). https://animaldiversity.org. diakses pada tanggal 12 Januari 2023 pukul 21.05.

Nelly, N., M.Y. Syahrawati, T. Habazar, & D.N. Gusnia. 2019. Diversity and characterization of entomopathogenic fungi from rhizosphere of maize plants as potential biologicalcontrol agents. J. biodiversitas. Vol. 20 (5): 1435-1441.

Ngatimin, S.N.A., Salam, R., Rizwaldy, A., Jamal, F., Ridhawati, & Putri, D. N. 2020. Rintihan Benih dalam Dekapan Lumbung Penyimpanan. Leutika Pro. Yogyakarta.

Petlamul, W. & Prasertsan, P. 2012. Evaluation of strains of *Metarhizium anisopliae* and *Beauveria bassiana* against Spodoptera litura on the basis of their virulence, germination rate, conidia, production, radial growth and enzyme activity. Mycrobiology, 40(2), 111–116.

Phillips TW and Throne JE. 2010. Biorational approaches to managing stored product. Annual Review of Entomology. vol 55: 375–397.

Quesada-Moraga, E. & A. Vey. 2004. *Bassiacridin*, a protein toxic for locusts secreted by the entomopathogenic fungus *Beauveria bassiana*. J. mycological research.Vol.108 (4).

Rees, D. 2004. Insect of Stored Products. CSIRO Publishing. Collingwood.

Rizal, S., D. Mutiara., dan I. Lestari. 2010. Uji Toksisitas Akut Serbuk Kering Daun Sirsak (Annona muricata Linn.) Terhadap Kutu Beras (*Sitophilus oryzae*).

Rosalind, R. 2000. The Effect of Certain Nutrients on Conidial Germination of *Beauveria bassiana* and Paecilomyces jumosoroseus. USDA: Agricultural Research Service, Tektran.

Sakul, E. H., J. S. S. Manoppo., D. Taroreh., R. I. F. Gerungan., & S. Gugule. 2012. Pengendalian Hama Kumbang Logong (*Sitophylus oryzae* L.) Dengan Menggunakan Ekstrak Biji Pangi (Pangium edule Reinw.). Jurnal Eugenia. 18(3): 186-197.

Sanjaya, Y., Nurhaeni, H., & Halimah, M. 2010. Isolasi, identifikasi, dan karakterisasi jamur entomopatogen *Spodoptera litura* (Fabricius). Bionatura, 12(3).

Sankat, C.K., R. Maharaj. 2001. Papaya. p. 167-190. In S.K. Mitra (Ed.). Postharvest Physiology and Storage of Tropical and Subtropical Fruits. CAB International. England.

Sarwar, M. 2015. Categorization of some advanced local wheat lines *Tribolium against castaneum* (Herbst) (Coleoptera: *Tenebrionidae*). International Journal of Life Science and Engineering. 1(3):108-113.

Setiawan, A., Alam, A. and Shahabuddin. 2020. Survei jenis cendawan entomopatogen pada lahan perkebunan kopi, kakao dan vegetasi hutan menggunakan umpan pupa *Conopomorpha cramerella* snellen. Jurnal Agrotekbis. 8(2), pp. 442-448.

Soetopo D., & Indrayani IGAA, 2007. Status Teknologi dan Prospek *Beauveria bassiana* untuk Pengendalian Serangga Hama Tanaman Perkebunan yang Ramah Lingkungan. Jurnal Perspektif. 6 (1) : 29 -46.

Sopialena. 2018. Pengendalian Hayati Dengan Memberdayakan Potensi Mikroba. Mulawarman University Press. Samarinda

Steinhaus. 1999. The Effects of Diseases of Insect Popula-tions. Hilgardia 23:97-261.

Susilo, F. X., Hasibuan, R., Nordin, G. L., & Brown, G. C. 1993. The Conceptof Threshold Density In Insect Pathology: a Theoretical and Experimental Study on Tetranychus - Neozygites Mycosis. Prosiding Makalah Simposium Patologi Serangga I. PEI Yogyakarta, Fakultas Pertanian UGM, Pronas PHT BAPPENAS. Yogyakarta, 29-36.

Susilo, F.X., R. Hasibuan, G.L. Nordin, & G.C. Brown.1993. The concept of threshold density in insect pathology: A Theoritical and experimental study on *Tetranychus – Neozygites mycosis*.Prosiding Makalah Simposium Patologi Serangga I. Yogyakarta, 12-13 Oktober 1993. pp. 29-37.

Svedese VM, Tiago PV, Bezerra JDP, Paiva LM, Lima EADLA, Porto ALF. 2013. Pathogenicity of *Beauveria bassiana* and production of cuticle-degrading enzymes in the presence of Diatraea saccharalis cuticle. African Journal of Biotechnology 12 (46) : 6491 - 6497.

Syafiih A, 2015. Efektivitas Media Kultur dengan Penambahan Serbuk Gergaji dan Sumber Nutrisi terhadap Pertumbuhan Miselia *Pleurotusostreatus.* Tesis. Tidak Dipublikasikan. Bogor: Institut Pertanian Bogor.

Tanada, Y. 1987. Microbial pesticide pest control. New York, San Fransisco, London: Academic Press.

Tantawizal T, Inayati A, & Prayogo Y. 2016. Potensi Cendawan Entomopatogen *Beauveria bassiana* (Balsamo) Vuillemin Untuk Mengendalikan Hama Boleng Cylas Formicarius F. Pada Tanaman Ubi jalar. Buletin Palawija. (29), 46-53.

Tefera T, Mugo S, and Likhayo P. 2011. Effects of insect population density and storage time on grain damage and weight loss in maize due to the maize weevil *Sitophilus zeamais* and the larger grain borer *Prostephanus truncates*. African Journal of Agricultural Research. vol 6(10): 2249–2254.

Trizelia. 2005. Cendawan entomopatogen *Beauveria bassiana* (Bals.) Vuill. (Deuteromycota: *Hyphomycetes*), keragaman genetik, karakteristik fisiologis, dan virulensinya terhadap *Crocidolomia pavonana* (F.) (Lepidoptera: *Pyralidae*). Tesis. Sekolah Pasca Sarjana. Institut Pertanian Bogor. Bogor.

Utari, N. M. W., Sudiarta, I. P., & Bagus, I. G. N. (2015). Pengaruh Media Dan Umur Biakan Jamur *Metarhizium Anisopliae* M. Terhadap Tingkat Kematian Larva *Oryctes Rhinoceros* L. (Scarabaeidae ; Coleoptera). E-Jurnal Agroekoteknologi Tropika (Journal of Tropical Agroecotechnology), 4(2), 160–169.

Wagiman, F.X. 2016. Hama Pasca Panen dan Pengelolaannya. Universitas Gadjah Mada Press. Yogyakarta.

Wulansari, T. 2018. Preferensi, Pertumbuhan dan Perkembangan *Tribolium castaneum* (Herbst). (Coleoptera: *Tenebrionidae)* pada Berbagai Jenis Tepung Gandum. Skripsi. Fakultas Pertanian. Universitas Brawijaya. Malang.