

DAFTAR PUSTAKA

- [1] M. Azhar and D. A. Satriawan, "Implementasi Kebijakan Energi Baru dan Energi Terbarukan Dalam Rangka Ketahanan Energi Nasional," *Adm. Law Gov. J.*, vol. 1, no. 4, pp. 398–412, 2018, doi: 10.14710/alj.v1i4.398-412.
- [2] M. Z. Chrissanti Widya, Nanik Supriyani, Riska Andianti, *Statistik Lingkungan Hidup Indonesia 2021*. Jakarta, 2021.
- [3] Direktorat Jenderal Minyak dan Gas Bumi, "Statistik Minyak dan Gas Bumi 2015," *Direktorat Jenderal Miny. dan Gas Bumi Kementeri. Energi dan Sumber Daya Miner.*, vol. 13, no. 1, pp. 62–70, 2015, [Online]. Available: http://www.esdm.go.id/assets/admin/file/pub/Statistik_Migas_2015.pdf.
- [4] Presiden RI, "PP No. 79 Thn 2014.pdf." pp. 1–36, 2014.
- [5] Sub Direktorat Statistik Tanaman Perkebunan, *Statistik Kopi Indonesia 2021 Indonesian Coffee Statistics 2021*. Jakarta: Badan Pusat Statistik / BPS – Statistics Indonesia, 2022.
- [6] B. Chala, "Biogas Potential of Coffee Processing Waste in Ethiopia," pp. 1–14, 2018, doi: 10.3390/su10082678.
- [7] A. Setiawan, M. Zakarya, Alchalil, and T. Bin Nur, "Experimental Investigation and Simulation of Slow Pyrolysis Process of Arabica Coffee Agroindustry Residues in a Pilot-Scale Reactor," *J. Ecol. Eng.*, vol. 23, no. 8, pp. 260–269, 2022, doi: 10.12911/22998993/150693.
- [8] N. Nurmalita, R. Raihan, Z. Jalil, S. Nur, and A. Setiawan, "The Physical and Chemical Properties of Activated Nanocarbon produced from Robusta (*Coffea Canephora*) Coffee Pulp under slow pyrolysis method," *Coffee Sci.*, vol. 17, 2022, doi: 10.25186/.v17i.2019.
- [9] K. Kanjana, P. Harding, T. Kwamman, W. Kingkam, and T. Chutimasakul, "Biomass-derived activated carbons with extremely narrow pore size distribution via eco-friendly synthesis for supercapacitor application," *Biomass and Bioenergy*, vol. 153, no. May, p. 106206, 2021, doi: 10.1016/j.biombioe.2021.106206.
- [10] E. E. Miller, Y. Hua, and F. H. Tezel, "Materials for energy storage: Review of electrode materials and methods of increasing capacitance for supercapacitors," *J. Energy Storage*, vol. 20, no. February, pp. 30–40, 2018, doi: 10.1016/j.est.2018.08.009.
- [11] M. F. Wu, C. H. Hsiao, C. Y. Lee, and N. H. Tai, "Flexible Supercapacitors Prepared Using the Peanut-Shell-Based Carbon," *ACS Omega*, vol. 5, no. 24, pp. 14417–14426, 2020, doi: 10.1021/acsomega.0c00966.
- [12] L. Wan *et al.*, "Nitrogen, sulfur co-doped hierarchically porous carbon from

- rape pollen as high-performance supercapacitor electrode,” *Electrochim. Acta*, vol. 311, pp. 72–82, 2019, doi: 10.1016/j.electacta.2019.04.106.
- [13] W. Li *et al.*, “Hierarchical porous carbon induced by inherent structure of eggplant as sustainable electrode material for high performance supercapacitor,” *J. Mater. Res. Technol.*, vol. 17, pp. 1540–1552, 2022, doi: 10.1016/j.jmrt.2022.01.056.
- [14] Y.-H. Chiu and L.-Y. Lin, “Effect of activating agents for producing activated carbon using a facile one-step synthesis with waste coffee grounds for symmetric supercapacitors,” *J. taiwan Inst. Chem. Eng.*, vol. 101, pp. 177–185, 2019, doi: 10.1016/j.jtice.2019.04.050
- [15] A. Heeger, A. Kosińska-Cagnazzo, E. Cantergiani, and W. Andlauer, “Bioactives of coffee cherry pulp and its utilisation for production of Cascara beverage,” *Food Chem.*, vol. 221, pp. 969–975, 2017, [Online]. Available: <https://doi.org/10.1016/j.foodchem.2016.11.067>.
- [16] P. Esquivel and V. M. Jiménez, “Functional properties of coffee and coffee by-products ☆,” vol. 46, pp. 488–495, 2012, doi: 10.1016/j.foodres.2011.05.028.
- [17] P. Rahardjo, *Rahardjo.pdf*, 1st ed. Jakarta: Penebar Swadaya, 2012.
- [18] L. Malvezzi *et al.*, “Trends in Food Science & Technology Coffee by-products in topical formulations : A review,” vol. 111, no. March, pp. 280–291, 2021.
- [19] Yayasan Belantara, “Coffee Catalogue,” pp. 1–42, 2017, [Online]. Available: [https://belantara.or.id/document/resource/Coffee - Catalogue \(Med-Res\).pdf](https://belantara.or.id/document/resource/Coffee - Catalogue (Med-Res).pdf).
- [20] A. T. Hoang *et al.*, “Progress on the lignocellulosic biomass pyrolysis for biofuel production toward environmental sustainability,” *Fuel Process. Technol.*, vol. 223, no. July, p. 106997, 2021, doi: 10.1016/j.fuproc.2021.106997.
- [21] S. B. Sulhatun, E. Juliati, N. Sylvia, Jalaluddin, “Karakterisasi Glukosa dari Proses Hidrolisis α -Selulosa dari Kulit Kopi Arabika,” *J. Teknol. Kim. Unimal*, vol. 2, no. Mei, pp. 85–100, 2023.
- [22] A. Setiawan, F. Hayat, Faisal, and T. B. Nur, “Combustion characteristics of densified bio-char produced from Gayo Arabica coffee-pulp: Effect of binder,” *IOP Conf. Ser. Earth Environ. Sci.*, vol. 364, no. 1, 2019, doi: 10.1088/1755-1315/364/1/012007.
- [23] J. Fernández-Ferreras, T. Llano, M. K. Kochaniec, and A. Coz, “Slow Pyrolysis of Specialty Coffee Residues towards the Circular Economy in Rural Areas,” *Energies*, vol. 16, no. 5, pp. 1–21, 2023, doi: 10.3390/en16052300.

- [24] P. Basu, *Biomass Gasification, Pyrolysis and Torrefaction: Practical Design and Theory*. 2013.
- [25] A. Chun *et al.*, “Comparative study of in-situ catalytic pyrolysis of rice husk for syngas production : Kinetics modelling and product gas analysis,” vol. 197, 2018, doi: 10.1016/j.jclepro.2018.06.245
- [26] D. Pandey, A. Daverey, and K. Arunachalam, “Biochar: Production, properties and emerging role as a support for enzyme immobilization,” *J. Clean. Prod.*, vol. 255, 2020, doi: 10.1016/j.jclepro.2020.120267.
- [27] K. Ridhuan, D. Irawan, and R. Inthifawzi, “Proses Pembakaran Pirolisis dengan Jenis Biomassa dan Karakteristik Asap Cair yang Dihasilkan,” *Turbo J. Progr. Stud. Tek. Mesin*, vol. 8, no. 1, pp. 69–78, 2019, doi: 10.24127/trb.v8i1.924.
- [28] R. I. Kosheleva, A. C. Mitropoulos, and G. Z. Kyzas, “Synthesis of activated carbon from food waste,” *Environ. Chem. Lett.*, vol. 17, no. 1, pp. 429–438, 2019, doi: 10.1007/s10311-018-0817-5.
- [29] Z. Heidarinejad, M. H. Dehghani, M. Heidari, G. Javedan, I. Ali, and M. Sillanpää, “Methods for preparation and activation of activated carbon: a review,” *Environ. Chem. Lett.*, vol. 18, no. 2, pp. 393–415, 2020, doi: 10.1007/s10311-019-00955-0.
- [30] J. Wang, X. Zhang, Z. Li, Y. Ma, and L. Ma, “Recent progress of biomass-derived carbon materials for supercapacitors,” *J. Power Sources*, vol. 451, no. February, p. 227794, 2020, doi: 10.1016/j.jpowsour.2020.227794.
- [31] C. Bouchelta, M. S. Medjram, O. Bertrand, and J.-P. Bellat, “Preparation and characterization of activated carbon from date stones by physical activation with steam,” *J. Anal. Appl. Pyrolysis*, vol. 82, no. 1, pp. 70–77, 2008, doi: 10.1016/j.jaap.2007.12.009
- [32] N. Byamba-ochir, W. Geun, M. S. Balathanigaimani, and H. Moon, “Applied Surface Science Highly porous activated carbons prepared from carbon rich Mongolian anthracite by direct NaOH activation,” vol. 379, pp. 331–337, 2016.
- [33] A. W. S. F. S. B. J. Seh-bardan, “Characterization of biochars produced from oil palm and rice husks and their adsorption capacities for heavy metals,” no. Vi, 2013, doi: 10.1007/s13762-013-0291-3.
- [34] R. Farma and R. Hasibuan, “Karakterisasi sifat fisis dan elektrokimia sel superkapasitor dengan penumbuhan nanopartikel platinum diatas pengumpul arus,” *J. Komun. Fis. Indones.*, vol. 14, no. 2, pp. 1067–1072, 2017.
- [35] Muhammad Turmuzi and Arion Syaputra, “Pengaruh Suhu dalam Pembuatan Karbon Aktif dari Kulit Salak (*Salacca Edulis*) dengan Impregnasi Asam Fosfat (H_3PO_4),” *J. Tek. Kim. USU*, vol. 4, no. 1, pp. 42–46, 2015, doi: 10.32734/jtk.v4i1.1459.

- [36] D. Agunantri Suryani, F. Hamzah, and Vonny Setiaries Johan, "Variasi Waktu Aktivasi terhadap Kualitas Karbon Aktif Tempurung Kelapa," *Univ. Riau JOM FAPERTA UR*, vol. 5, no. 1, pp. 1–10, 2018.
- [37] F. R. Tumimomor and S. C. Palilingan, "Pemanfaatan karbon aktif dari sabut kelapa sebagai elektroda superkapasitor," *Fuller. J. Chem.*, vol. 3, no. 1, p. 13, 2018, doi: 10.37033/fjc.v3i1.29.
- [38] A. D. Hardi, R. Joni, S. Syukri, and H. Aziz, "Pembuatan Karbon Aktif dari Tandan Kosong Kelapa Sawit sebagai Elektroda Superkapasitor," *J. Fis. Unand*, vol. 9, no. 4, pp. 479–486, 2021, doi: 10.25077/jfu.9.4.479-486.2020.
- [39] E. Mossfika, S. Syukri, and H. Aziz, "Preparation of Activated Carbon from Tea Waste by NaOH Activation as A Supercapacitor Material," *J. Aceh Phys. Soc.*, vol. 9, no. 2, pp. 42–47, 2020, doi: 10.24815/jacps.v9i2.15905.
- [40] A. U. Istiqomah, F. Rahmawati, and K. D. Nugrahaningtyas, "Replacing Soda Ash (NaOH) with Kalium Hydroxyde (KOH) in Destilation of Binary Ethanol-Water Mixture," *ALCHEMY J. Penelit. Kim.*, vol. 12, no. 2, p. 179, 2016, doi: 10.20961/alchemy.v12i2.1876.
- [41] S. Ghosh *et al.*, "Natural biomass derived hard carbon and activated carbons as electrochemical supercapacitor electrodes," *Sci. Rep.*, vol. 9, no. 1, pp. 1–15, 2019, doi: 10.1038/s41598-019-52006-x.
- [42] X. Chen, R. Paul, and L. Dai, "Carbon-based supercapacitors for efficient energy storage," pp. 453–489, 2017, doi: 10.1093/nsr/nwx009.
- [43] Y. Ma, H. Chang, M. Zhang, and Y. Chen, "Graphene-Based Materials for Lithium-Ion Hybrid Supercapacitors," pp. 5296–5308, 2015, doi: 10.1002/adma.201501622.
- [44] Y. M. Shulga, S. A. Baskakov, V. A. Smirnov, N. Y. Shulga, K. G. Belay, and G. L. Gutsev, "Graphene oxide fi lms as separators of polyaniline-based supercapacitors C1s," vol. 245, pp. 33–36, 2014, <https://doi.org/10.1016/j.jpowsour.2013.06.094>
- [45] Y. Wang *et al.*, "Recent progress in carbon-based materials for supercapacitor electrodes: a review," *J. Mater. Sci.*, vol. 56, no. 1, pp. 173–200, 2021, doi: 10.1007/s10853-020-05157-6.
- [46] L. Zhang and X. S. Zhao, "Carbon-based materials as supercapacitor electrodes," *Chem. Soc. Rev.*, vol. 38, no. 9, pp. 2520–2531, 2009, doi: 10.1039/b813846j.
- [47] L. L. Zhang and X. S. Zhao, "Carbon-based materials as supercapacitor electrodes," pp. 2520–2531, 2009, doi: 10.1039/b813846j.
- [48] J. Wang, X. Zhang, Z. Li, Y. Ma, and L. Ma, "Recent progress of biomass-derived carbon materials for supercapacitors," vol. 451, no. January, 2020.

- [49] A. R. Fachry *et al.*, “Mencari Suhu Optimal Proses Karbonisasi Terhadap Kualitas Briket Eceng Gondok,” vol. 17, no. 2, pp. 55–67, 2010.
- [50] BSN, “SNI 06-3730-1995.PDF.” 1995.
- [51] A. I. Mabuda, N. S. Mamphweli, and E. L. Meyer, “Model free kinetic analysis of biomass/sorbent blends for gasification purposes,” *Renew. Sustain. Energy Rev.*, vol. 53, pp. 1656–1664, 2016, doi: 10.1016/j.rser.2015.07.038.
- [52] S. Fu, H. Chen, J. Yang, and Z. Yang, “Kinetics of thermal pyrolysis of Eucalyptus bark by using thermogravimetric-Fourier transform infrared spectrometry technique,” *J. Therm. Anal. Calorim.*, vol. 139, no. 6, pp. 3527–3535, 2020, doi: 10.1007/s10973-019-08763-y.
- [53] A. Abdullah and A. Mohammed, “Scanning Electron Microscopy (SEM): A Review Scanning Electron Microscopy (SEM): A Review,” no. January, 2019.
- [54] M. H. P. and M. A. Parizi and Faculty, “CHEMISTRY The Modification of the BET Surface Area by Considering the Excluded Area of Adsorbed Molecules,” *Phys. Chem. Res.*, vol. Vol.10,No., 2022, doi: 10.22036/pcr.2021.290859.1924.
- [55] H. Tiernan, B. Byrne, and S. G. Kazarian, “Spectrochimica Acta Part A : Molecular and Biomolecular Spectroscopy ATR-FTIR spectroscopy and spectroscopic imaging for the analysis of biopharmaceuticals,” *Spectrochim. Acta Part A Mol. Biomol. Spectrosc.*, vol. 241, p. 118636, 2020, doi: 10.1016/j.saa.2020.118636.
- [56] A. Dimensi and D. D. A. N. Kapasitansi, “KOH,” vol. 1, pp. 55–60, 2016.
- [57] N. Tancredi and J. Bussi, “The relationship of surface area to cell capacitance for monolith carbon electrode from biomass materials for supercapacitor application The relationship of surface area to cell capacitance for monolith carbon electrode from biomass materials for supercapa,” doi: 10.1088/1742-6596/1116/3/032040.
- [58] E. Taer, R. Taslim, Z. Aini, S. D. Hartati, and W. S. Mustika, “Activated carbon electrode from banana-peel waste for supercapacitor applications,” *AIP Conf. Proc.*, vol. 1801, 2017, doi: 10.1063/1.4973093.
- [59] K. Charoensook, C. Huang, H. Tai, and Y. Li, “Journal of the Taiwan Institute of Chemical Engineers Preparation of porous nitrogen-doped activated carbon derived from rice straw for high-performance supercapacitor application,” vol. 120, pp. 246–256, 2021, doi: 10.1016/j.jtice.2021.02.021.
- [60] H. Rustamaji, T. Prakoso, H. Devianto, P. Widiatmoko, and K. Adi, “Bioresource Technology Reports Facile synthesis of N , S-modified activated carbon from biomass residue for promising supercapacitor

- electrode applications,” *Bioresour. Technol. Reports*, vol. 21, no. December 2022, p. 101301, 2023, doi: 10.1016/j.biteb.2022.101301.
- [61] R. Farma, A. N. I. Lestari, and I. Apriyani, “Supercapacitor cell electrodes derived from Nipah Fruticans fruit coir biomass for energy storage applications using acidic and basic electrolytes,” *J. Phys. Conf. Ser.*, vol. 2049, no. 1, 2021, doi: 10.1088/1742-6596/2049/1/012043.
- [62] D. Singh Karam *et al.*, “An overview on the preparation of rice husk biochar, factors affecting its properties, and its agriculture application,” *J. Saudi Soc. Agric. Sci.*, vol. 21, no. 3, pp. 149–159, 2022, doi: 10.1016/j.jssas.2021.07.005.
- [63] E. Taer, A. Susanti, R. Taslim, and Apriwandi, “Renewable and environmentally friendly of ‘red shoots’ leaves biomass-based carbon electrode materials for supercapacitor energy storage,” *J. Phys. Conf. Ser.*, 2021, doi: 10.1088/1742-6596/1811/1/012135.
- [64] A. Tomczyk, Z. Sokołowska, and P. Boguta, “Biochar physicochemical properties: pyrolysis temperature and feedstock kind effects,” *Rev. Environ. Sci. Biotechnol.*, vol. 19, no. 1, pp. 191–215, 2020, doi: 10.1007/s11157-020-09523-3.
- [65] A. Setiawan, A. G. Randa, Faisal, T. Bin Nur, and Rusdianasari, “Thermal decomposition of Gayo Arabica coffee-pulp in a segmented chamber,” *J. Phys. Conf. Ser.*, vol. 1500, no. 1, 2020, doi: 10.1088/1742-6596/1500/1/012076.
- [66] Qurat-ul-Ain, M. Shafiq, S. C. Capareda, and Firdaus-e-Bareen, “Effect of different temperatures on the properties of pyrolysis products of Parthenium hysterophorus,” *J. Saudi Chem. Soc.*, vol. 25, no. 3, 2021, doi: 10.1016/j.jscs.2021.101197.
- [67] X. Cao and W. Harris, “Properties of dairy-manure-derived biochar pertinent to its potential use in remediation,” *Bioresour. Technol.*, vol. 101, no. 14, pp. 5222–5228, 2010, doi: 10.1016/j.biortech.2010.02.052.
- [68] M. Legarra, T. Morgan, S. Turn, L. Wang, Ø. Skreiberg, and M. J. Antal, “Effect of Processing Conditions on the Constant-Volume Carbonization of Biomass,” *Energy and Fuels*, vol. 33, no. 3, pp. 2219–2235, 2019, doi: 10.1021/acs.energyfuels.8b03433.
- [69] W. K. Kim *et al.*, “Characterization of cadmium removal from aqueous solution by biochar produced from a giant Miscanthus at different pyrolytic temperatures,” *Bioresour. Technol.*, vol. 138, pp. 266–270, 2013, doi: 10.1016/j.biortech.2013.03.186.
- [70] T. Imam and S. Capareda, “Characterization of bio-oil, syn-gas and bio-char from switchgrass pyrolysis at various temperatures,” *J. Anal. Appl. Pyrolysis*, vol. 93, pp. 170–177, 2012, doi: 10.1016/j.jaap.2011.11.010.

- [71] J. Sun, A. Jayakumar, C. G. Díaz-Maroto, I. Moreno, J. Feroso, and O. Mašek, "The role of feedstock and activation process on supercapacitor performance of lignocellulosic biochar," *Biomass and Bioenergy*, vol. 184, no. January, 2024, doi: 10.1016/j.biombioe.2024.107180.
- [72] R. Raihan, A. Setiawan, L. Hakim, and M. Arif, "Preparation and Characterization of Activated Carbon Made from Robusta Coffee Skin (*Coffea Canephora*)," vol. 15, no. 2, pp. 104–110, 2020.
- [73] E. Irandoost, H. Farsi, and A. Farrokhi, "Effects of water content on electrochemical capacitive behavior of nanostructured Cu₃(BTC)₂ MOF prepared in aqueous solution," *Electrochim. Acta*, vol. 368, 2021, doi: 10.1016/j.electacta.2020.137616.
- [74] Y. Patmawati, "Effect Of Activators On Chemical Activation Process Of Low Rank Coal Of East Kalimantan," *Int. J. Sci. Technol. Res.*, vol. 10, no. 03, pp. 221–224, 2021, [Online]. Available: www.ijstr.org.
- [75] A. Setiawan, F. Faisal, K. Anshar, R. Hasibuan, S. Riskina, and Alchalil, "Techno-economic assessment of densified Arabica coffee pulp pyrolysis in a pilot-scale reactor," *Biomass Convers. Biorefinery*, no. 0123456789, 2024, doi: 10.1007/s13399-024-05932-4.
- [76] D. Arthi, E. H. E. Gladis, M. B. Syamsunarno, I. D. G. Tambunan, D. I. Anwar, and L. L. Khumaisah, "Temperature carbonization effect on the quality of activated carbon based on rubber seed shell Temperature carbonization effect on the quality of activated carbon based on rubber seed shell," doi: 10.1088/1742-6596/1282/1/012043.
- [77] S. Elean, S. Suhanan, and T. Ariyanto, "Porous Carbon From Pineapple Peel As Electrode Material of Supercapacitor," *ASEAN J. Syst. Eng.*, vol. 6, no. 1, pp. 6–11, 2022, doi: 10.22146/ajse.v6i1.73662.
- [78] X. Li, J. Zhang, B. Liu, and Z. Su, "A critical review on the application and recent developments of post-modified biochar in supercapacitors," *J. Clean. Prod.*, vol. 310, no. September 2020, 2021, doi: 10.1016/j.jclepro.2021.127428.
- [79] M. Faisal, Khairil, H. Husin, and Y. Abubakar, "The Effect of Atmosphere Media on Temperature and Mass of Torrefacted Coffee Beans," *Lect. Notes Mech. Eng.*, pp. 151–160, 2021, doi: 10.1007/978-981-16-0736-3_15.
- [80] D. Herak, *Biomass for Energy Application*. 2021.
- [81] E. Apaydın Varol and Ü. Mutlu, "TGA-FTIR Analysis of Biomass Samples Based on the Thermal Decomposition Behavior of Hemicellulose, Cellulose, and Lignin," *Energies*, vol. 16, no. 9, 2023, doi: 10.3390/en16093674.
- [82] R. E. R. H. M. Walpole, S. L. Myers, and Keying Ye, *Probability & Statistics for Engineers & Scientists*, Ninth., vol. 6, no. 1. New York: Library of Congress Cataloging-in-Publication Data, 2017.

- [83] C. Milena and A. Cruz, "Physicochemical , microbiological , and sensory characterization of fermented coffee pulp beverages," 2021, doi: 10.25186/v16i.1889.
- [84] S. K. Shahcheragh, M. M. Bagheri Mohagheghi, and A. Shirpay, "Effect of physical and chemical activation methods on the structure, optical absorbance, band gap and urbach energy of porous activated carbon," *SN Appl. Sci.*, vol. 5, no. 12, 2023, doi: 10.1007/s42452-023-05559-6.
- [85] A. B. D. Nandiyanto, R. Oktiani, and R. Ragadhita, "How to read and interpret ftir spectroscopy of organic material," *Indones. J. Sci. Technol.*, vol. 4, no. 1, pp. 97–118, 2019, doi: 10.17509/ijost.v4i1.15806.
- [86] E. Taer, Sukmawati, A. Apriwandi, and R. Taslim, "3D meso-macroporous carbon derived spruce leaf biomass for excellent electrochemical symmetrical supercapacitor," *Mater. Today Proc.*, vol. 87, pp. 32–40, 2023, doi: 10.1016/j.matpr.2023.01.371.
- [87] S. Li, K. Han, P. Si, J. Li, and C. Lu, "High-performance activated carbons prepared by KOH activation of gulfweed for supercapacitors," *Int. J. Electrochem. Sci.*, vol. 13, no. 2, pp. 1728–1743, 2018, doi: 10.20964/2018.02.08.
- [88] J. L. Espinoza-Acosta, P. I. Torres-Chávez, J. L. Olmedo-Martínez, A. Vega-Rios, S. Flores-Gallardo, and E. A. Zaragoza-Contreras, "Lignin in storage and renewable energy applications: A review," *J. energy Chem.*, vol. 27, no. 5, pp. 1422–1438, 2018.
- [89] A. Ahmad *et al.*, "Journal of Analytical and Applied Pyrolysis Facile synthesis of mesoporous active carbon from the valorisation of biomass waste and assessment of sequester efficiency of arsenic (As) from water," vol. 177, no. May 2023, pp. 11–13, 2024.
- [90] M. Abdullah and N. Sciences, "A Simple Method for Determining Surface Porosity Based on," *Indones. J. Phys.*, vol. 20, no. 2, 2009.
- [91] M. K. B. Gratuito, T. Panyathanmaporn, R. A. Chumnanklang, N. Sirinuntawittaya, and A. Dutta, "Production of activated carbon from coconut shell: Optimization using response surface methodology," *Bioresour. Technol.*, vol. 99, no. 11, pp. 4887–4895, 2008, doi: 10.1016/j.biortech.2007.09.042.
- [92] B. Sajjadi, W. Y. Chen, and N. O. Egiebor, "A comprehensive review on physical activation of biochar for energy and environmental applications," *Rev. Chem. Eng.*, vol. 35, no. 6, pp. 735–776, 2019, doi: 10.1515/revce-2017-0113.
- [93] J. Pallarés, A. González-Cencerrado, and I. Arauzo, "Production and characterization of activated carbon from barley straw by physical activation with carbon dioxide and steam," *Biomass and Bioenergy*, vol. 115, no. April,

pp. 64–73, 2018, doi: 10.1016/j.biombioe.2018.04.015.

- [94] M. G. A. Vieira, A. F. De Almeida Neto, M. G. Carlos Da Silva, C. C. Nóbrega, and A. A. Melo Filho, “Characterization and use of in natura and calcined rice husks for biosorption of heavy metals ions from aqueous effluents,” *Brazilian J. Chem. Eng.*, vol. 29, no. 3, pp. 619–633, 2012, doi: 10.1590/S0104-66322012000300019.
- [95] S. Jh and O. Biochar, “Degradation of Phenol by Immobilized *Alcaligenes faecalis*,” pp. 1–18, 2023.
- [96] A. Pathy, P. Pokharel, X. Chen, P. Balasubramanian, and S. X. Chang, “Activation methods increase biochar’s potential for heavy-metal adsorption and environmental remediation: A global meta-analysis,” *Sci. Total Environ.*, vol. 865, p. 161252, 2023.
- [97] R. Farma, “Synthesis of highly porous activated carbon nanofibers derived from bamboo waste materials for application in supercapacitor,” pp. 7681–7691, 2021.
- [98] L. Pan *et al.*, “3D self-assembly synthesis of hierarchical porous carbon from petroleum asphalt for supercapacitors,” *CARBON 13045*, 2018, doi: 10.1016/j.carbon.2018.04.008.