

DAFTAR PUSTAKA

- Abdeslam, Ahmadi & El Bouanani, Faissal & Ben-azza, Hussain. (2014). Four Parallel Decoding Schemas of Product Block Codes. *Transactions on Networks and Communications*. 2(3). 49-69.
- Abdullah, M., Antariksa, & Suryasari, N. (2015). Hirarki dan transisi pada ruang dalam bangunan rumah gadang di kawasan alam surambi sungai pagu - Sumatera Barat. *Arsitektur E-Journal*, 8(2), 62 -74.
- Atthailah, A., & Saputra, E. (2018). Estimasi parametrik material konstruksi beton bertulang pada bantuan paska bencana di aceh. (Studi kasus: perhitungan material pondasi). *Langkau Betang: Jurnal Arsitektur*, 5(2), 68. <https://doi.org/10.26418/lantang.v5i2.26720>
- Barakat, S. (2003). Housing reconstruction after conflict and disaster. *Humanitarian Practice Network (HPN)*, 43, 1 -37. Retrieved from www.odihpn.org, diunduh tanggal 6 Mei 2020
- Celani, Gabriela.(2013). Chat with Branko Kolarevic. *PARC Pesquisa em Arquitetura e Construção*. 4(2), 38-44. https://www.researchgate.net/publication/307779687_Chat_with_Branko_Kolarevic/link/57ceb99308ae83b374621fcb/download, diunduh tanggal 9 Mei 2020
- Chalabee, H. (2013). *Performance-based architectural design : Optimisation of Building opening generation using generative algorithms*. https://www.researchgate.net/publication/337784287_Subtractive_Building_Massing_for_Performance-Based_Architectural_Design_Exploration_A_Case_study_of_Daylighting_Optimization, diunduh tanggal 6 Mei 2020

- Dekay, M. (2010). Daylighting and urban form: An urban fabric of light. *Journal of Architectural and Planning Research*, 27(1), 35 -56.
- Erlendsson, O. (2014). *Daylight optimization : a parametric study of atrium design*. Master's Degree Project Royal Institute of Technology
- Hassan, H., Mangare, J. B., & Prataxis, P. A. K. (2016). Faktor-faktor penyebab keterlambatan pada proyek konstruksi dan alternatif penyelesaiannya (studi kasus : di manado town square III). *Jurnal Sipil Statik*, 4(11), 657 -664.
- Idris, Y. (2018). Rumah Korban Gempa Bireuen Mulai Dibangun - Serambi Indonesia. Retrieved November 27, 2019, from <https://aceh.tribunnews.com/2018/08/15/rumah-korban-gempa-bireuen-mulai-dibangun>
- Kolarevic, B. (2009). *Architecture in the Digital Age - Design and Manufacturing*. Taylor & Francis. London.
- Leatemia, K. E. (2013). Optimasi biaya dan durasi proyek menggunakan program Lindo (studi kasus : pembangunan dermaga penyeberangan salakan tahap II). *Jurnal Sipil Statik* ,1(4), 226-232
- Roudsari, M. *Diagram Proses Ladybug Tools*. <https://user-images.githubusercontent.com/44324576/51753145-60685680-20b9-11e9-8526-299586429511.png>, Diunduh pada 5 Mei 2020
- Samant , Swinal R . (2011) *A parametric investigation of the influence of atrium facades on the daylight performance of atrium buildings* . PhD thesis , University of Nottingham .
- Setchell, C. A., Argeñal. (2018). Shelter and Settlements. *Health in Humanitarian Emergencies*, 257 -269. <https://doi.org/10.1017/9781107477261.019> diunduh pada 3 Mei 2020

Stavric, Milena & Marina, Ognen. (2011). Parametric modeling for advanced architecture. *International Journal of Applied Mathematics and Informatics*, 5(1), 9-16.

Terzidis, K. (2006). *Algorithmic Architecture* (1st ed.). Elsevier, Burlington USA.

Torus, B., & Şener, S. M. (2015). Post-disaster Shelter design and CPoDS. *Itu A|Z*, 12(1), 269 -282.
<https://pdfs.semanticscholar.org/de87/961a760bffb8eef2c1ef4e3ffbadddec6f35.pdf> , Diunduh Tanggal 11 Mei 2020

Touloupaki, E., & Theodosiou, T. (2017). Optimization of Building form to Minimize Energy Consumption through Parametric Modelling. *Procedia Environmental Sciences*, 38, 509 -514.
<https://doi.org/10.1016/j.proenv.2017.03.114>