

DAFTAR PUSTAKA

- [1] J. F. García-martín, F. J. Alés-álvarez, M. C. López-barrera, I. Martín-domínguez, and P. Álvarez-mateos, “Cetane number prediction of waste cooking oil-derived biodiesel prior to transesterification reaction using near infrared spectroscopy,” *Fuel*, vol. 240, no. June 2018, pp. 10–15, 2019, doi: 10.1016/j.fuel.2018.11.142.
- [2] G. Knothe, “Dependence of biodiesel fuel properties on the structure of fatty acid alkyl esters,” *Fuel Process. Technol.*, vol. 86, no. 10, pp. 1059–1070, 2005, doi: 10.1016/j.fuproc.2004.11.002.
- [3] J. F. García-Martín, C. C. Barrios, F. J. Alés-Álvarez, A. Dominguez-Sáez, and P. Alvarez-Mateos, “Biodiesel production from waste cooking oil in an oscillatory flow reactor. Performance as a fuel on a TDI diesel engine,” *Renew. Energy*, vol. 125, pp. 546–556, 2018, doi: 10.1016/j.renene.2018.03.002.
- [4] L. F. Chuah, J. J. Klemeš, A. Bokhari, and S. Asif, “A Review of Biodiesel Production from Renewable Resources: Chemical Reactions,” *Chem. Eng. Trans.*, vol. 88, no. July, pp. 943–948, 2021, doi: 10.3303/CET2188157.
- [5] D. Singh, D. Sharma, S. L. Soni, S. Sharma, P. Kumar Sharma, and A. Jhalani, “A review on feedstocks, production processes, and yield for different generations of biodiesel,” *Fuel*, vol. 262, p. 116553, Feb. 2020, doi: 10.1016/j.fuel.2019.116553.
- [6] B. Thangaraj and P. R. Solomon, “Biodiesel production by the electrocatalytic process: A review,” *Clean Energy*, vol. 5, no. 1, pp. 19–31, 2021, doi: 10.1093/ce/zkaa026.
- [7] L. Fereidooni, A. Abbaspourrad, and M. Enayati, “Electrolytic transesterification of waste frying oil using Na⁺/zeolite–chitosan biocomposite for biodiesel production,” *Waste Manag.*, vol. 127, pp. 48–62, 2021, doi: 10.1016/j.wasman.2021.04.020.
- [8] M. Abdollahi Asl, K. Tahvildari, and T. Bigdeli, “Eco-friendly synthesis of biodiesel from WCO by using electrolysis technique with graphite electrodes,” *Fuel*, vol. 270, no. March, p. 117582, 2020, doi:

- 10.1016/j.fuel.2020.117582.
- [9] Herlian Eriska Putra and A. S. Putra, “Pengaruh Elektrolisis Terhadap Rendemen Minyak Jarak Yang Dihasilkan Pada Proses Pembuatan Biodiesel,” *J. Kim. Terap. Indones.* 13(2)71-77, 2011, [Online]. Available: https://www.researchgate.net/publication/344592732_Pengaruh_elektrolisis_terhadap_rendemen_minyak_jarak_yang_dihasilkan_pada_proses_pembuatan_biodiesel
 - [10] A. S. A. Wicaksana, R. Lestari, N. Inayatullah, Y. Yustika, and R. S. Putra, “Abu Ilalang Sebagai Katalis Basa untuk Produksi Biodiesel dari Minyak Jelantah dengan metode BeRA (Biodiesel Electrocatalytic Reactor),” *Chim. Nat. Acta*, vol. 5, no. 3, p. 153, Dec. 2017, doi: 10.24198/cna.v5.n3.16073.
 - [11] R. S. Putra, A. Liyanita, N. Arifah, E. Puspitasari, Sawaludin, and M. N. Hizam, “Enhanced Electro-Catalytic Process on the Synthesis of FAME Using CaO from Eggshell,” *Energy Procedia*, vol. 105, pp. 289–296, 2017, doi: 10.1016/j.egypro.2017.03.316.
 - [12] Irnawati, “Proyeksi Ketersediaan dan Kebutuhan Minyak Goreng Indonesia Tahun 2021,” *Repos. Publ. Kementeri. Pertan. Republik Indones.*, vol. 1, 2021.
 - [13] T. Tsoutsos, S. Tournaki, Z. Gkouskos, O. Paraíba, F. Giglio, and P. Q. García, “Quality Characteristics of Biodiesel Produced from Used Cooking Oil in Southern Europe,” *ChemEngineering*, vol. 3, no. 1, p. 19, Feb. 2019, doi: 10.3390/chemengineering3010019.
 - [14] M. Taufik and H. Seftiono, “Karakteristik Fisik dan Kimia Minyak Goreng Sawit Hasil Proses Penggorengan dengan Metode Deep-Fat Frying,” *J. Teknol.*, vol. 10, no. 2, pp. 123–130, 2018.
 - [15] PT. Buatan guna indonesia, *Teknologi produksi biodiesel*. bandung, 2018.
 - [16] I. Supiah, “Perilaku sel elektrolisis air dengan elektroda stainless steel,” *Perilaku sel elektrolisis air dengan elektroda Stainl. steel*, vol. 03, no. 02, pp. 1–9, 2014.
 - [17] Y. Chen and G. Z. Chen, “Alternate water electrolysis,” *Next Sustain.*, vol. 3, no. December 2023, p. 100029, 2024, doi: 10.1016/j.nxsust.2024.100029.

- [18] D. Lauka, J. Gusca, and S. Kalnins, “Bioenergy, Analysis of use of Process, production by-products to enhance electrolysis,” *28th ECOS Conf.*, vol. 1–1, no. Pau, France, 28 June to 3 July 2015, Pau: 2015, 2015.
- [19] L. Fereidooni and M. Mehrpooya, “Experimental assessment of electrolysis method in production of biodiesel from waste cooking oil using zeolite/chitosan catalyst with a focus on waste biorefinery,” *Energy Convers. Manag.*, vol. 147, pp. 145–154, 2017, doi: 10.1016/j.enconman.2017.05.051.
- [20] Maryam Helmi and K. Tahvildari, “The effect of changing the concentration of loaded KOH to a zeolite heterogeneous catalyst activity in biodiesel production by electrolysis,” *Int. J. Adv. Biotechnol. Res.*, vol. 7, pp. 79–85, 2016.
- [21] R. S. Putra, P. Hartono, and T. S. Julianto, “Conversion of Methyl Ester from Used Cooking Oil: The Combined Use of Electrolysis Process and Chitosan,” *Energy Procedia*, vol. 65, pp. 309–316, 2015, doi: 10.1016/j.egypro.2015.01.057.
- [22] M. Sivachidambaram *et al.*, “Preparation and characterization of activated carbon derived from the Borassus flabellifer flower as an electrode material for supercapacitor applications,” *New J. Chem.*, vol. 41, no. 10, pp. 3939–3949, 2017, doi: 10.1039/C6NJ03867K.
- [23] S. Zhu, J. Ni, and Y. Li, “Carbon nanotube-based electrodes for flexible supercapacitors,” *Nano Res.*, vol. 13, no. 7, pp. 1825–1841, Jul. 2020, doi: 10.1007/s12274-020-2729-5.
- [24] Q. Ke and J. Wang, “Graphene-based materials for supercapacitor electrodes – A review,” *J. Mater.*, vol. 2, no. 1, pp. 37–54, 2016, doi: 10.1016/j.jmat.2016.01.001.
- [25] G. Guan and K. Kusakabe, “Synthesis of biodiesel fuel using an electrolysis method,” *Chem. Eng. J.*, vol. 153, no. 1–3, pp. 159–163, Nov. 2009, doi: 10.1016/j.cej.2009.06.005.
- [26] F.-M. Allioux, B. J. Holland, L. Kong, and L. F. Dumée, “Electro-Catalytic Biodiesel Production from Canola Oil in Methanolic and Ethanolic Solutions with Low-Cost Stainless Steel and Hybrid Ion-Exchange Resin

- Grafted Electrodes,” *Front. Mater.*, vol. 4, Jul. 2017, doi: 10.3389/fmats.2017.00022.
- [27] Y. Wahyono, H. Sutanto, E. Hidayanto, D. Fisika, F. Sains, and U. Diponegoro, “Produksi gas hydrogen menggunakan metode elektrolisis dari elektrolit air dan air laut dengan penambahan katalis NaOH,” vol. 6, no. 4, pp. 353–359, 2017.
- [28] Petrucci, Harwood, Herring, *Kimia Dasar Prinsip-Prinsip dan Aplikasi Modern*. Jakarta: Erlangga, 2011.
- [29] R. A. I. Anggreny Br Pandia , Woro Sumarni, “Pengembangan Alat Peraga Uji Daya Hantar Listrik Berbasis Stemdan Pengaruhnya Terhadap Literasi Kimia Peserta Didik,” *Chem. Educ. Terakreditasi SINTA 5*, no. 1, 2021, doi: 10.1088/1742-6596/1155/1/012016.
- [30] L. Hakim, E. A. Berutu, R. Sari, and R. Dewi, “Produksi Gas Hidrogen dari Air Laut Menggunakan Proses Photovoltaic-Electrolysis dengan Katalis H₂SO₄,” vol. VIII, no. 1, pp. 4673–4680, 2023.
- [31] Y. D. Herlambang, K. Kurnianingsih, A. Roihatin, and F. Arifin, “Unjukkerja Electrolyzer tipe Dry Cell Terhadap Variasi Konsentrasi Elektrolit dan Arus Listrik pada Mesin PEM Fuel Cell Skala Kecil untuk Pembangkit Listrik,” *J. Rekayasa Mesin*, vol. 16, no. 3, p. 447, 2021, doi: 10.32497/jrm.v16i3.3077.
- [32] S. Aminah, M. M. Fajrin, A. Hanif, and R. Syah, “PROSIDING SNIPS 2018 Produksi Gas Hidrogen dari Biomassa Jerami padi menggunakan metode Biomass Electrolysis untuk menghasilkan hidrogen fuel cell ramah lingkungan PROSIDING SNIPS 2018,” no. 2014, pp. 550–556, 2018.
- [33] D. Angelia, G. Prestasindi, W. Permatasari, S. Redjeki, and K. Surabaya, “Kinetics Transesterification Reaction Of Waste Cooking Oil Into Biodiesel With Modified CaO,” vol. 16, no. 2, pp. 93–100, 2022.
- [34] W. Asrori, M. R., Sutrisno, S., Wijaya, “Metanol dan Etanol: Produksi, Karakterisasi, Eksplorasi, dan Pemberdayaan Sumber Daya Alamnya,” *Pros. Semin. Nas. Kim. dan Pembelajarannya*, no. July 2021, pp. 179–196, 2020.
- [35] I. Ridwan, N. Katsuragawa, and K. Tamura, “The Journal of Supercritical

- Fluids Process optimization , reaction kinetics , and thermodynamics studies of water addition on supercritical methyl acetate for continuous biodiesel production,” *J. Supercrit. Fluids*, vol. 166, p. 105038, 2020, doi: 10.1016/j.supflu.2020.105038.
- [36] E. S. Dhika Uljanah, *Pra Rencana Pabrik Pembuatan Metil Asetat Dengan Kapasitas Produksi 70.000 Ton/Tahun*. palembang: universitas sriwijaya, 2018.
- [37] H. Perry, Robert, *Perry Chemical Engineers Handbook Seventh Edition*, Sevent., vol. Seventh. new york: The McGraw-Hill Companies, 1996.
- [38] M. A. Nasution, T. . Herawan, and D. Damoko, “Pengaruh Penggunaan Bahan Bakar Biodiesel Sawit Terhadap Konsumsi dan Emisi Mobil Diesel Tipe Common Rail,” *J. Penelit. Kelapa Sawit*, vol. 15, pp. 91–102, 2007.
- [39] L. T. Thanh, K. Okitsu, L. Van Boi, and Y. Maeda, “Catalytic technologies for biodiesel fuel production and utilization of glycerol: A review,” *Catalysts*, vol. 2, no. 1, pp. 191–222, 2012, doi: 10.3390/catal2010191.
- [40] S. N. Indonesia and B. S. Nasional, “Sni 7182:2015,” 2015.
- [41] M. Canakci and J. Van Gerpen, “Biodiesel production via acid catalysis,” *Trans. Am. Soc. Agric. Eng.*, vol. 42, no. 5, pp. 1203–1210, 1999, doi: 10.13031/2013.13285.
- [42] L. D. Chen, M. Urushihara, K. Chan, and J. K. Nørskov, “Electric Field Effects in Electrochemical CO 2 Reduction,” *ACS Catal.*, vol. 6, no. 10, pp. 7133–7139, Oct. 2016, doi: 10.1021/acscatal.6b02299.
- [43] M. Sarno and E. Ponticorvo, “A new nanohybrid for electrocatalytic biodiesel production from waste Amalfi coast lemon seed oil,” *Fuel*, vol. 267, no. January, p. 117178, 2020, doi: 10.1016/j.fuel.2020.117178.
- [44] Darwin, M. Thifal, M. Alwi, Z. Murizal, A. Pratama, and M. Rizal, “The synthesis of biodiesel from palm oil and waste cooking oil via electrolysis by various electrodes,” *Case Stud. Chem. Environ. Eng.*, vol. 8, no. July, p. 100512, 2023, doi: 10.1016/j.cscee.2023.100512.
- [45] H. Numan Aulia and A. Mokhtar, “Pengaruh Tegangan Listrik dan Rasio Solven pada Sintesis Biodiesel dari Minyak Jelantah Metode Elektrokatalitik,” *Semin. Keinsinyuran Progr. Stud. Progr. Profesi Ins.*,

- vol. 2, no. 1, pp. 41–47, 2022, doi: 10.22219/skpsppi.v3i1.4968.
- [46] M. S. Dhawan, S. C. Barton, and G. D. Yadav, “Interesterification of triglycerides with methyl acetate for the co-production biodiesel and triacetin using hydrotalcite as a heterogenous base catalyst,” *Catal. Today*, vol. 375, pp. 101–111, 2021, doi: 10.1016/j.cattod.2020.07.056.
 - [47] G. Guan and K. Kusakabe, “Synthesis of biodiesel fuel using an electrolysis method,” *Chem. Eng. J.*, vol. 153, no. 1–3, pp. 159–163, 2009, doi: 10.1016/j.cej.2009.06.005.
 - [48] P. Moradi, M. Saidi, and A. T. Najafabadi, “Biodiesel production via esterification of oleic acid as a representative of free fatty acid using electrolysis technique as a novel approach: Non-catalytic and catalytic conversion,” *Process Saf. Environ. Prot.*, vol. 147, pp. 684–692, 2021, doi: 10.1016/j.psep.2020.12.032.
 - [49] L. Fereidooni, K. Tahvildari, and M. Mehrpooya, “Trans-esterification of waste cooking oil with methanol by electrolysis process using KOH,” *Renew. Energy*, vol. 116, pp. 183–193, 2018, doi: 10.1016/j.renene.2017.08.067.
 - [50] K. T. Tan, K. T. Lee, and A. R. Mohamed, “Prospects of non-catalytic supercritical methyl acetate process in biodiesel production,” *Fuel Process. Technol.*, vol. 92, no. 10, pp. 1905–1909, 2011, doi: 10.1016/j.fuproc.2011.05.009.
 - [51] R. Moeksin, M. Z. Shofahaudy, and D. P. Warsito, “Pengaruh rasio metanol dan tegangan arus elektrolisis terhadap yield biodiesel dari minyak jelantah,” vol. 23, no. 5, pp. 39–47, 2017.
 - [52] A. L. Marcharis, A. Haditya, and R. Aurel, “BROCOLYST : (BIODIESEL ZERO CO-SOLVENT AND CATALYST SYSTEM) Produksi Biodiesel Dengan Proses Elektro-Katalitik (Simulation Steps),” pp. 1–8, 2015.
 - [53] V. Kampars, Z. Abelniece, K. Lazdovica, and R. Kampare, “Interesterification of rapeseed oil with methyl acetate in the presence of potassium tert-butoxide solution in tetrahydrofuran,” *Renew. Energy*, vol. 158, pp. 668–674, Oct. 2020, doi: 10.1016/j.renene.2020.04.044.
 - [54] I. Ridwan, N. Katsuragawa, and K. Tamura, “Process optimization,

- reaction kinetics, and thermodynamics studies of water addition on supercritical methyl acetate for continuous biodiesel production,” *J. Supercrit. Fluids*, vol. 166, p. 105038, Dec. 2020, doi: 10.1016/j.supflu.2020.105038.
- [55] E. D. Daryono, “Proses Interesterifikasi Minyak Kelapa Sawit Menjadi Biodiesel dengan Co-solvent Metil Ester,” no. 1, pp. 1–8, 2020.
- [56] S. J. Rand, “Standard Test Method for Density , Relative Density (Specific Gravity), or API Gravity of Crude Petroleum and Liquid Petroleum Products by,” *ASTM Int.*, vol. 05, p. 221, 2003, doi: 10.1520/D1298-12B.calculation.
- [57] F. Al-Hamid, J. Leiwakabessy, and A. Bandjar, “Analisis Komposisi Asam Lemak Pada Minyak Kelapa Fermentasi Dan Minyak Kelapa Tradisional,” *Molluca J. Chem. Educ.*, vol. 9, no. 2, pp. 99–108, 2019, doi: 10.30598/mjocevol9iss2pp99-108.
- [58] J. Pullen and K. Saeed, “Investigation of the factors affecting the progress of base-catalyzed transesterification of rapeseed oil to biodiesel FAME,” *Fuel Process. Technol.*, vol. 130, pp. 127–135, Feb. 2015, doi: 10.1016/j.fuproc.2014.09.013.
- [59] L. Wu, T. Wei, Z. Lin, Y. Zou, Z. Tong, and J. Sun, “Bentonite-enhanced biodiesel production by NaOH-catalyzed transesterification: Process optimization and kinetics and thermodynamic analysis,” *Fuel*, vol. 182, pp. 920–927, 2016, doi: 10.1016/j.fuel.2016.05.065.
- [60] Erlinawati, A. Zikri, and A. Mudzakkir, “Pengaruh Suplai Arus Listrik dan Jumlah Sel Elektroda Terhadap Produksi Gas Hidrogen Dengan Elektrolit Asam Sulfat,” *Kinetika*, vol. 5. pp. 14–19, 2014.
- [61] E. Prastyo, D. F. S, and P. A. Ibrahim, “Pengaruh Waktu Reaksi Terhadap Yield dan Kandungan Metil Ester Sintesis Biodiesel Ampas Tahu Metode Elektrokatalitik,” vol. 15, no. 1, pp. 54–64, 2021.
- [62] M. N. 5) Dedy Irawan 1), Zainal Arifin 2), Fitriyana3), Celine Olivia 4), “Pengaruh Rasio Metanol Dan Koh Pada Proses Pembuatan Biodiesel Dengan Metode Elektrolisis Menggunakan Elektroda Perak,” *Semin. Nas. Inov. dan Apl. Teknol. di Ind.* 2019, vol. ISSN 2085-, pp. 268–272, 2019.

- [63] N. Akkarawatkhoosith, T. Tongtummachat, A. Kaewchada, and A. Jaree, “Non-catalytic and glycerol-free biodiesel production from rice bran oil fatty acid distillate in a microreactor,” *Energy Convers. Manag.* X, vol. 11, p. 100096, 2021, doi: 10.1016/j.ecmx.2021.100096.
- [64] M. A. Mujtaba *et al.*, “Development of empirical correlations for density and viscosity estimation of ternary biodiesel blends,” *Renew. Energy*, vol. 179, pp. 1447–1457, 2021, doi: 10.1016/j.renene.2021.07.121.
- [65] E. Standard, “EN 590,” 2009.
- [66] D. R. Rosalina, N. Kadarisman, and M. Si, “The Measurement Of Viscosity Of Palm Oil With Temperatures Variation Using Fiber Optic Sensor,” *J. Apl. Teknol. Pangan*, vol. 5, no. 2, pp. 15–22, 2018.
- [67] P. Xiao, W. Wang, H. Bao, F. Li, and L. Zhou, “Biodiesel-diesel blend optimized via leave-one cross-validation based on kinematic viscosity, calorific value, and flash point,” *Ind. Crops Prod.*, vol. 191 Part A, doi: <https://doi.org/10.1016/j.indcrop.2022.115914>.
- [68] S. Pawar, J. Hole, M. Bankar, S. Khan, and S. Wankhade, “Use of Fatty Acid Chemical Composition for Predicting Higher Calorific Value of Biodiesel,” *Mater. Today Proc.*, doi: <https://doi.org/10.1016/j.matpr.2023.01.375>.
- [69] American Standard National, “Standard Test Method for Heat of Combustion of Liquid Hydrocarbon Fuels by Bomb Calorimeter (Precision Method),” vol. i, pp. 1–4, 2007.
- [70] D. Russo, M. Portarapillo, and A. Di Benedetto, “Journal of Loss Prevention in the Process Industries Flash point of biodiesel / glycerol / alcohol mixtures for safe processing and storage,” *J. Loss Prev. Process Ind.*, vol. 83, no. March, p. 105077, 2023, doi: 10.1016/j.jlp.2023.105077.
- [71] D. Luning, M. Hamilton, R. Banados, and J. Cowart, “Density , viscosity , speed of sound , flash point , bulk modulus , and surface tension of mixtures of military jet fuel JP-5 and biodiesels dataset,” *Data Br.*, vol. 41, p. 107849, 2022, doi: 10.1016/j.dib.2022.107849.
- [72] S. Risnoyatiningssih, “Biodiesel from avocado seeds by transesterification process,” *J. Tek. Kim.*, vol. 5, no. 1, pp. 345–351, 2010.

- [73] J. Monde, H. Fransiskus, M. Lutfi, and P. I. Kumalasari, “Pengaruh Suhu pada Proses Tranesterifikasi terhadap Kualitas Biodiesel dari Minyak Jelantah,” *J. Pendidik. Tambusai*, vol. 6, no. 1, pp. 1325–1330, 2022.
- [74] M. M. Ghiasi, O. Mohammadzadeh, and S. Zendehboudi, “Reliable connectionist tools to determine biodiesel cetane number based on fatty acids methyl esters content,” *Energy Convers. Manag.*, vol. 264, p. 115601, Jul. 2022, doi: 10.1016/j.enconman.2022.115601.
- [75] I. H. Sinaga, “Pengaruh Katalisator Terhadap Karakteristik Biodiesel Dari Limbah Minyak Goreng,” UNIVERSITAS MEDAN AREA, 2023.