

## DAFTAR PUSTAKA

- Arthur, F. H. 2001. Immediate and delayed mortality of *Oryzaephilus surinamensis* (L.) exposed on wheat treated with diatomaceous earth: Effects of temperature, relative humidity, and exposure interval. *Journal of Stored Products Research.* 37: 13–21.
- Adarkwah, C., Obeng-Ofori, D., Adler, C., Büttner, C., Reichmuth, C., Schöller. 2011. M. Integration of Calneem oil and parasitoids to control *Cadra cautella* and *Corcyra cephalonica* in stored grain cereals. *Phytoparasitica*, 39, 223–233.
- Adhikari, K., Bhandari, S., Niraula, D., & Shrestha, J. 2020. Use of neem (*Azadirachta indica* A. Juss) as a biopesticide in agriculture: A review. *Journal of Agriculture and Applied Biology*, 1(2), 100–117. <https://doi.org/10.11594/jaab.01.02.08>.
- Astuti, L.P., A. Rizali, R. Firnanda, T. Widjayanti. 2020. Physical and Chemical Properties of Flour Products Affect the Development of *Tribolium castaneum*. *Journal of Stored Products Research.* 86: 101555.
- Aradilla, A. 2009. Uji efektivitas larvasida ekstrak ethanol daun mimba (*Azadirachta indica*). Tehadap larva *Aedes aegypti*. Skripsi Semarang: Universitas Diponegoro.
- Astuthi, MMM, Sumiarta K, Susila IW, Wirya GHAS, dan Sudiarta IP. 2012. Efikasi minyak atsiri tanaman cengkeh (*Syzygium aromaticum* (L.) Meer. & Perry), pala (*Myristica fragrans* Houtt), dan jahe (*Zingiber officinale* Rosc.) terhadap mortalitas ulat bulu gempinis dari famili lymantriidae. *J. Agric. Sci. and Biotechnol.* 1(1): 12-23.
- Bulog, 2015. Standar Operasional Prosedur Pengadaan Gabah/Beras Dalam Negeri Di Perum Bulog Tahun 2015. Perum Bulog. Jakarta. 213 hal.
- Balfas R, & Mardiningsih TL. 2017. Pengaruh minyak atsiri terhadap mortalitas dan penghambatan peneluran *Crocidolomia pavonana* F. *Jurnal Bul. Littro* 27 (1): 85-92.
- Bashir, M. A., & Shafique, M. (2019). "Effect of Neem (*Azadirachta indica*) Oil on the Life Cycle of *Tribolium castaneum* (Herbst)". *Journal of Entomology and Zoology Studies*, 7(1), 123-128.
- Campbell, J. F. 2008. Evaluating Sources of Stored-Product Insect Infestation. Contribution for Integrated Management of Stored Rice Pests. Portugal: Instituto de InvestigaÇão Cientifica Tropical.

- Chaudhary SR, Kanwar K, Sehgal A, Cahill DM, Barrow CJ, Sehgal R, dan Kanwar JR. 2017. Progress on *Azadirachta indica* based biopesticides in replacing synthetic toxic pesticides. Review. *Frontiers in Plant Science*. 8 (610): 1-13.
- Chaubey, M. K. 2012. Acute, Lethal and Synergistic Effects of Some Terpenes Against *Tribolium castaneum* Herbst (Coleoptera: Tenebrionidae). *Ecologia Balkanika*. 4, 53-62
- Dadang, Setiawan B, dan Oshawa K. 2006. Aktivitas Minyak dan Serbuk Enam Spesies Tumbuhan Terhadap Peneluran dan Mortalitas *Callosobruchus sp.* (Coleoptera: Bruchidae). *Jurnal Entomologi*, 2(3), 59-70.
- Dewi, A. A. Lidya Nirmala., I. W. Karta, candra W., Andini Dewi. 2017. Uji Efektivitas Larvasida Daun Mimba (*Azadirachta indica*) Terhadap Larva Ulat Sacrophaga Pada Daging Upkarya Yadnya di Bali. *Jurnal Sains dan Teknologi*. 6(1):126-136.
- Daang dan Prijono. 2008. Insektisida Nabati Prinsip, Pemanfaatan, dan Pengembangan. Bogor: Departemen Proteksi Tanaman.
- Dono D, Hidayat Y, Suganda T, Hidayat S. & Widayani NS. 2020. The toxicity of neem (*Azadirachta indica*), citronella (*Cymbopogon nardus*), castor (*Ricinus communis*), and clove (*Syzygium aromaticum*) oil against *Spodoptera frugiperda*. *Cropsaver*. 3 (1): 22-30.
- Duarte JP, Redaelli L, Jahnke SM, & Trapp S. 2019. Effect of *Azadirachta indica* (Sapindales:Meliaceae) oil on *Spodoptera frugiperda* (Lepidoptera: Noctuidae) larvae and adults. *Florida Entomologist*. 102 (2): 408-412.
- Fathoni, M., Yanuwiadi, B., dan Leksono, A. S. 2013. The effectiveness of combination Mahogany (*Swietenia mahogany*) seed and Sour Sup (*Annona muricata*) leaf pesticide to the time of stop feeding and LC50 mortality on armyworm (*Spodoptera litura* F). *Journal of Biodiversity and Environmental Sciences (JBES)*, 3(11), 71–77.
- Ghosh, S., Mali, S. N., Bhowmick, D. N, dan Pratap, A. P. 2021. Neem oil as natural pesticide: Pseudo ternary diagram and computational study. *Journal of the Indian Chemical Society*, 98(7), 100088. <https://doi.org/10.1016/J.JICS.2021.100088>.
- Hagstrum, D. W., Phillips, T. W. and Cuperus, G. 2012. Stored Product Protection. Kansas State University. Kansas.
- Handayani, S.M., Djatmiko, M., dan Anas, Y. 2011. Uji aktifitas reppeleent fraksi N-Heksana ekstrak etanolik daun mimba (*Azadirachta indica A. Juss*) terhadap nyamuk *Aedes aegypti*.
- Haerul, H., Idrus, M. I., dan Risnawati, R. 2019. Efektifitas pestisida nabati dalam mengendalikan hama pada tanaman cabai. *Agrominansia*, 3(2), 129–136. <https://doi.org/10.34003/271888>.

- Hasyim, A., Setiawati, W., Jayanti, H., dan Keristini, E.H. 2014. Repelensi Minyak Atsiri Terhadap Hama Kumbang Bawang *Ephestia cautella* (Walker) (Lepidoptera: Pyralidae) di Laboratorium. *Jurnal Horti.* 24 (4), 336-345.
- Hendrival dan L. Melinda. 2017. Pengaruh kepadatan populasi *Sitophilus oryzae* (L.) terhadap pertumbuhan populasi dan kerusakan beras. *Biospecies.* 10(1): 17–24.
- Hendrival dan E. Mayasari. 2017 Kerentanan dan kerusakan beras terhadap serangan hama pascapanen *Sitophilus zeamais* L. (Coleoptera: Curculionidae). *Jurnal Agro.* 4(2): 68–79.
- Ilato. J, M. F. Dien dan C. S. Rante. 2012. “Jenis Populasi Serangga Hama Pada Beras Di Gudang Tradisional dan Modern Di Profinsi Gorontalo”. Dalam *Jurnal Eugenia.* 2(18):102-110
- Islas, J. F., Acosta, E., G-Buentello, Z., Delgado-Gallegos, J. L., Moreno-Treviño, M. G., Escalante, B., Moreno-Cuevas, J. E. 2020. An overview of Neem (*Azadirachta indica*) and its potential impact on health. *Journal of Functional Foods*, 74, 104171. <https://doi.org/10.1016/J.JFF.2020.104171>.
- Ikawati S, Dhuha MS, Himawan T. 2017. Bioactivity of *Citrus hystrix* DC. leaf extract against cigarette beetle *Lasioderma serricorne* F. *Journal of Tropical Life Science* 7:189–196.
- Indiati, S.W. 2012. Pengaruh Insektisida Nabati Dan Kimia Terhadap Hama Thrips Dan Hasil Kacang Hijau. *Jurnal Penelitian Pertanian Tanaman Pangan*, 31(3), 152–157. <https://doi.org/10.21082/jpptp.v31n3.2012.p>
- Javandira, Cokorda., I Ketut W. dan I Gusti Agung S. 2016. Kajian Fitokimia dan Potensi Ekstrak Daun Tanaman Mimba (*Azadirachta indica*) sebagai Pestisida Nabati. Seminar Nasional.
- Kumar, D., dan Kalita, P. 2017. Reducing postharvest losses during storage of grain crops to strengthen food security in developing countries. *Foods*, 6(1), 8.
- Khoobdel, M., Ma'rouf, A., Farajzadeh, D., Vatani, H., Riaziour, M. & Joneydi, N. 2011. Abundance and diversity of pest arthropods in stored cereals in a military unit. *Journal Military Medicine* 13(2): 81-87.
- Khaidir, Hendrival. 2013. Pengujian Penghambatan Aktivitas Makan Dari Ekstrak Daun *Lantana camara* L (Verbenaceae) Terhadap Larva *Plutella xylostella* L (Lepidoptera: Yponomeutidae) *Jurnal Floratek*, (8), 35-44).
- Kapsara, L dan Arief N.A. 2016. Ekstrak Daun Mimba Terhadap Mortalitas Hama Belalang Kembara.. *J. Biologi dan Pembelajaran Biologi* 1 (1) :63-66.
- Kavallieratos, Athanassiou, Saitanis, Kontodimas, Roussos, Tsoutsas, Anastassopoulou, U.A. Effect of two azadirachtin formulations against

- adults of *Sitophilus oryzae* and *Tribolium confusum* on different grain commodities. J. Food Prot. 2007, 70, 1627–1632.
- Khan, I. A., & Khan, M. I. (2018). "Efficacy of Neem Oil against Stored Grain Pests". *International Journal of Pest Management*, 64(3), 234-241.
- Munro, J. W. 1986. Pest of Stored. Hutchinson and Co. Ltd. London 45 – 58 p.;
- Mukhriani. 2014. Ekstraksi, Pemisahan Senyawa, dan Identifikasi Senyawa Aktif. Jurnal Kesehatan. Vol. VII No. 2.
- Martono, B., Hadipoentyanti, E., Laba, D., Penelitian, U. B., Rempah, T., dan Obat, D. 2004. Plasma Nutfah Insektisida Nabati. *Perkembangan Teknologi TRO*, 16(1), 43–59. Retrieved from <https://abumutsanna.files.wordpress.com/2008/09/plasma-nutfah-insektisida-nabati.pdf>.
- Muhammad, Z., Sajjad, A., Murtaza, M.A., Muhammad. 2000, H. Comparison of neem oil solution with malathion and actellic in relation to the efficacy against flour beetles, *Tribolium castaneum* (Herbst) and *T. Confusum* (Duv.) infesting stored sunflower seed. Pak. Entomol, 22, 51–53.
- Najafabadi, S.M., Beiramizadeh, E., Zarei, R. 2014, Repellency and toxicity of three plants leaves extraction against *Oryzaephilus surinamensis* L. and *Tribolium castaneum* Herbst. JBES, 4, 26–32.
- Ogebegbe, A.B.O, Edoreh, J.A. 2014. An Evaluation of Infestation of Insect Pests of Flours in Benin City, Edo State, Nigeria. *Journal of Applied Sciences and Environmental Management* 18(3): 487-494.
- Paul, R., M. Prasad. and N.K. Sah. 2011. Anticancer Biology of *Azadirachta indica* L (neem) A Mini Review. *Cancer Biology & Therapy*, 12(6): 467-476.
- Rahman, M.D., Dien, M.F. and Mamahit, J.E., 2012. Komunitas Serangga Hama pada Komoditi Jagung di Kecamatan Mootilango, Kabupaten Gorontalo Provinsi Gorontalo. *Eugenia*, 18(3).
- Rahila, N. 2006. Studies on Neem (*Azadirachta indica* A. Juss) derivatives as protectants against stored grain insects. Ph.D. thesis, University of Karachi, Karachi.
- Rees, D. 2004. Insect of stored Products. CSIRO Publishing. Collingwood.
- Rahaman, M.M., Islam, W., Sarker, P.K. Effect of azadirachtin on larvae and adults of *Cryptolestes pesillus* (Schon.) (Coleoptera: Cucujidae). Pak. Entomol. 2005, 27, 1.
- Setiawati, Wiwin, Rini Murtiningsih, Neni Gunaeni, dan Tati Rubiati, Tumbuhan Bahan Pestisida Nabati dan Cara Pembuatannya Untuk Pengendalian Organisme Pengganggu Tumbuhan (OPT). Bandung: Balai Penelitian Tanaman Sayuran, 2008.

- Sarwar, M. 2015. The Killer Chemicals for Control of Agriculture Insect Pests: The Botanical Insecticides. International Journal of Chemical and Biomolecular Science 1(3):123-128.
- Sharma, A., Kaushal, P., Sharma, K.C., Kumar, R. 2006. Bioefficacy of some plant products against Diamond back moth *Plutella xylostella L.* (Lepidoptera: Yponomeutidae). J. Entomol. Res., 30, 213–217.
- Sreeramoju, P., M. S. K. Prasad dan V. Lakshmi pathi. 2016. Complete Study of Life Cycle of *Tribolium castaneum* and Its Weight Variations in the Developing Stages. Int. J. Plant, Animal Environ. Sci, 6(2): 95-100.
- Shinta. 2010. Potensi Minyak Atsiri Daun Nilam (*Pogostemon cablin* B), Daun Babadotan (*Ageratum conyzoides* L.) Bunga Kenanga (*Cananga odorata* hook F & Thoms), Daun Rosemary (*Rosmarinus officinalis* L.) Sebagai Repelen Terhadap Nyamuk *Aedes Aegypti* L. *Jurnal Litbang Kesehatan*, 22 (2), 61-69.
- Syam, S., Harahap, S.I, dan Dadang. 2017. Efek Fumigan dan Repelen Fraksi Minyak Atsiri Mentha piperita Terhadap *Tribolium castaneum* (Coleoptera: Tenebrionidae). *Buletin Penelitian Tanaman Rempah dan Obat*.28 (2).181-190.
- Spiridon, Mantzoukas., Aristeidis, Ntoukas., Ioannis, Lagogiannis., Nikolaos, Kalyvas.,Panagiotis, Eliopoulos., Konstantinos Poulas. Larvicidal Action of Cannabidiol Oil and Neem Oil against Three Stored Product Insect Pests: Effect on Survival Time and in Progeny. *Journal of Biologi*, Biology (2020), 9, 321; doi:10.3390/biology9100321.
- Saenong, S.M. 2016. Tumbuhan Indonesia Potensial Sebagai Insektisida Nabati Untuk Mengendalikan Hama Kumbang Bubuk Beras Jagung (*Sitophilus* spp). *Jurnal Litbang Pertanian*, 35 (3), 131-142.
- Sari, R, Salbiah, D. 2020. Keefektifan Beberapa Dosis Insektisida Nabati Babadotan (*Ageratum conyzoides* L.) Kumbang Bubuk Biji Jagung (*Sitophilus zeamays* M.) Di Penyimpanan. *Jurnal Dinamika Pertanian*, 36 (1), 29-36.
- Sunarto, D. A, Nurindah, N. 2016. Peran insektisida botani ekstrak biji mimba untuk konservasi musuh alami dalam pengelolaan serangga hama kapas. *Jurnal Entomologi Indonesia*, 6(1), 42. <https://doi.org/10.5994/jei.6.1.42>.
- Sukandar, D., Hermanto, S., dan Nurichawati. 2017. Karakteristik Senyawa Aktif Pengendalian Hama Kutu Beras (*Sitophilus oryzae* L.) Dari Distilat Minyak Atsiri Pandan Wangi (*P. amarillifolius* Roxb). *Jurnal*, 129-134.
- Tasneem Kousar, Zaib-un-Nisa Memon, Hakim Ali Sahito, Wali Muhammad Mangrio, Faheem Ahmed Jatoi and Zafar Hussain Shah. (2021) Biology, morphology, and varietal distribution of Saw-toothed grain beetle,

- Oryzaephilus surinamensis (L) on date palm dry and semi-dry dates at district : Khairpur, Sindh - Pakistan. Pure and Applied Biology. Vol. 10, Issue 3, pp539-548.
- Talukder, F. & Howse, P.E. 1994. Laboratory Evaluation of Toxic and Repellent Properties of the Pithraj Tree (*Aphanamixis polystachya* Wall & Parker) against *Sitophilus oryzae* (L). *International Journal of Pest Management*. 40(3): 274–279.
- Thilagavathi, G, dan Viju, S. 2016. Antimicrobials for protective clothing. *Antimicrobial Textiles*, 305–317. <https://doi.org/10.1016/B978-0-08-100576-7.00016-X>.
- Wiratno. 2013. “Perkembangan Penelitian, Formulasi, dan Pemanfaatan Pestisida Nabati “. Dalam Jurnal Penelitian dan Pengembangan Pertanian, Vol. 32, No.4. Badan Litbang Pertanian, Kementerian Pertanian.
- Weifen, G.S.S.J.L. 2003. The Nutritional Value of Cottonseed Meal Fermented by A. Niger [J]. Chinese Cereals and Oils Association 1: 018.
- Wibawa, I Putu Ahus H. 2019. Uji Efektivitas Ekstrak Mimba (*Azadirachta indica* A. Juss.) untuk Mengendalikan Hama Pengerek Daun Pada Tanaman *Podocarpus neriifolius*. *Jurnal Agroekteknologi*. 8(1).20-31.
- Widawati, M., dan Prasetyowati, H., 2013, Efektivitas Ekstrak Buah Beta vulgaris L. (Buah Bit) dengan Berbagai Fraksi Pelarut Terhadap Mortalitas Larva *Aedes aegypti*, *Jurnal Aspirator* Vol. 5: 23-29.
- Xie Y. S., Fields P. G., dan Isman, M. B. 1995. Repellency and toxicity of *Azadirachtin* and Neem concentrates to three stored-product beetles. *Journal of Economic Entomology*, 88, 1024-1031