

## DAFTAR PUSTAKA

- Abdullah, D., Susilo, S., Ahmar, A. S., Rusli, R., & Hidayat, R. (2022). The application of K-means clustering for province clustering in Indonesia of the risk of the COVID-19 pandemic based on COVID-19 data. *Quality & Quantity*, 56(3), 1283–1291. <https://doi.org/10.1007/s11135-021-01176-w>
- Abdulnassar, A. A., & Nair, L. R. (2023). Performance analysis of Kmeans with modified initial centroid selection algorithms and developed Kmeans9+ model. *Measurement: Sensors*, 25, 100666. <https://doi.org/10.1016/j.measen.2023.100666>
- Bouguettaya, A., Yu, Q., Liu, X., Zhou, X., & Song, A. (2015). Efficient agglomerative hierarchical clustering. *Expert Systems with Applications*, 42(5), 2785–2797. <https://doi.org/10.1016/j.eswa.2014.09.054>
- Bustami, Nurdin, Taufiq, Fajriana, & Muhammad Khatami. (2023). Application of the K-Means Clustering Algorithm to Determine Student Academic Ability Levels during Covid-19. *Journal of Advanced Zoology*, 44(3), 1215–1226. <https://doi.org/10.17762/jaz.v44i3.1671>
- Castro Heredia, L. C., & Rodrigo Mor, A. (2019). Density-based clustering methods for unsupervised separation of partial discharge sources. *International Journal of Electrical Power & Energy Systems*, 107, 224–230. <https://doi.org/10.1016/j.ijepes.2018.11.015>
- Chakraborty, A., Faujdar, N., Punhani, A., & Saraswat, S. (2020). Comparative Study of K-Means Clustering Using Iris Data Set for Various Distances. *2020 10th International Conference on Cloud Computing, Data Science & Engineering (Confluence)*, 332–335. <https://doi.org/10.1109/Confluence47617.2020.9058328>
- Dahlan Abdullah & Cut Ita Erliana. (2021). Model of Ict Goods Inventory Clustering Application Using K-Means Method. *Ilkogretim Online - Elementary Education Online*, 20(1), 1128–1132. <https://doi.org/10.17051/ilkonline.2021.01.116>
- Ding, W., Zhang, Y., Sun, Y., & Qin, T. (2021). An Improved SFLA-Kmeans Algorithm Based on Approximate Backbone and Its Application in Retinal Fundus Image. *IEEE Access*, 9, 72259–72268. <https://doi.org/10.1109/ACCESS.2021.3079119>
- Fahad, S. K. A. (2016). A Modified K-Means Algorithm for Big Data Clustering. *International Journal of Computer Science Engineering and Technology*, 6, 129–132.

- Fan, Y., Gongshen, L., Kui, M., & Zhaoying, S. (2018). Neural Feedback Text Clustering With BiLSTM-CNN-Kmeans. *IEEE Access*, 6, 57460–57469. <https://doi.org/10.1109/ACCESS.2018.2873327>
- Fayyad, U., Piatetsky-Shapiro, G., & Smyth, P. (1996). From Data Mining to Knowledge Discovery in Databases. *AI Magazine*, 17(3), Article 3. <https://doi.org/10.1609/aimag.v17i3.1230>
- Flores-Vidal, P. A., Olaso, P., Gómez, D., & Guada, C. (2019). A new edge detection method based on global evaluation using fuzzy clustering. *Soft Computing*, 23(6), 1809–1821. <https://doi.org/10.1007/s00500-018-3540-z>
- Fong, S., Deb, S., Yang, X.-S., & Zhuang, Y. (2014). Towards Enhancement of Performance of K-Means Clustering Using Nature-Inspired Optimization Algorithms. *The Scientific World Journal*, 2014, 1–16. <https://doi.org/10.1155/2014/564829>
- Forghani, Y. (2017). Comment on “DSKmeans: A new kmeans-type approach to discriminative subspace clustering” by X. Huang et al. [Knowledge-Based Systems, Vol. 70, pp. 293–300, 2014]. *Knowledge-Based Systems*, 118, 1–3. <https://doi.org/10.1016/j.knosys.2016.11.002>
- Fränti, P. (2018). Efficiency of random swap clustering. *Journal of Big Data*, 5(1), 13. <https://doi.org/10.1186/s40537-018-0122-y>
- Gou, J., Yi, Z., Du, L., & Xiong, T. (2012). A Local Mean-Based k-Nearest Centroid Neighbor Classifier. *The Computer Journal*, 55(9), 1058–1071. <https://doi.org/10.1093/comjnl/bxr131>
- Han, J., Kamber, M., & Pei, J. (2011). *Data Mining: Concepts and Techniques, Third Edition (The Morgan Kaufmann Series in Data Management Systems)*. Morgan Kaufmann. <https://www.amazon.com/Data-Mining-Concepts-Techniques-Management/dp/0123814790>
- Hartono, Erianto Ongko, & Dahlan Abdullah. (2015). Determining a Cluster Centroid of K-Means Clustering Using Genetic Algorithm. *International Journal of Computer Science and Software Engineering (IJCSE)*, 4(6), 160–164.
- Laohakiat, S., & Sa-ing, V. (2021). An incremental density-based clustering framework using fuzzy local clustering. *Information Sciences*, 547, 404–426. <https://doi.org/10.1016/j.ins.2020.08.052>
- Leskovec, J., Rajaraman, A., & Ullman, J. D. (2014). *Mining of Massive Datasets* (2 edition). Cambridge University Press.

- Li, M., Wang, H., Long, H., Xiang, J., Wang, B., Xu, J., & Yang, J. (2019). Community Detection and Visualization in Complex Network by the Density-Canopy-Kmeans Algorithm and MDS Embedding. *IEEE Access*, 7, 120616–120625. <https://doi.org/10.1109/ACCESS.2019.2936248>
- Li, Y., Song, X., Tu, Y., & Liu, M. (2024). GAPBAS: Genetic algorithm-based privacy budget allocation strategy in differential privacy K-means clustering algorithm. *Computers & Security*, 139, 103697. <https://doi.org/10.1016/j.cose.2023.103697>
- Liu, J., Cao, F., & Liang, J. (2022). Centroids-guided deep multi-view K-means clustering. *Information Sciences*, 609, 876–896. <https://doi.org/10.1016/j.ins.2022.07.093>
- Liu, J., Kong, X., Zhou, X., Wang, L., Zhang, D., Lee, I., Xu, B., & Xia, F. (2019). Data Mining and Information Retrieval in the 21st century: A bibliographic review. *Computer Science Review*, 34, 100193. <https://doi.org/10.1016/j.cosrev.2019.100193>
- MacQueen, J. (1967). *Some methods for classification and analysis of multivariate observations*. Proceedings of the Fifth Berkeley Symposium on Mathematical Statistics and Probability, Volume 1: Statistics. <https://projecteuclid.org/euclid.bsmsp/1200512992>
- Majhi, S. K., & Biswal, S. (2018). Optimal cluster analysis using hybrid K-Means and Ant Lion Optimizer. *Karbala International Journal of Modern Science*, 4(4), 347–360. <https://doi.org/10.1016/j.kijoms.2018.09.001>
- Ni, T., Qiao, M., Chen, Z., Zhang, S., & Zhong, H. (2021). Utility-efficient differentially private K-means clustering based on cluster merging. *Neurocomputing*, 424, 205–214. <https://doi.org/10.1016/j.neucom.2020.10.051>
- Nidheesh, N., Abdul Nazeer, K. A., & Ameer, P. M. (2017). An enhanced deterministic K-Means clustering algorithm for cancer subtype prediction from gene expression data. *Computers in Biology and Medicine*, 91, 213–221. <https://doi.org/10.1016/j.combiomed.2017.10.014>
- Nowak - Brzezińska, A., & Horyń, C. (2020). Outliers in rules—The comparision of LOF, COF and KMEANS algorithms. *Procedia Computer Science*, 176, 1420–1429. <https://doi.org/10.1016/j.procs.2020.09.152>
- Nurdin, Bustami, Meiyanti, R., Fahada, A., & Marleni. (2023). Application of the K-Means Method for Clustering Capture Fisheries Products in North Aceh with A Data Mining Approach. *Journal of Advanced Zoology*, 44(4), 39–49. <https://doi.org/10.17762/jaz.v44i4.1358>

- Nurdin, Taufiq, Fajriana, & Ulhaq, M. Z. (2023). Mapping System Model and Clustering of Fishery Products using K- Means Algorithm with Web GIS Approach. *International Journal of Intelligent Systems and Applications in Engineering*, 11(3), 738–749.
- Peng, K., Leung, V. C. M., & Huang, Q. (2018). Clustering Approach Based on Mini Batch Kmeans for Intrusion Detection System Over Big Data. *IEEE Access*, 6, 11897–11906. <https://doi.org/10.1109/ACCESS.2018.2810267>
- Pietrzykowski, M. (2017). Local regression algorithms based on centroid clustering methods. *Procedia Computer Science*, 112, 2363–2371. <https://doi.org/10.1016/j.procs.2017.08.210>
- Pourahmad, S., Basirat, A., Rahimi, A., & Doostfatemeh, M. (2020). Does Determination of Initial Cluster Centroids Improve the Performance of - Means Clustering Algorithm? Comparison of Three Hybrid Methods by Genetic Algorithm, Minimum Spanning Tree, and Hierarchical Clustering in an Applied Study. *Computational and Mathematical Methods in Medicine*, 2020, e7636857. <https://doi.org/10.1155/2020/7636857>
- Saha, R., Tariq, M. T., Hadi, M., & Xiao, Y. (2019). *Pattern Recognition Using Clustering Analysis to Support Transportation System Management, Operations, and Modeling* [Review Article]. Journal of Advanced Transportation; Hindawi. <https://doi.org/10.1155/2019/1628417>
- Sarkar, D., Bali, R., & Sharma, T. (2017). *Practical Machine Learning with Python: A Problem-Solver's Guide to Building Real-World Intelligent Systems* (1st ed. edition). Apress.
- Serapião, A. B. S., Corrêa, G. S., Gonçalves, F. B., & Carvalho, V. O. (2016). Combining K-Means and K-Harmonic with Fish School Search Algorithm for data clustering task on graphics processing units. *Applied Soft Computing*, 41, 290–304. <https://doi.org/10.1016/j.asoc.2015.12.032>
- Shi, G. (2013). *Data Mining and Knowledge Discovery for Geoscientists* (1 edition). Elsevier.
- Sumathi, S., & Sivanandam, S. N. (Eds.). (2006). Data Mining Tasks, Techniques, and Applications. In *Introduction to Data Mining and its Applications* (pp. 195–216). Springer. [https://doi.org/10.1007/978-3-540-34351-6\\_7](https://doi.org/10.1007/978-3-540-34351-6_7)
- Vijayan, H., M, S., & K, S. (2024). A-MKMC: An effective adaptive-based multilevel K-means clustering with optimal centroid selection using hybrid heuristic approach for handling the incomplete data. *Data & Knowledge Engineering*, 150, 102243. <https://doi.org/10.1016/j.datak.2023.102243>

- Wei, L., Ma, H., Yin, Y., & Geng, C. (2023). Kmeans-CM Algorithm With Spectral Angle Mapper for Hyperspectral Image Classification. *IEEE Access*, 11, 26566–26576. <https://doi.org/10.1109/ACCESS.2023.3257859>
- Xiong, S., & Ji, D. (2016). Exploiting flexible-constrained K-means clustering with word embedding for aspect-phrase grouping. *Information Sciences*, 367–368, 689–699. <https://doi.org/10.1016/j.ins.2016.07.002>
- Xu, T.-S., Chiang, H.-D., Liu, G.-Y., & Tan, C.-W. (2017). Hierarchical K-means Method for Clustering Large-Scale Advanced Metering Infrastructure Data. *IEEE Transactions on Power Delivery*, 32(2), 609–616. IEEE Transactions on Power Delivery. <https://doi.org/10.1109/TPWRD.2015.2479941>
- Yang, W., Long, H., Ma, L., & Sun, H. (2020). Research on Clustering Method Based on Weighted Distance Density and K-Means. *Procedia Computer Science*, 166, 507–511. <https://doi.org/10.1016/j.procs.2020.02.056>
- Zahra, S., Ghazanfar, M. A., Khalid, A., Azam, M. A., Naeem, U., & Prugel-Bennett, A. (2015). Novel centroid selection approaches for KMeans-clustering based recommender systems. *Information Sciences*, 320, 156–189. <https://doi.org/10.1016/j.ins.2015.03.062>
- Zeng, P., Sun, F., Liu, Y., Wang, Y., Li, G., & Che, Y. (2021). Mapping future droughts under global warming across China: A combined multi-timescale meteorological drought index and SOM-Kmeans approach. *Weather and Climate Extremes*, 31, 100304. <https://doi.org/10.1016/j.wace.2021.100304>
- Zeng, Q., Gong, Z., Wu, S., Zhuang, C., & Li, S. (2024). Measuring cyclists' subjective perceptions of the street riding environment using K-means SMOTE-RF model and street view imagery. *International Journal of Applied Earth Observation and Geoinformation*, 128, 103739. <https://doi.org/10.1016/j.jag.2024.103739>
- Zhong, K., Zhou, X., Zhou, L., Yang, Z., Liu, C., & Xiao, N. (2020). An efficient parallel direction-based clustering algorithm. *Journal of Parallel and Distributed Computing*, 145, 24–33. <https://doi.org/10.1016/j.jpdc.2020.06.002>
- Zhu, E., Zhang, Y., Wen, P., & Liu, F. (2019). Fast and stable clustering analysis based on Grid-mapping K-means algorithm and new clustering validity index. *Neurocomputing*, 363, 149–170. <https://doi.org/10.1016/j.neucom.2019.07.048>

Zubair, Md., Iqbal, MD. A., Shil, A., Chowdhury, M. J. M., Moni, M. A., & Sarker, I. H. (2022). An Improved K-means Clustering Algorithm Towards an Efficient Data-Driven Modeling. *Annals of Data Science.* <https://doi.org/10.1007/s40745-022-00428-2>