

ABSTRAK

Latar belakang Prevalensi angka kejadian fraktur semakin meningkat setiap tahun yang disebabkan oleh kecelakaan lalu lintas dan peristiwa terjatuh. Fraktur kondisi dimana kontinuitas yang normal terputus dari suatu jaringan tulang

Tujuan studi kasus ini adalah mendeskripsikan asuhan keperawatan pada pasien dengan post ORIF fraktur. **Metode yang digunakan** metode deskriptif dalam bentuk studi kasus dengan pendekatan proses keperawatan yang terdiri dari pengkajian, diagnosa, intervensi, implementasi dan evaluasi. Penelitian ini dilakukan pada tanggal 10 s/d13 Juni 2024. **Hasil yang didapatkan** yaitu ditemukan keluhan nyeri bahu kanan, ekspresi wajah meringis, skala nyeri 6, adanya keluhan sulit menggerakkan bahu kanan, terdapat penurunan kekuatan otot 2, dan terdapat keluhan nyeri pada bagian luka post op dengan keadaan luka bersih. Diagnosa keperawatan yang ditemukan ada nyeri akut, gangguan mobilitas fisik dan risiko infeksi. **Kesimpulan** Dari diagnosa nyeri akut didapatkan hasil selama 4 hari rawatan teratasi tindakan yang diberikan yaitu penerapan teknik relaksasi napas dalam, diagnosa gangguan mobilitas fisik teratasi sebagian tindakan yang diberikan yaitu memfasilitasi pasien ketika melakukan aktivitas dan diagnosa risiko infeksi teratasi tindakan yang dilakukan yaitu perawatan luka dengan mempertahankan teknik aseptik. **Saran** diharapkan kedepannya penelitian dapat dilakukan lebih komprehensif saat melakukan asuhan keperawatan dari pasien sampai pasien pulang.

Kata kunci : Angka kejadian, Fraktur, ORIF, Pendekatan proses keperawatan

ABSTRACT

Background The prevalence of fractures is increasing every year due to traffic accidents and falls. Fractures are conditions where the normal continuity of bone tissue is broken. **The aim of this case study** is to describe nursing care for patients with post-ORIF fractures. The **method used** is a descriptive method in case study form with a nursing process approach consisting of assessment, diagnosis, intervention, implementation and evaluation. This research was conducted from 10 to 13 June 2024. **The results obtained were** complaints of right shoulder pain, facial expressions of grimace, pain scale 6, presence of Complaints of difficulty moving the right shoulder, there is a decrease in muscle strength 2, and there are complaints of pain in the post-op wound with a clean wound. The nursing diagnoses found were acute pain, impaired physical mobility and risk of infection. **Conclusion** From the diagnosis of acute pain, the results obtained during 4 days of treatment were resolved, the actions given were the application of deep breathing relaxation techniques, the diagnosis of physical mobility disorders was resolved, some of the actions given were facilitating the patient when carrying out activities and the diagnosis of the risk of infection was resolved, the actions taken were wound care by maintaining aseptic. **Suggestion** It is hoped that in the future research can be carried out more comprehensively when providing nursing care from the patient until the patient goes home.

Key words: incidence rate, fracture, nursing process approach