

## DAFTAR PUSTAKA

- [1] D. Setyawan, Triyono, and Morina, “Aktivitas Katalis Ni/Zeolit pada Konversi Katalitik Metil Ester Minyak Goreng Jelantah (Mewco) pada Temperatur 450OC Menjadi Senyawa Fraksi Bahan Bakar O,” *Lembaran Publ. Miny. dan Gas Bumi*, vol. 43, no. Vol 43, No 1 (2009), pp. 65–74, 2009.
- [2] G. W. Huber, P. O’Connor, and A. Corma, “Processing biomass in conventional oil refineries: Production of high quality diesel by hydrotreating vegetable oils in heavy vacuum oil mixtures,” *Appl. Catal. A Gen.*, vol. 329, pp. 120–129, 2007, doi: 10.1016/j.apcata.2007.07.002.
- [3] A. M. P. Anahas and G. Muralitharan, “Characterization of heterocystous cyanobacterial strains for biodiesel production based on fatty acid content analysis and hydrocarbon production,” *Energy Convers. Manag.*, vol. 157, no. November 2017, pp. 423–437, Feb. 2018, doi: 10.1016/j.enconman.2017.12.012.
- [4] A. Saad, S. Ratanawilai, and C. Tongurai, *Catalytic Conversion of Pyrolysis Tar to Produce Green Gasoline-Range Aromatics*, vol. 79. Elsevier B.V., 2015.
- [5] W. N. A. A. W. Ranizang, M. A. M. Yussuf, M. Mohamed, M. Jusoh, and Z. Y. Zakaria, “Catalytic Pyrolysis of Fuel Oil Blended Stock for Bio-Oil Production: A Review,” *Chem. Eng. Trans.*, vol. 97, no. July, pp. 373–378, 2022, doi: 10.3303/CET2297063.
- [6] I. Sulaiman and M. Muzaiifa, “Potensi Limbah Kopi Sebagai Bahan Baku Pektik,” *Potensi Limbah Kopi Sebagai Bahan Baku Pektik*, no. January, 2016, doi: 10.52574/syiahkualauniversitypress.343.
- [7] M. Mawaddah, A. Setiawan, Z. Zulnazri, A. P. Putri, N. A. Khan, and V. Jain, “Hydrolysis of coffee pulp as raw material for bioethanol production: sulfuric acid variations,” *J. Renew. Energy, Electr. Comput. Eng.*, vol. 2, no. 1, p. 1, 2022, doi: 10.29103/jreece.v2i1.6382.
- [8] A. Setiawan, A. G. Randa, Faisal, T. Bin Nur, and Rusdianasari, “Thermal decomposition of Gayo Arabica coffee-pulp in a segmented chamber,” *J.*

- Phys. Conf. Ser.*, vol. 1500, no. 1, 2020, doi: 10.1088/1742-6596/1500/1/012076.
- [9] R. Tambun, O. N. Gusti, M. A. Nasution, and R. P. Saptawaldi, “Biofuel Production From Palm Olein By Catalytic Cracking Process Using Zsm-5 Catalyst,” *J. Bahan Alam Terbarukan*, vol. 6, no. 1, pp. 50–55, 2017, doi: 10.15294/jbat.v6i1.8733.
- [10] R. N. Yanti, “Kandungan Kimia Crude Bio Oil Tandan Kosong Kelapa Sawit Sebagai Bahan Baku Bioenergi,” *Semin. Nas. Karya Ilm. Multidisiplin*, vol. 1, no. 1, pp. 177–182, 2021.
- [11] E. Wikberg, “Second Cycle, 30 Credits Division of Heat and Power Technology SE,” vol. 100, p. 44.
- [12] D. Pan, Q. Zhao, and H. Xu, “Study on the Performance of Vanadium Catalyst on Folded Glass Fiber Substrates,” *Neiranji Gongcheng/Chinese Intern. Combust. Engine Eng.*, vol. 43, no. 5, pp. 1–7, 2022, doi: 10.13949/j.cnki.nrjgc.2022.05.001.
- [13] P. Specimens, “Standard Test Methods for iTeh Standards iTeh Standards Document Preview,” vol. i, no. Reapproved, pp. 1–6, 2003, doi: 10.1520/D7544-12R17.2.
- [14] L. Gueudré *et al.*, “Optimizing the bio-gasoline quantity and quality in fluid catalytic cracking co-refining,” *Fuel*, vol. 192, pp. 60–70, Mar. 2017, doi: 10.1016/j.fuel.2016.12.021.
- [15] A. Setiawan, M. Zakarya, Alchalil, and T. Bin Nur, “Experimental Investigation and Simulation of Slow Pyrolysis Process of Arabica Coffee Agroindustry Residues in a Pilot-Scale Reactor,” *J. Ecol. Eng.*, vol. 23, no. 8, pp. 260–269, 2022, doi: 10.12911/22998993/150693.
- [16] M. Riswanda, “Studi Karakteristik Proses Pirolisis Cepat Rdf-5 Bebrbahan Dasar Limbah Aren Dan Kopi Dengan Pengikat Limbah Plastik Terhadap Kuantitas Bio-Oil,” *NOZEL J. Pendidik. Tek. Mesin*, vol. 4, no. 4, p. 237, 2023, doi: 10.20961/nozel.v4i4.72277.
- [17] E. D. Martauli, “Analysis Of Coffee Production In Indonesia,” *JASc (Journal Agribus. Sci.)*, vol. 1, no. 2, pp. 112–120, 2018, doi: 10.30596/jasc.v1i2.1962.

- [18] P. Purnami, I. Wardana, and V. K., “Pengaruh Penggunaan Katalis Terhadap Laju Dan Efisiensi Pembentukan Hidrogen,” *J. Rekayasa Mesin*, vol. 6, no. 1, pp. 51–59, 2015, doi: 10.21776/ub.jrm.2015.006.01.8.
- [19] L. W. N. Setyaningsih, U. M. Rizkiyaningrum, and R. Andi, “Pengaruh Konsentrasi Katalis Dan Reusability Katalis Pada Sintesis Triasetin Dengan Katalisator Lewatit,” *Teknoin*, vol. 23, no. 1, pp. 56–62, 2017, doi: 10.20885/teknoin.vol23.iss1.art7.
- [20] R. Sari, R. Dewi, and L. Hakim, “Pemanfaatan Tempurung Kelapa sebagai Katalis pada Sintesa Biodiesel dari Minyak Jelantah,” *J. Tek.*, vol. 1, no. 1, pp. 1–11, 2021.
- [21] S. W. Banks and A. V. Bridgwater, *Catalytic fast pyrolysis for improved liquid quality*. Elsevier Ltd, 2016.
- [22] S. Y. Foong *et al.*, “Progress in waste valorization using advanced pyrolysis techniques for hydrogen and gaseous fuel production,” *Bioresour. Technol.*, vol. 320, p. 124299, 2021, doi: 10.1016/j.biortech.2020.124299.
- [23] N. Taufiqurrahmi, A. R. Mohamed, and S. Bhatia, “Deactivation and coke combustion studies of nanocrystalline zeolite beta in catalytic cracking of used palm oil,” *Chem. Eng. J.*, vol. 163, no. 3, pp. 413–421, 2010, doi: 10.1016/j.cej.2010.07.049.
- [24] S. Y. Lisha, N. Nofriya, and A. Melisa, “Pemanfaatan Zeolit Dalam Pengomposan Limbah Lumpur (Sludge) Ipal Pt.X,” *J. Sains dan Teknol. J. Keilmuan dan Apl. Teknol. Ind.*, vol. 21, no. 1, p. 102, 2021, doi: 10.36275/stsp.v21i1.323.
- [25] E. N. Rohmah, A. Rochmat, and S. D. Sumbogo, “Bio-gasoline from Catalytic Hydrocracking Reaction of Waste Cooking Oil Using Bayah Natural Zeolite,” *Int. J. Environ. Bioenergy*, vol. 2012, no. 3, pp. 201–209, 2012.
- [26] S. D. P. Da Mota *et al.*, “Production of green diesel by thermal catalytic cracking of crude palm oil (*Elaeis guineensis* Jacq) in a pilot plant,” *J. Anal. Appl. Pyrolysis*, vol. 110, no. 1, pp. 1–11, 2014, doi: 10.1016/j.jaap.2014.06.011.
- [27] A. Saad, S. Ratanawilai, and C. Tongurai, “Catalytic Conversion of

- Pyrolysis Tar to Produce Green Gasoline-Range Aromatics,” *Energy Procedia*, vol. 79, pp. 471–479, 2015, doi: 10.1016/j.egypro.2015.11.521.
- [28] D. Siew Hew Sam, V. Soenen, and J. C. Volta, “Oxidative dehydrogenation of propane over VMgO catalysts,” *J. Catal.*, vol. 123, no. 2, pp. 417–435, 1990, doi: 10.1016/0021-9517(90)90139-B.
- [29] G. Lv *et al.*, “Preparation of vanadium-MFI zeolite for oxidative desulfurization with the aid of ammonium carbonate,” *Appl. Catal. A Gen.*, vol. 607, no. May, p. 117862, Oct. 2020, doi: 10.1016/j.apcata.2020.117862.
- [30] R. Salami, M. Amini, M. Bagherzadeh, and H. Hosseini, “Vanadium supported on spinel cobalt ferrite nanoparticles as an efficient and magnetically recoverable catalyst for oxidative degradation of methylene blue,” *Appl. Organomet. Chem.*, vol. 33, no. 10, pp. 1–9, 2019, doi: 10.1002/aoc.5127.
- [31] D. Sondari, “Pengaruh Metoda Preparasi Terhadap Aktivitas Katalis Nikel Dengan Penyangga Titania,” *Reaktor*, vol. 6, no. 1. p. 44, 2017, doi: 10.14710/reaktor.6.1.44-47.
- [32] A. A, Z. Sabara, and A. Suryanto, “Preparasi Katalis Dari Cangkang Telur Dengan Metode Impregnasi Untuk Pembuatan Biodiesel Dari Minyak Kelapa,” *J. Chem. Process Eng.*, vol. 5, no. 1, pp. 40–44, 2020, doi: 10.33536/jcpe.v5i1.543.
- [33] E. Permana, I. Cristine, S. D. S. Murti, and F. M. Yanti, “Preparation and Characterization of Cu/ZnO Catalysts With Activated Carbon Support Using H<sub>3</sub>PO<sub>4</sub> and ZnCl<sub>2</sub> Activators,” *J. Teknol.*, vol. 13, no. 1, pp. 6–15, 2020.
- [34] G. J. Hutchings and J. C. Vèdrine, “Heterogeneous Catalyst Preparation,” 2004.
- [35] H. Lubis, “Perbandingan Karakterisasi Morfologi Fe<sub>3</sub>O<sub>4</sub> terhadap Fe<sub>3</sub>O<sub>4</sub> Merck melalui Metode Kopresipitasi,” *Juripol*, vol. 5, no. 2, pp. 458–463, 2022, doi: 10.33395/juripol.v5i2.11775.
- [36] K. S. Suslick *et al.*, “Acoustic cavitation and its chemical consequences,” *Philos. Trans. R. Soc. A Math. Phys. Eng. Sci.*, vol. 357, no. 1751, pp. 335–

- 353, 1999, doi: 10.1098/rsta.1999.0330.
- [37] Z. D. Yigezu and K. Muthukumar, "Biofuel production by catalytic cracking of sunflower oil using vanadium pentoxide," *J. Anal. Appl. Pyrolysis*, vol. 112, pp. 341–347, 2015, doi: 10.1016/j.jaap.2015.01.002.
- [38] G. Ramya, R. Sudhakar, J. A. I. Joice, R. Ramakrishnan, and T. Sivakumar, "Liquid hydrocarbon fuels from jatropha oil through catalytic cracking technology using AlMCM-41/ZSM-5 composite catalysts," *Appl. Catal. A Gen.*, vol. 433–434, pp. 170–178, 2012, doi: 10.1016/j.apcata.2012.05.011.
- [39] T. Jatmiko and Q. Erahman, *Sintesis Biogasoline dari CPO Melalui Reaksi Perengkahan Katalitik pada Fasa Gas*. 2012.
- [40] J. L. Sihombing, A. N. Pulungan, D. P. Sari, M. Zubir, and R. Selly, "Konversi minyak biji alpukat menjadi fraksi bahan bakar cair melalui proses catalytic cracking menggunakan katalis CuO/ZAA," *J. Pendidik. Kim.*, vol. 9, no. 2, pp. 304–310, 2017, doi: 10.24114/jpkim.v9i2.7619.
- [41] A. Amrullah, O. Farobie, and W. Fatriasari, "Catalytic Upgrading of Bio-oil from *Ulva lactuca* using Amberlyst-15 Catalyst: Experimental and Kinetic Model," *Int. J. Eng. Trans. C Asp.*, vol. 36, no. 9, pp. 1677–1685, 2023, doi: 10.5829/ije.2023.36.09c.12.
- [42] L. Hakim, H. Husin, R. Sari, R. Dewi, and Meriatna, "Characteristic of hydroxyapatite-supported Ni, Ce, Cu catalyst prepared by deposition-precipitation and impregnation method for glycerolaqueous phase reforming process," *Rasayan J. Chem.*, vol. 13, no. 1, pp. 99–104, 2020, doi: 10.31788/RJC.2020.1315267.
- [43] I. Syahrir, "PROSES PERENKAHAN ASAM OLEAT BASIS MINYAK SAWIT MENJADI FRAKSI GASOLINE DENGAN KATALIS HZSM-5 Irmawati Syahrir POLITEKNIK NEGERI SAMARINDA KALIMANTAN TIMUR," vol. 3, no. 2, pp. 227–233.
- [44] M. Iqbal, V. Purnomo, and D. H. Prajitno, "Rekayasa Katalis Ni/Zn-HZSM-5 untuk Memproduksi Biofuel dari Minyak Bintaro," *J. Tenik POMITS*, vol. 3, no. 2, pp. 153–157, 2014.
- [45] M. Bjørgen *et al.*, "Conversion of methanol to hydrocarbons over zeolite H-ZSM-5: On the origin of the olefinic species," *J. Catal.*, vol. 249, no. 2,

- pp. 195–207, 2007, doi: 10.1016/j.jcat.2007.04.006.
- [46] H. Krannila, W. O. Haag, and B. C. Gates, “Monomolecular and bimolecular mechanisms of paraffin cracking: n-butane cracking catalyzed by HZSM-5,” *J. Catal.*, vol. 135, no. 1, pp. 115–124, 1992, doi: 10.1016/0021-9517(92)90273-K.
- [47] J. Y. Kim, J. Moon, J. H. Lee, X. Jin, and J. W. Choi, “Conversion of phenol intermediates into aromatic hydrocarbons over various zeolites during lignin pyrolysis,” *Fuel*, vol. 279, no. May, p. 118484, 2020, doi: 10.1016/j.fuel.2020.118484.
- [48] R. Shu, B. Lin, C. Wang, J. Zhang, Z. Cheng, and Y. Chen, “Upgrading phenolic compounds and bio-oil through hydrodeoxygenation using highly dispersed Pt/TiO<sub>2</sub> catalyst,” *Fuel*, vol. 239, no. August 2018, pp. 1083–1090, 2019, doi: 10.1016/j.fuel.2018.11.107.
- [49] J. Guo, R. Ruan, and Y. Zhang, “Hydrotreating of phenolic compounds separated from bio-oil to alcohols,” *Ind. Eng. Chem. Res.*, vol. 51, no. 19, pp. 6599–6604, 2012, doi: 10.1021/ie300106r.
- [50] I. Shimada *et al.*, “Catalytic cracking of wax esters extracted from *Euglena gracilis* for hydrocarbon fuel production,” *Biomass and Bioenergy*, vol. 112, no. October 2017, pp. 138–143, 2018, doi: 10.1016/j.biombioe.2018.03.004.
- [51] V. T. da Silva and L. A. Sousa, “Catalytic Upgrading of Fats and Vegetable Oils for the Production of Fuels,” in *The Role of Catalysis for the Sustainable Production of Bio-fuels and Bio-chemicals*, Elsevier, 2013, pp. 67–92.
- [52] D. C. Elliott, “Biofuel from fast pyrolysis and catalytic hydrodeoxygenation,” *Curr. Opin. Chem. Eng.*, vol. 9, pp. 59–65, 2015, doi: 10.1016/j.coche.2015.08.008.
- [53] C. Perego and P. Villa, “Catalyst preparation methods,” *Catal. Today*, vol. 34, no. 3–4, pp. 281–305, 1997, doi: 10.1016/S0920-5861(96)00055-7.
- [54] Z. Chen *et al.*, “A green route for the synthesis of nano-sized hierarchical ZSM-5 zeolite with excellent DTO catalytic performance,” *Chem. Eng. J.*, vol. 388, no. November 2019, p. 124322, 2020, doi:

10.1016/j.cej.2020.124322.

- [55] J. G. Speight, "Inorganic Chemistry," in *Environmental Inorganic Chemistry for Engineers*, Elsevier, 2017, pp. 51–110.
- [56] Y. Israel and L. Meites, "Vanadium, Niobium, and Tantalum: Vanadium," *Stand. Potentials Aqueous Solut.*, no. 1802, pp. 507–526, 2017, doi: 10.1016/B978-0-7506-3365-9.50028-6.
- [57] M. Gattrell, J. Park, B. MacDougall, J. Apte, S. McCarthy, and C. W. Wu, "Study of the Mechanism of the Vanadium 4+/5+ Redox Reaction in Acidic Solutions," *J. Electrochem. Soc.*, vol. 151, no. 1, p. A123, 2004, doi: 10.1149/1.1630594.
- [58] M. Skyllas-Kazacos and Y. Limantari, "Kinetics of the chemical dissolution of vanadium pentoxide in acidic bromide solutions," *J. Appl. Electrochem.*, vol. 34, no. 7, pp. 681–685, 2004, doi: 10.1023/B:JACH.0000031168.03880.1a.
- [59] A. W. Coats and J. P. Redfern, "Coats1963.Pdf," *Anal.*, vol. 88, no. 906, 1963.
- [60] S. P. Verevkin, D. H. Zaitsau, C. Schick, and F. Heym, *Development of Direct and Indirect Methods for the Determination of Vaporization Enthalpies of Extremely Low-Volatile Compounds*, 2nd ed., vol. 6. Elsevier B.V., 2018.
- [61] M. Pijolat and L. Favergeon, *Kinetics and Mechanisms of Solid-Gas Reactions*, vol. 6. 2018.
- [62] L. Chen, Z. Yu, S. Fang, M. Dai, and X. Ma, "Co-pyrolysis kinetics and behaviors of kitchen waste and chlorella vulgaris using thermogravimetric analyzer and fixed bed reactor," *Energy Convers. Manag.*, vol. 165, no. January, pp. 45–52, 2018, doi: 10.1016/j.enconman.2018.03.042.
- [63] A. Dewangan, D. Pradhan, and R. K. Singh, "Co-pyrolysis of sugarcane bagasse and low-density polyethylene: Influence of plastic on pyrolysis product yield," *Fuel*, vol. 185, pp. 508–516, 2016, doi: 10.1016/j.fuel.2016.08.011.
- [64] C. Chen *et al.*, "Study on microwave-assisted co-pyrolysis and bio-oil of Chlorella vulgaris with high-density polyethylene under activated carbon,"

- Energy*, vol. 247, 2022, doi: 10.1016/j.energy.2022.123508.
- [65] A. L. F. S. D’Almeida, D. W. Barreto, V. Calado, and J. R. M. D’Almeida, “Thermal analysis of less common lignocellulose fibers,” *J. Therm. Anal. Calorim.*, vol. 91, no. 2, pp. 405–408, 2008, doi: 10.1007/s10973-007-8606-6.
- [66] C. Chen, T. Zeng, Q. Qi, H. Qiu, J. Zhao, and D. Fan, “Microwave catalytic pyrolysis production and characterization of *Chlorella vulgaris* under different compound additives,” *J. Energy Inst.*, vol. 100, pp. 160–169, 2022, doi: 10.1016/j.joei.2021.11.008.
- [67] C. Kandilli, Y. Acikbas, and M. Uzel, “Investigation of thermophysical properties of natural zeolite plates enhanced with graphite powder for thermal management of PV thermal systems,” *J. Clean. Prod.*, vol. 318, no. July, p. 128558, 2021, doi: 10.1016/j.jclepro.2021.128558.
- [68] K. Jansen, “Characterization of zeolites by scanning electron microscopy,” *Microporous Mesoporous Mater.*, vol. 22, no. 4–6, pp. 531–532, 1998, doi: 10.1016/S1387-1811(98)80017-6.
- [69] K. Jansen, “Characterization of zeolites by SEM,” *Verif. Synth. Zeolitic Mater.*, pp. 55–56, 2001, doi: 10.1016/b978-044450703-7/50109-5.
- [70] N. Fitriana *et al.*, “Synthesis of K<sub>2</sub>O/Zeolite catalysts by KOH impregnation for biodiesel production from waste frying oil,” *IOP Conf. Ser. Mater. Sci. Eng.*, vol. 334, no. 1, 2018, doi: 10.1088/1757-899X/334/1/012011.
- [71] A. B. Khatibani, M. Abbasi, and S. M. Rozati, “Peculiarities of deposition times on gas sensing behaviour of vanadium oxide thin films,” *Acta Phys. Pol. A*, vol. 129, no. 6, pp. 1245–1251, 2016, doi: 10.12693/APhysPolA.129.1245.
- [72] W. Trisunaryanti, R. Shiba, M. Miura, M. Nomura, N. Nishiyama, and M. Matsukata, “Characterization and modification of Indonesian natural zeolites and their properties for hydrocracking of a paraffin,” *Sekiyu Gakkaishi (Journal Japan Pet. Institute)*, vol. 39, no. 1, pp. 20–25, 1996, doi: 10.1627/jpi1958.39.20.
- [73] I. Y. Mohammed, Y. A. Abakr, and R. Mokaya, “Catalytic Upgrading of

Pyrolytic Oil via In-situ Hydrodeoxygenation,” *Waste and Biomass Valorization*, vol. 11, no. 6, pp. 2935–2947, 2020, doi: 10.1007/s12649-019-00613-0.

- [74] S. Xia *et al.*, “Iron salt catalytic pyrolysis of biomass: Influence of iron salt type,” *Energy*, vol. 262, 2023, doi: 10.1016/j.energy.2022.125415.
- [75] T. M. John and B. W. Wojciechowski, “Effect of reaction temperature on product distribution in catalytic cracing of neutral distillate,” *J. Catal.*, vol. 37, no. 2, pp. 348–357, 1975.
- [76] I. Shishkova, D. Stratiev, and L. N. Bourgas, “Impact of Catalyst Properties and Operating,” no. January, 2016.